From: Patterson, Heather, EMNRD

To: "Kyle Norman"

Cc: "Wright, Justin K"; "Hack Conder"; "Lara Weinheimer"; "Laura Flores"; "Catherine Ursanic"; "Sarah Edwards";

"Jeffery Robertson"; Bratcher, Mike, EMNRD; "Hughes, Solomon"

Subject: RE: ConocoPhillips James E Federal Upper Battery (2RP-2197) Corrective Action Plan

Date: Monday, November 24, 2014 10:24:00 AM

Kyle,

Your CAP for the pasture area is approved as written. The OCD will need to see a delineation of the bermed area before any excavation depths in that area can be approved.

OCD records indicate a 2012 release that occurred in the exact same area as this release (2RP-1509). A Final C-141 was never turned in on this previous incident, and may be included with the closing documentation for this event.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson Environmental Specialist NMOCD District II (575)748-1283 ext.101

From: Kyle Norman [mailto:knorman@rice-ecs.com]

Sent: Thursday, November 20, 2014 3:11 PM

To: Patterson, Heather, EMNRD; Bratcher, Mike, EMNRD; 'Hughes, Solomon'

Cc: 'Wright, Justin K'; 'Hack Conder'; 'Lara Weinheimer'; 'Laura Flores'; 'Catherine Ursanic'; 'Sarah

Edwards'; 'Jeffery Robertson'

Subject: ConocoPhillips James E Federal Upper Battery (2RP-2197) Corrective Action Plan

All, attached is the Corrective Action Plan for the Conoco Phillips James E Upper Battery (2RP-2197). If you have any questions, please let us know. Otherwise, we await your approval.

Thanks

Kyle Norman Project Lead 419 W. Cain Hobbs NM 88240 Cell # (575)942-8542

Fax # (575)393-0293

