



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 05, 2013

Daniel Dominguez

Environmental Plus, Inc.

P.O. Box 1558

Eunice, NM 88231

RE: SKELLY 952

Enclosed are the results of analyses for samples received by the laboratory on 11/27/13 13:45.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive, flowing style.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 1 (6") (H302908-01)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/04/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 90.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 89.4 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 2 (6") (H302908-02)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	12/04/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	12.8	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 107 % 65.2-140

Surrogate: 1-Chlorooctadecane 108 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 2 (1') (H302908-03)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	880	16.0	12/04/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 113 % 65.2-140

Surrogate: 1-Chlorooctadecane 112 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 2 (2') (H302908-04)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 119 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	12/04/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 110 % 65.2-140

Surrogate: 1-Chlorooctadecane 109 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 3 (6") (H302908-05)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.113	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	0.490	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	0.276	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	0.273	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	1.15	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	21000	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 97.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 92.1 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 11/27/2013
 Reported: 12/05/2013
 Project Name: SKELLY 952
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 11/26/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 3 (1') (H302908-06)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1620	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	12.3	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 97.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 92.4 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 3 (2') (H302908-07)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 95.1 % 65.2-140

Surrogate: 1-Chlorooctadecane 93.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 4 (6") (H302908-08)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10700	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 94.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 93.3 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 4 (1') (H302908-09)

BTEx 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTEx	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<50.0	50.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	96.6	50.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 112 % 65.2-140

Surrogate: 1-Chlorooctadecane 121 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 11/27/2013
 Reported: 12/05/2013
 Project Name: SKELLY 952
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 11/26/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 4 (2') (H302908-10)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<50.0	50.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<50.0	50.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 80.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 75.3 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 Environmental Plus, Inc.
 Daniel Dominguez
 P.O. Box 1558
 Eunice NM, 88231
 Fax To: (505) 394-2601

 Received: 11/27/2013
 Reported: 12/05/2013
 Project Name: SKELLY 952
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

 Sampling Date: 11/26/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SP 5 (SURFACE) (H302908-11)

BTEx 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTEx	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 122 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1040	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	42.1	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 97.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 98.7 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 5 (1') (H302908-12)

BTEx 8021B		mg/kg		Analyzed By: CK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201		
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713		
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03		
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369		
Total BTEx	<0.300	0.300	12/03/2013	ND						

Surrogate: 4-Bromofluorobenzene (PID) 119 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	880	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 94.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 6 (SURFACE) (H302908-13)

BTEx 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTEx	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 102 % 65.2-140

Surrogate: 1-Chlorooctadecane 96.1 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 6 (1') (H302908-14)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/02/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	<10.0	10.0	12/02/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 99.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 100 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 7 (SURFACE) (H302908-15)

BTX 8021B		mg/kg	Analyzed By: CK					S-04	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	0.245	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	0.829	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	1.49	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	2.57	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 165 % 89.4-126

Chloride, SM4500CI-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	12/04/2013	ND	400	100	400	0.00	

TPH 8015M		mg/kg	Analyzed By: ck						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	52.5	50.0	12/03/2013	ND	193	96.7	200	2.56	
DRO >C10-C28	1930	50.0	12/03/2013	ND	190	95.0	200	3.01	

Surrogate: 1-Chlorooctane 110 % 65.2-140

Surrogate: 1-Chlorooctadecane 125 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 11/27/2013
Reported: 12/05/2013
Project Name: SKELLY 952
Project Number: NONE GIVEN
Project Location: NOT GIVEN

Sampling Date: 11/26/2013
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 7 (1') (H302908-16)

BTX 8021B		mg/kg		Analyzed By: CK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/03/2013	ND	2.12	106	2.00	0.201	
Toluene*	<0.050	0.050	12/03/2013	ND	2.11	105	2.00	0.713	
Ethylbenzene*	<0.050	0.050	12/03/2013	ND	2.09	104	2.00	1.03	
Total Xylenes*	<0.150	0.150	12/03/2013	ND	6.23	104	6.00	0.369	
Total BTX	<0.300	0.300	12/03/2013	ND					

Surrogate: 4-Bromofluorobenzene (PID) 121 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	12/04/2013	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ck					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	12/03/2013	ND	183	91.3	200	5.07	
DRO >C10-C28	<10.0	10.0	12/03/2013	ND	178	89.0	200	6.11	

Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 101 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

P.O. Box 1558, Eunice, NM 88231

LAB Cardinal

Company Name **Environmental Plus, Inc.**

EPI Project Manager **Daniel Dominguez**

Mailing Address P.O. BOX 1558

City, State, Zip **Eunice New Mexico 88231**

EPI Phone#/Fax# 575-394-3481 / 575-394-2601

Client Company **Chevron**

Facility N

Location

Project Reference

EPI Sampler Name	David Robinson
------------------	----------------

Attn: Daniel Dominguez
P.O. Box 1558
Eunice, NM 88231

Eunice, NM 88231

Biltmore

ANALYSIS REQUEST

EPI Project Manager		Daniel Dominguez	
Mailing Address		P.O. BOX 1558	
City, State, Zip		Eunice New Mexico 88231	
EPI Phone#/Fax#		575-394-3481 / 575-394-2601	
Client Company		Chevron	
Facility Name		Skelly 952	
Location			
Project Reference			
EPI Sampler Name		David Robinson	
LAB I.D.		SAMPLE I.D.	
H302908			
1 SP1 (6")		G 1	
2 SP2 (6")		G 1	
3 SP2 (1')		G 1	
4 SP2 (2')		G 1	
5 SP3 (6")		G 1	
6 SP3 (1')		G 1	
7 SP3 (2')		G 1	
8 SP4 (6")		G 1	
9 SP4 (1')		G 1	
10 SP4 (2')		G 1	
		(G)RAB OR (C)OMP.	
		# CONTAINERS	
		GROUND WATER	
		WASTEWATER	
		SOIL	
		CRUDE OIL	
		SLUDGE	
		OTHER:	
		ACID/BASE	
		ICE/COOL	
		OTHER	
		DATE	
		TIME	
		BTEX 8021B	
		TPH 8015M	
		CHLORIDES (Cl)	
		SULFATES (SO ₄ ⁼)	
		pH	
		TCLP	
		OTHER >>>	
		PAH	

Environmental Plus, Inc.

2100 Avenue O, Eunice, NM 88231

P.O. Box 1558, Eunice, NM 88231

Chain of Custody Form
LAB Cardinal

(575) 394-3481 FAX: (575) 394-2601

Company Name Environmental Plus, Inc.

EPI Project Manager Daniel Dominguez

Mailing Address P.O. BOX 1558

City, State, Zip Eunice New Mexico 88231

EPI Phone/Fax# 575-394-3481 / 575-394-2601


Client Company Chevron

Facility Name Skelly 952

Location

Project Reference

EPI Sampler Name David Robinson



Attn: Daniel Dominguez
P.O. Box 1558
Eunice, NM 88231

Bill To

ANALYSIS REQUEST

LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.	SAMPLING	ANALYSIS REQUEST										
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:			ACID/BASE	ICE/COOL	OTHER	DATE	TIME	BTEX 8021B	TPH 8015M	CHLORIDES (Cl ⁻)	SULFATES (SO ₄ ⁼)	pH	TCLP
H302908	1 SP5 (Surface)	G	1			X																
	2 SP5 (1')	G	1			X																
	3 SP6 (Surface)	G	1			X																
	4 SP6 (1')	G	1			X																
	5 SP7 (Surface)	G	1			X																
	6 SP7 (1')	G	1			X																
	7																					
	8																					
	9																					
	10																					

Sampler Relinquished:

Date 11/23/13

Received By:

Relinquished By:

Date 11/27/13

Received By: (lab staff)

Delivered by:

Date 11/27/13

Sample Cool & Intact

Checked By:

E-mail results to: ddominguezepi@gmail.com & bradley.blevins@chevron.com

NOTES:

#54