PERMIAN BASIN ENVIRONMENTAL LAB, LP 10014 SCR 1213 Midland, TX 79706



Analytical Report

Prepared for:

Ben Arguijo Basin Environmental Services P.O. Box 301 Lovington, NM 88260

Project: Former Maljamar Station Project Number: HDO-95-61 Former Maljamar Station Location: Eddy Co., NM

Lab Order Number: 6A20005



NELAP/TCEQ # T104704156-13-3

Report Date: 02/04/16

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Sec. C - 16 @ 12' - N. Wall	6A20005-01	Soil	01/19/16 14:10	01-20-2016 17:18
Sec. C - 16 @ 12' - S. Wall	6A20005-02	Soil	01/19/16 14:00	01-20-2016 17:18
Sec. C - 16 @ 12' - E. Wall	6A20005-03	Soil	01/19/16 14:05	01-20-2016 17:18
Sec. C - 16 @ 12' - W. Wall	6A20005-04	Soil	01/19/16 14:15	01-20-2016 17:18
Sec. C - 16 @ 16.5' - Floor	6A20005-05	Soil	01/19/16 14:20	01-20-2016 17:18

Samples from this workorder were cancelled and work halted on all but the last sample. On 2/3/16, a request was made to report BTEX and TPH from the initial four samples and the fifth sample that had been reported for TPH. BTEX was analyzed on the fifth sample, however, the BTEX analysis had not been prepared on those samples. They were prepared and analyzed on 2/3/16 one day outside of the regulatory holding time. The samples had been kept frozen at less than 5 degrees C since receipt, therefore there should be no appreciable affect to the data.

Sec. C - 16 @ 12' - N. Wall

		6A20	005-01 (Soi	il)					
Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Note
	Perm	ian Basin I	Environmer	ntal Lab, I	L.P.				
Organics by GC									I-02
Benzene	ND	0.0222	mg/kg dry	20	P6B0412	02/03/16	02/03/16	EPA 8021B	
Toluene	ND	0.0444	mg/kg dry	20	P6B0412	02/03/16	02/03/16	EPA 8021B	
Ethylbenzene	ND	0.0222	mg/kg dry	20	P6B0412	02/03/16	02/03/16	EPA 8021B	
Xylene (p/m)	ND	0.0444	mg/kg dry	20	P6B0412	02/03/16	02/03/16	EPA 8021B	
Xylene (o)	ND	0.0222	mg/kg dry	20	P6B0412	02/03/16	02/03/16	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		146 %	75-1	25	P6B0412	02/03/16	02/03/16	EPA 8021B	
Surrogate: 1,4-Difluorobenzene		102 %	75-1	25	P6B0412	02/03/16	02/03/16	EPA 8021B	
General Chemistry Parameters by EPA	/ Standard Method	s							
% Moisture	10.0	0.1	%	1	P6A2101	01/21/16	01/21/16	% calculation	
Total Petroleum Hydrocarbons C6-C35	5 by EPA Method 80	15M							
C6-C12	ND	27.8	mg/kg dry	1	P6A2102	01/20/16	01/20/16	TPH 8015M	
>C12-C28	567	27.8	mg/kg dry	1	P6A2102	01/20/16	01/20/16	TPH 8015M	
>C28-C35	65.4	27.8	mg/kg dry	1	P6A2102	01/20/16	01/20/16	TPH 8015M	
Surrogate: 1-Chlorooctane		99.6 %	70-1	30	P6A2102	01/20/16	01/20/16	TPH 8015M	
Surrogate: o-Terphenyl		117 %	70-1	30	P6A2102	01/20/16	01/20/16	TPH 8015M	
Total Petroleum Hydrocarbon C6-C35	633	27.8	mg/kg dry	1	[CALC]	01/20/16	01/20/16	calc	

Fax: (505) 396-1429

Sec. C - 16 @ 12' - S. Wall 6A20005-02 (Soil) Reporting Analyte Result Limit Units Dilution Batch Prepared Analyzed Method Notes Permian Basin Environmental Lab, L.P. **Organics by GC** I-02 20 P6B0412 EPA 8021B Benzene ND 0.0222 mg/kg dry 02/03/16 02/03/16 20 P6B0412 EPA 8021B Toluene ND 0.0444 mg/kg dry 02/03/16 02/03/16 0.232 mg/kg dry 20 P6B0412 EPA 8021B Ethylbenzene 0.0222 02/03/16 02/03/16 20 P6B0412 EPA 8021B Xylene (p/m) 0.455 0.0444mg/kg dry 02/03/16 02/03/16 Xylene (o) 0.130 0.0222 mg/kg dry 20 P6B0412 02/03/16 02/03/16 EPA 8021B Surrogate: 1,4-Difluorobenzene P6B0412 02/03/16 02/03/16 EPA 8021B 89.0 % 75-125 Surrogate: 4-Bromofluorobenzene P6B0412 02/03/16 02/03/16 EPA 8021B 120 % 75-125 **General Chemistry Parameters by EPA / Standard Methods** % 1 P6A2101 % calculation % Moisture 10.0 0.1 01/21/16 01/21/16 Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M TPH 8015M mg/kg dry 1 P6A2102 C6-C12 219 27.8 01/20/16 01/20/16 P6A2102 TPH 8015M >C12-C28 2350 27.8 mg/kg dry 1 01/20/16 01/20/16 >C28-C35 253 27.8 mg/kg dry 1 P6A2102 01/20/16 01/20/16 TPH 8015M TPH 8015M Surrogate: 1-Chlorooctane P6A2102 01/20/16 01/20/16 92.7 % 70-130 Surrogate: o-Terphenyl P6A2102 01/20/16 01/20/16 TPH 8015M 106 % 70-130 [CALC] **Total Petroleum Hydrocarbon** 2820 27.8 mg/kg dry 1 01/20/16 01/20/16 calc

C6-C35

Permian Basin Environmental Lab, L.P.

Fax: (505) 396-1429

Sec. C - 16 @ 12' - E. Wall 6A20005-03 (Soil) Reporting Analyte Result Limit Units Dilution Batch Prepared Analyzed Method Notes Permian Basin Environmental Lab, L.P. **Organics by GC** I-02 P6B0412 EPA 8021B Benzene ND 0.00116 mg/kg dry 1 02/03/16 02/03/16 P6B0412 EPA 8021B Toluene ND 0.00233 mg/kg dry 1 02/03/16 02/03/16 mg/kg dry P6B0412 EPA 8021B Ethylbenzene ND 0.00116 1 02/03/16 02/03/16 Xylene (p/m) ND 0.00233 mg/kg dry 1 P6B0412 02/03/16 02/03/16 EPA 8021B 0.00323 mg/kg dry 1 P6B0412 EPA 8021B Xylene (o) 0.00116 02/03/16 02/03/16 Surrogate: 1,4-Difluorobenzene P6B0412 02/03/16 02/03/16 EPA 8021B 108~%75-125 Surrogate: 4-Bromofluorobenzene 80.8 % 75-125 P6B0412 02/03/16 02/03/16 EPA 8021B **General Chemistry Parameters by EPA / Standard Methods** 14.0 0.1 % 1 P6A2101 % calculation % Moisture 01/21/16 01/21/16 Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M C6-C12 ND 29.1 mg/kg dry 1 P6A2102 01/20/16 01/20/16 TPH 8015M P6A2102 TPH 8015M >C12-C28 124 29.1 mg/kg dry 1 01/20/16 01/20/16 TPH 8015M ND 1 P6A2102 >C28-C35 29.1 mg/kg dry 01/20/16 01/20/16 Surrogate: 1-Chlorooctane 01/20/16 TPH 8015M 95.6% 70-130 P6A2102 01/20/16 Surrogate: o-Terphenyl P6A2102 01/20/16 TPH 8015M 111 % 70-130 01/20/16 29.1 mg/kg dry 1 [CALC] 01/20/16 calc **Total Petroleum Hydrocarbon** 124 01/20/16 C6-C35

Fax: (505) 396-1429

Sec. C - 16 @ 12' - W. Wall 6A20005-04 (Soil) Reporting Analyte Result Limit Units Dilution Batch Prepared Analyzed Method Notes Permian Basin Environmental Lab, L.P. **Organics by GC** I-02 P6B0412 EPA 8021B Benzene ND 0.00111 mg/kg dry 1 02/03/16 02/03/16 P6B0412 EPA 8021B Toluene ND 0.00222 mg/kg dry 1 02/03/16 02/03/16 mg/kg dry P6B0412 EPA 8021B Ethylbenzene ND 0.00111 1 02/03/16 02/03/16 Xylene (p/m) ND 0.00222mg/kg dry 1 P6B0412 02/03/16 02/03/16 EPA 8021B P6B0412 EPA 8021B ND mg/kg dry 1 Xylene (o) 0.00111 02/03/16 02/03/16 Surrogate: 1,4-Difluorobenzene 105 % 75-125 P6B0412 02/03/16 02/03/16 EPA 8021B Surrogate: 4-Bromofluorobenzene P6B0412 02/03/16 02/03/16 EPA 8021B 142 % 75-125 **General Chemistry Parameters by EPA / Standard Methods** % 1 P6A2101 % calculation % Moisture 10.0 0.1 01/21/16 01/21/16 Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M P6A2102 TPH 8015M C6-C12 ND 27.8 mg/kg dry 1 01/20/16 01/20/16 >C12-C28 130 mg/kg dry 1 P6A2102 TPH 8015M 27.8 01/20/16 01/20/16 ND P6A2102 TPH 8015M >C28-C35 1 01/20/16 27.8mg/kg dry 01/20/16TPH 8015M Surrogate: 1-Chlorooctane P6A2102 01/20/16 01/20/16 95.9% 70-130 Surrogate: o-Terphenyl 110 % P6A2102 01/20/16 01/20/16 TPH 8015M 70-130 **Total Petroleum Hydrocarbon** 130 27.8 mg/kg dry 1 [CALC] 01/20/16 01/20/16 calc C6-C35

Г

Project: Former Maljamar Station Project Number: HDO-95-61 Former Maljamar Station Project Manager: Ben Arguijo Fax: (505) 396-1429

Sec. C - 16 @ 16.5' - Floor

6A20005-05 (Soil)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
	Pern	1ian Basin F	Cnvironmer	ital Lab,	L. P.				
Organics by GC									
Benzene	ND	0.0227	mg/kg dry	20	P6A2705	01/21/16	01/21/16	EPA 8021B	
Toluene	0.110	0.0455	mg/kg dry	20	P6A2705	01/21/16	01/21/16	EPA 8021B	
Ethylbenzene	0.935	0.0227	mg/kg dry	20	P6A2705	01/21/16	01/21/16	EPA 8021B	
Xylene (p/m)	1.40	0.0455	mg/kg dry	20	P6A2705	01/21/16	01/21/16	EPA 8021B	
Xylene (0)	0.462	0.0227	mg/kg dry	20	P6A2705	01/21/16	01/21/16	EPA 8021B	
Surrogate: 4-Bromofluorobenzene		128 %	75-1	25	P6A2705	01/21/16	01/21/16	EPA 8021B	S-GC
Surrogate: 1,4-Difluorobenzene		93.5 %	75-1	25	P6A2705	01/21/16	01/21/16	EPA 8021B	
General Chemistry Parameters by EF	PA / Standard Method	S							
% Moisture	12.0	0.1	%	1	P6A2101	01/21/16	01/21/16	% calculation	
Total Petroleum Hydrocarbons C6-C3	35 by EPA Method 80	15M							
C6-C12	720	142	mg/kg dry	5	P6A2102	01/20/16	01/20/16	TPH 8015M	
>C12-C28	4660	142	mg/kg dry	5	P6A2102	01/20/16	01/20/16	TPH 8015M	
>C28-C35	395	142	mg/kg dry	5	P6A2102	01/20/16	01/20/16	TPH 8015M	
Surrogate: 1-Chlorooctane		121 %	70-1	30	P6A2102	01/20/16	01/20/16	TPH 8015M	
Surrogate: o-Terphenyl		129 %	70-1	30	P6A2102	01/20/16	01/20/16	TPH 8015M	
Total Petroleum Hydrocarbon C6-C35	5780	142	mg/kg dry	5	[CALC]	01/20/16	01/20/16	calc	

Organics by GC - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P6A2705 - General Preparatio	on (GC)									
Blank (P6A2705-BLK1)				Prepared &	Analyzed:	01/21/16				
Benzene	ND	0.00100	mg/kg wet							
Toluene	ND	0.00200	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	0.0578		"	0.0500		116	75-125			
Surrogate: 1,4-Difluorobenzene	0.0418		"	0.0500		83.5	75-125			
LCS (P6A2705-BS1)				Prepared &	Analyzed:	01/21/16				
Benzene	0.0872	0.00100	mg/kg wet	0.100		87.2	70-130			
Toluene	0.0879	0.00200	"	0.100		87.9	70-130			
Ethylbenzene	0.101	0.00100	"	0.100		101	70-130			
Xylene (p/m)	0.174	0.00200	"	0.200		86.9	70-130			
Xylene (o)	0.106	0.00100	"	0.100		106	70-130			
Surrogate: 4-Bromofluorobenzene	0.0567		"	0.0500		113	75-125			
Surrogate: 1,4-Difluorobenzene	0.0505		"	0.0500		101	75-125			
LCS Dup (P6A2705-BSD1)				Prepared &	Analyzed:	01/21/16				
Benzene	0.0818	0.00100	mg/kg wet	0.100		81.8	70-130	6.31	20	
Toluene	0.0835	0.00200	"	0.100		83.5	70-130	5.11	20	
Ethylbenzene	0.0967	0.00100	"	0.100		96.7	70-130	4.50	20	
Xylene (p/m)	0.165	0.00200	"	0.200		82.7	70-130	4.96	20	
Xylene (o)	0.101	0.00100	"	0.100		101	70-130	4.83	20	
Surrogate: 1,4-Difluorobenzene	0.0497		"	0.0500		99.4	75-125			
Surrogate: 4-Bromofluorobenzene	0.0559		"	0.0500		112	75-125			
Batch P6B0412 - General Preparatio	n (GC)									
Blank (P6B0412-BLK1)				Prepared &	Analyzed:	02/03/16				
Benzene	ND	0.00100	mg/kg wet	-	-					
Toluene	ND	0.00200	"							
Ethylbenzene	ND	0.00100	"							
Xylene (p/m)	ND	0.00200	"							
Xylene (o)	ND	0.00100	"							
Surrogate: 4-Bromofluorobenzene	0.0648		"	0.0500		130	75-125			S-0

Surrogate: 1,4-Difluorobenzene

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

95.7

75-125

0.0500

0.0479

Organics by GC - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P6B0412 - General Preparation (GC)										

LCS (P6B0412-BS1)				Prepared & Anal	yzed: 02/03/16				
Benzene	0.0881	0.00100	mg/kg wet	0.100	88.1	70-130			
Toluene	0.0992	0.00200	"	0.100	99.2	70-130			
Ethylbenzene	0.109	0.00100	"	0.100	109	70-130			
Xylene (p/m)	0.186	0.00200	"	0.200	92.9	70-130			
Xylene (o)	0.110	0.00100	"	0.100	110	70-130			
Surrogate: 4-Bromofluorobenzene	0.0639		"	0.0500	128	75-125			S-GC
Surrogate: 1,4-Difluorobenzene	0.0536		"	0.0500	107	75-125			
LCS Dup (P6B0412-BSD1)				Prepared & Anal	yzed: 02/03/16				
Benzene	0.0869	0.00100	mg/kg wet	0.100	86.9	70-130	1.39	20	
Toluene	0.0995	0.00200	"	0.100	99.5	70-130	0.342	20	
Ethylbenzene	0.113	0.00100	"	0.100	113	70-130	3.51	20	
Xylene (p/m)	0.191	0.00200	"	0.200	95.4	70-130	2.75	20	
Xylene (o)	0.117	0.00100	"	0.100	117	70-130	5.92	20	
Surrogate: 1,4-Difluorobenzene	0.0525		"	0.0500	105	75-125			
Surrogate: 4-Bromofluorobenzene	0.0633		"	0.0500	127	75-125			S-GC

General Chemistry Parameters by EPA / Standard Methods - Quality Control

Permian Basin Environmental Lab, L.P.

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch P6A2101 - *** DEFAULT PREP ***										
Blank (P6A2101-BLK1)				Prepared &	Analyzed:	01/21/16				
% Moisture	ND	0.1	%							
Duplicate (P6A2101-DUP1)	Sourc	e: 6A20001-	01	Prepared &	Analyzed:	01/21/16				
% Moisture	4.0	0.1	%		4.0			0.00	20	
Duplicate (P6A2101-DUP2)	Sourc	e: 6A20002-	04	Prepared &	Analyzed:	01/21/16				
% Moisture	6.0	0.1	%		6.0			0.00	20	

Total Petroleum Hydrocarbons C6-C35 by EPA Method 8015M - Quality Control

Permian Basin Environmental Lab, L.P.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch P6A2102 - TX 1005										
Blank (P6A2102-BLK1)				Prepared &	Analyzed:	01/20/16				
C6-C12	ND	25.0	mg/kg wet							
>C12-C28	ND	25.0	"							
>C28-C35	ND	25.0	"							
Surrogate: 1-Chlorooctane	94.2		"	100		94.2	70-130			
Surrogate: o-Terphenyl	54.4		"	50.0		109	70-130			
LCS (P6A2102-BS1)				Prepared &	Analyzed:	01/20/16				
C6-C12	832	25.0	mg/kg wet	1000		83.2	75-125			
>C12-C28	881	25.0	"	1000		88.1	75-125			
Surrogate: 1-Chlorooctane	103		"	100		103	70-130			
Surrogate: o-Terphenyl	47.6		"	50.0		95.3	70-130			
LCS Dup (P6A2102-BSD1)				Prepared &	Analyzed:	01/20/16				
C6-C12	798	25.0	mg/kg wet	1000		79.8	75-125	4.09	20	
>C12-C28	834	25.0	"	1000		83.4	75-125	5.53	20	
Surrogate: 1-Chlorooctane	97.1		"	100		97.1	70-130			
Surrogate: o-Terphenyl	46.8		"	50.0		93.5	70-130			
Matrix Spike (P6A2102-MS1)	Sou	rce: 6A19007	7-02	Prepared &	Analyzed:	01/20/16				
C6-C12	1190	27.5	mg/kg dry	1100	20.4	107	75-125			
>C12-C28	1980	27.5	"	1100	1130	77.1	75-125			
Surrogate: 1-Chlorooctane	145		"	110		132	70-130			S-G
Surrogate: o-Terphenyl	66.3		"	54.9		121	70-130			
Matrix Spike Dup (P6A2102-MSD1)	Sou	rce: 6A19007	7-02	Prepared &	Analyzed:	01/20/16				
C6-C12	1130	27.5	mg/kg dry	1100	20.4	101	75-125	5.68	20	
>C12-C28	1870	27.5	"	1100	1130	67.6	75-125	13.1	20	QM-0
Surrogate: 1-Chlorooctane	137		"	110		125	70-130			
Surrogate: o-Terphenyl	63.7		"	54.9		116	70-130			

Notes and Definitions

S-GC	Surrogate recovery	v outside of control limit	s. The data was accen	ted based on valid recover	v of the remaining surrogate.

- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The LCS and/or LCSD were within acceptance limits showing that the laboratory is in control and the data is acceptable.
- I-02 This result was analyzed outside of the EPA recommended holding time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- LCS Laboratory Control Spike
- MS Matrix Spike

Report Approved By:

Dup Duplicate

Bur Barron

2/4/2016

Brent Barron, Laboratory Director/Technical Director

This material is intended only for the use of the individual (s) or entity to whom it is addressed, and may contain information that is privileged and confidential.

If you have received this material in error, please notify us immediately at 432-686-7235.

Permian Basin Environmental Lab, L.P.

The results in this report apply to the samples analyzed in accordance with the samples received in the laboratory. This analytical report must be reproduced in its entirety, with written approval of Permian Basin Environmental Lab.

Date:

	Relinguisted by Roberty 1-20-16	Relinquished by //alte	Filedard 1-	tions: on all samples with TPH <= 5,000 with results upon availability.						ဂူ	?	?	Sec. C -	Sec. C - 16 @ 12' - N. Wall	LAB # (lab use FIED CODE	only)					Telephone No: (575)396-2378	City/State/Zip: Lovington, NM 88260	Company Address: P.O. Box 301	Company Name Basin Environmental Service Technologies, LLC	Project Manager: Ben J. Arguijo		Permian Basin Environmental
	. 16]):	0		andard TA				 		16.5	12'	12'	12'	12'	Beginning Depth									I Service			nme
		rime 745	l ime ר: 20 מיזי	, i					 		·				Ending Depth									lechn			nta
- All		REACTIVE Day	Received by:	3. Charge r						1/19/2016	1/19/2016	1/19/2016	1/19/2016	1/19/2016	Date Sampled									ologies, LLC			al Lab
2 Ar		log -		3. Charge rush fees to Basin.						1420	1415	1405	1400	1410	Time Sampled					e-mail:	Fax No:						
}					<u> </u>		-				<u> </u>				Field Filtered Total #. of Containers	5				cib ph	গ্র						
										×	×	×	×	×	lce		-	l	ŀ	pm@basinenv.com, cibrvant@paalp.com	(575) 396-1429	1			-	100 Mid	
1										Ļ.,		L_			HNO ₃		Preservatio		<u> </u>	siner @pa	96-14					10014 SCR Midland, Te	
					<u> </u>	<u> </u>	<u> </u>	<u> </u>		:	<u> </u>			<u> </u>	HCI		vatior		ŀ	NV.co	129		-				~
						╄							-	<u> </u>	H₂SO₄ NaOH		1�			ġ,ġ	1	l l				1213 xas 7	ΉA
					⊢	┿───		╂─-			<u> </u>				Na ₂ S ₂ O ₃		of Cor									1213 xas 79706	N
-1	ŀ	1		1		┼─-	-	\vdash	<u> </u>			 	-		None		& # of Containers						ŀ			6	Эщ
20	Date			2		1				-					Other (Specify)		ŝ										S
1-20-16	6	5	6							Soil	Soil	Soil	Soil	Soil	DW≕Drinking Water SL GW = Groundwater S= NP≕Non-Potable Spec	Soil/Solid	Matrix				Report Format:		-		Pro		HAIN OF CUSTODY RECORD AND ANALYSIS REQUEST
17:00	12:20,	0845		1						×	×	×	×	×	TPH (8015M)			T	Π		For		Project Loc: Eddy Co., NM	Prc	Project Name: Former Maljamar Station		ECO
00	≯"													<u> </u>	TPH: TX 1005	TX 1006					nat:	PO #:	τ	Project #: HDO-95-61 Former Maljamar Station	Nam		RD
5	Tem	Sample Hand Delivered by Sampler/Client Rep by Counter? UPS	Labt Cust	Lab Sam VOC		╄	<u> </u>		 		<u> </u>	<u> </u>	┣	 	Cations (Ca, Mg, Na	, K)						# 9	о Гл	# 一	ē		ANI
	pera	iple by Sa by Co	ody ody	orati ple (s Fr					_			_		+	Chloride SAR / ESP / CEC			TCLP			× s	ÅÅ-	ddy	bo	orn		DA
	Iture	tple Hand I by Sampler by Courier?	n co seal seal	ory (Cont ee o	-	┼	+-	–−	┣—		–		┢	+	Metals: As Ag Ba Co	Cr Ph Ha	Se				Standard	С. В	Co	-95-	ner	Ph	NAL
	Upo	? ?/Cli	s on s on	ine) aine) Hea		+	┢				╞╌╴	╞╌	┢─	+-	Volatiles			\vdash	Analyze		ard	PAA-C. Bryant	NM	01 F	Mal	one	.YS
	n Re	ent Rep UPS	cool	Laboratory Comments: Sample Containers Intac VOCs Free of Headspac		+	+	+	1		<u> </u>	<u>†</u>	-	†-	Semivolatiles			┝┼╴				Ē		orm	am	: 43	IS R
	Temperature Upon Receipt	hple Hand Delivered by Sampler/Client Rep. ? by Courier? UPS	Labels on container(s) Custody seals on container(s) Custody seals on cooler(s)	Laboratory Comments: Sample Containers Intact? VOCs Free of Headspace?			HOLI	D (See	s Spe	cial I	nstru	ction	s)	<u> </u>	BTEX 8021B/5030			×	For					er M	ars	2-68	EQ
		Ę	(s)			\Box									RCI						TRRP			alja	tati	Phone: 432-686-7235	UES
								\perp						<u> </u>	N.O.R.M.						ð			mar	S	5	ST
	Ę.	Federa	706.			┥				┞		<u> </u>	<u> </u>	-	TCLP Benzene						<u></u>	1		Stat			-
	5	×		\gg			_	╂	_					<u> </u>		·					L Z			ion	. .		-
	5		zzz	zz		+		+		×	×	×	×	×	RUSH TAT (Pre-Sc	hedule) 24.	48.	72 hrs	Ч		NPDES				1		
	A.	Star				+		+		F	Ê	f		f	Standard TAT 4						S		1			10 5	46
	9517533) 		<u>. 1912 – W</u>	8 - 1932 -	4 3	<u> </u>		1	1	L	<u> </u>	<u> </u>	<u> </u>	<u> </u>			I					I	L	F	Page	13 of	13