

From: Patterson, Heather, EMNRD
To: ["Hickert, Aaron"](#)
Cc: ["Tucker, Shelly"; Bratcher, Mike, EMNRD; mburton@diversifiedfsi.com](#)
Subject: RE: Linn Energy J L Keel A #11 work plan
Date: Wednesday, February 17, 2016 12:36:00 PM

RE: Linn Operating * JL Keel A #11 * 30-015-05099 * 2RP-2276 * Date of Release 4/14/2014

The OCD concurs with BLM approval and COAs for this work plan. In the future the OCD will expect a full delineation at all sites and "refusals" at shallow depths will not be accepted. Please note, this work plan was sent to the OCD by the BLM, not by Linn.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
Office (575)748-1283 ext.101
Cell (575)703-0228

From: Tucker, Shelly [mailto:stucker@blm.gov]
Sent: Thursday, January 21, 2016 12:58 PM
To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD
Subject: Fwd: Linn Energy J L Keel A #11 work plan

FYI....

Michael,

BLM has reviewed and accepts/approves your work plan as written. BLM requests you use a 20mil liner on SP2 since you were unable to fully delineate SP2. You will need to obtain like concurrence with the NMOCD.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker
Environmental Protection Specialist
Bureau of Land Management

620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular

stucker@blm.gov



The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

----- Forwarded message -----

From: **Michael Burton** <mburton@diversifiedfsi.com>
Date: Thu, Jan 21, 2016 at 10:54 AM
Subject: Linn Energy J L Keel A #11 work plan
To: "Tucker, Shelly" <stucker@blm.gov>
Cc: Luis Gonzalez <lgonzalez@diversifiedfsi.com>

Shelly,
Attached is the Linn Energy J L Keel A #11 work plan. We will await your approval and or COA's. Thank you

Mike Burton

DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

