

Bratcher, Mike, EMNRD

From: Michael Alves <malves@diversifiedfsi.com>
Sent: Friday, February 19, 2016 8:47 AM
To: Tucker, Shelly; Michael Burton
Cc: Bratcher, Mike, EMNRD
Subject: RE: FW: COTTONWOOD DRAW 22 FED 2H

What option do we proceed on the 20 ml liner or the river rock?

From: Tucker, Shelly [mailto:stucker@blm.gov]
Sent: Friday, February 19, 2016 8:19 AM
To: Michael Burton <mburton@diversifiedfsi.com>
Cc: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Michael Alves <malves@diversifiedfsi.com>
Subject: Re: FW: COTTONWOOD DRAW 22 FED 2H

BLM approves backfill.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,


Shelly J Tucker

Environmental Protection Specialist
Bureau of Land Management

620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular

stucker@blm.gov



The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Fri, Feb 19, 2016 at 7:39 AM, Michael Burton <mburton@diversifiedfsi.com> wrote:

Good morning. We are requesting backfill approval please. Thank you.

Mike Burton

DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

From: Michael Burton

Sent: Wednesday, February 17, 2016 10:30 AM

To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Tucker, Shelly <stucker@blm.gov>

Cc: 'Christine Alderman' <calderman@cimarex.com>; Michael Alves <malves@diversifiedfsi.com>

Subject: FW: COTTONWOOD DRAW 22 FED 2H

Attached is the representative sample at sample point 6 as requested. Request to backfill.

Mike Burton

DFSI

Environmental Operations Director

Customer Relations

575-390-5454 cell

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

From: Celey Keene [<mailto:celey.keene@cardinallabsnm.com>]

Sent: Wednesday, February 17, 2016 10:12 AM

To: Christine Alderman <calderman@cimarex.com>

Cc: Michael Alves <malves@diversifiedfsi.com>; Michael Burton <mburton@diversifiedfsi.com>; Michael Patterson <mpatterson@diversifiedfsi.com>; Chris Flores <cflores@diversifiedfsi.com>

Subject: COTTONWOOD DRAW 22 FED 2H

THANK YOU,

Celey Keene

Lab Director

Cardinal Laboratories

101 East Marland

Hobbs, NM 88240

T: (575) 393-2326

F: (575) 393-2476

e-mail: celey.keene@cardinallabsnm.com

The information contained in this message is confidential and is only intended for the use of the individual/firm named above. If the reader of this message is not the intended recipient or the employee/agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail or telephone in order to return the message. We would like your feedback about the

services you have received from Cardinal Laboratories. Click on the following link to complete a brief survey, <https://www.surveymonkey.com/s/Z7JXYQQ>. Thank you.