

From: Patterson, Heather, EMNRD
To: ["Kimberly M. Wilson"; Tucker, Shelly](#)
Cc: [Fulks, Brett](#); [Nettles, Matt](#); [David Adkins](#); [Bratcher, Mike, EMNRD](#)
Subject: RE: * Cotton Draw Unit #89 * 30-015-31381 * 2RP-3198
Date: Friday, February 19, 2016 10:26:00 AM
Attachments: image006.png

RE: Devon * Cotton Draw Unit #89 * 30-015-31381 * 2RP-3198

Kimberly,

Your proposed excavation depths for S-1 and S-2 are approved. Your proposed excavation depth for S-3 cannot be approved until this location is fully delineated. Once this area is delineated, please submit data to the OCD for remediation approval in the area of S-3.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
Office (575)748-1283 ext.101
Cell (575)703-0228

From: Kimberly M. Wilson [mailto:kwilson@talonlpe.com]
Sent: Thursday, February 18, 2016 9:33 AM
To: Patterson, Heather, EMNRD; Tucker, Shelly
Cc: Fulks, Brett; Nettles, Matt; David Adkins; Bratcher, Mike, EMNRD
Subject: * Cotton Draw Unit #89 * 30-015-31381 * 2RP-3198

Re: Devon * Cotton Draw Unit #89 * 30-015-31381 * 2RP-3198

Heather and Shelly,

Good Morning,

Happy Thursday.... Attached please find attached the amended work plan for the above referenced location. If you have any questions or concerns please feel free to contact me.

Thank you. Kim

Kimberly M. Wilson
Project Manager
408 West Texas Avenue
Artesia, New Mexico 88210
(575) 746.8768 office

(575) 616.4023 direct
(575) 602.3826 cell
(866) 742.0742 emergency
Email: kwilson@talonlpe.com
Web: www.talonlpe.com

