

February 9, 2016

AMARILLO 921 North Bivins Amarillo, Texas 79107 Phone 806.467.0607 Fax 806.467.0622 Ms. Heather Patterson NMOCD District 2 811 S. 1st Street Artesia, NM 88210

ARTESIA

408 West Texas Avenue Artesia, New Mexico 88210 Phone 575.746.8768 Remedial Activities and Closure Report

Bridger Logistics, LLC

Centurion-Pecos River Station: Oxy Unload

2RP-3323

FORT COLLINS

1811 East Mulberry Street Fort Collins, Colorado Phone 970.818.5330

Dear Ms. Patterson

Subject:

MIDLAND 2301 State Hwy 349

Midland, Texas 79706 Phone 432.522.2133 Fax 432.522.2180 Centurion Pipeline, LP has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the Centurion Pecos River Station: Oxy Truck Unload Battery. The incident description, sol sampling results, remediation activities and closure request are submitted herein.

OKLAHOMA CITY

7700 North Hudson Avenue Suite 10 Oklahoma City, Oklahoma 73116 Phone 405.486.7030

Background Information

SAN ANTONIO 13111 Lookout Way San Antonio, Texas 78233 Phone 210.265.8025 The Pecos River Station Oxy Unload is located approximately fifteen (15) miles south of Carlsbad, New Mexico. The legal location for this site is Unit Letter L, Section 12, Township 28 South and Range 23 East. More specifically the latitude and longitude for this site are 32.31587 North and -104.04916 West. A site plan is presented in Appendix I.

WOODWARD 1211 34th Street

1211 34th Street Suite 13 Woodward, Oklahoma 73801 Phone 580.377.1194 According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of the Pajarito Dune land complex with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is comprised of older alluvial deposits of upland plains and piedmont areas. Drainage courses in this area are normally dry. Ground water in the project vicinity is approximately 38-feet below ground surface (bgs) according to the New Mexico Office of the State Engineer. Appendix II.

The ranking for this site is 20 based on the following:

ENVIRONMENTAL CONSULTING
ENGINEERING
DRILLING
CONSTRUCTION
SPILL MANAGEMENT
GENERAL CONTRACTING

Depth to ground water <50'
Wellhead Protection Area >1000'
Distance to surface water body >1000'

Toll Free 866.742.0742 www.talonlpe.com

Incident Description

Human error caused a tank battery to overflow while a truck was unloading into the tanks. This resulted in a release of approximately 65bbls of crude oil. All of the fluid was contained within a lined and bermed facility. Vacuum trucks were immediately dispatched to the location to recover the released fluid. They were able to recover approximately 63.5bbls of crude oil from the containment. Talon mobilized personnel to conduct a site assessment and to provide remediation of the impacted area.

Initial Remedial Activities

As described previously the release was contained within a lined battery. Upon correspondence with NMOCD it was decided that soil sampling would not be possible without breaching the liner and that the best course of action would be to remove the impacted gravel from the surface of the liner and replace it with clean gravel. Hand excavation activities then commenced within the battery. Once the impacted gravel was removed it was discovered that two holes had previously been cut into the liner, presumably to access the hatches on tanks 1 & 2. Centurion was notified and Talon collected grab soil samples from underneath tanks 1 & 2.

Upon receipt of analytical results from this soil sampling event it was apparent that the soil underneath the tanks was above NMOCD Recommended Remedial Action Levels (RRAL's) for BTEX and TPH. This information was forwarded to NMOCD for review. It was determined that vertical delineation of the impacted soil underneath the battery liner would be required in order to develop a remediation strategy. Due to the existing infrastructure within the tank battery, NMOCD agreed that utilizing a backhoe to dig one sample pit between tanks 1 & 2 would be the best option for assessing the vertical soil impacts at this site. The analytical results from the initial soil sampling event and the vertical delineation are summarized in the following data table. Upon review of the laboratory results with NMOCD it was concluded that the only viable method to remediate the impacted soil beneath the liner would require removal of the infrastructure within the battery (tanks, piping, etc.) and excavate the impacted soil.

Laboratory Results

See Appendix V for complete report of laboratory results.

Site Assessment

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	0	6.2		139	1360
S-1	1	ND		ND	37.5
S-1	2	ND	-	ND	ND
S-1	3	ND		ND	ND
TANK 1	N/A	81.4	80	1930	6050
TANK 2	N/A	143	48	3140	6250

Confirmation Sampling

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	1	ND		ND	ND
S-2	0.5	ND		ND	ND
S-3	0.5	ND		ND	ND
S-4	0.5	ND		ND	388
S-4	1	ND		ND	ND
TANK 1	1	ND		ND	ND
TANK 2	1	ND		ND	ND

(--) Analyte Not Tested

(ND) Analyte Not Detected

Based upon the site ranking of **20**, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, and 100 mg/kg for TPH.

Remedial Actions Taken

- The three 500bbls tanks, associated piping, and existing liner were removed from the battery.
- The impacted soil within the battery was excavated utilizing field PID readings and visual observations to guide the excavation depth.
- Once field data indicated that all of the impacted soil above NMOCD RRAL's was removed confirmation soil samples were taken at sample locations S-1 through S-4 and in previous locations of Tanks 1 and 2.
- Confirmation sampling showed that the area in the vicinity of sample location S-4 was still above RRAL's for DRO at 0.5-feet bgs. This area was further excavated to a depth of 1foot bgs and resampled. The resulting sample analysis indicated acceptable results were obtained.
- Following NMOCD approval, the battery was reconstructed to the same dimensions and grade that existed previously minus 6-inches in pad height to accommodate gravel filled tank rings.
- A 40-mil liner was installed to contain future releases.
- Once installation of the liner was complete gravel ballast was installed and the tank battery put back into service.

Closure

On behalf of Centurion Pipeline, LP we respectfully request that no further actions be required and that closure with regard to this release be granted.

If we can provide additional information or be of further assistance, please contact our office at (575)-746-8768.

Respectfully submitted,


TALON/LPE

Project Manager

David J. Adkins

District Manager

SITE PLAN





Scale: 1" = 30'

Drawn By: TJS

Pecos River Station Oxy Truck Unload Centurion Pipeline L.P. Eddy County, New Mexico Figure 1 - Site Plan

GROUNDWATER DATA



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.) (R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

	POD Sub-		Q	Q	Q							Depth	Depth	Water
POD Number	Code basin	County	64	16	4 5	Sec	Tws	Rng	Х	Υ	Distance			Column
C 03469 POD1	С	ED	3	4	3	11	23S	28E	588374	3575538	401	68	38	30
C 00315	С	ED	3	1	3	11	23S	28E	587973	3575995* 🌑	405	100	45	55
C 03469 POD3	С	ED	3	4	3	11	238	28E	588381	3575538 🌑	408	47		
C 03469 POD2	С	ED	3	4	3	11	23S	28E	588382	3575506	414	48		
C 00235	С	ED		2	2	15	23S	28E	587676	3575280*	431	160		
C 00616		ED	1	3	1	14	23S	28E	587982	3574978*	612	120	30	90
C 00321	С	ED		4	2	15	23S	28E	587679	3574874* 🌑	775	120		
C 02503	С	ED		4	2	15	23S	28E	587679	3574874*	775	70	12	58
C 00608	С	ED	3	3	1	11	23S	28E	587970	3576401*	811	200		
C 00269	С	ED	4	4	2	15	23S	28E	587778	3574773*	840	240	35	205
C 00269 CLW199753	0	ED	4	4	2	15	238	28E	587778	3574773*	840	240	35	205

Average Depth to Water:

32 feet

Minimum Depth:

12 feet

Maximum Depth:

45 feet

Record Count: 11

UTMNAD83 Radius Search (in meters):

Easting (X): 587976

Northing (Y): 3575590

Radius: 1000

^{*}UTM location was derived from PLSS - see Help

INITIAL C-141 & FINAL C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-141 Revised August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Name of Company: Bridger, LLC Address: 2009 Chenault Drive, ST. 100 Telephone No. 469-744-6/52												face of the second second
			•			OPERA?	TOR		Initi	al Report		Final Repor
				344881							······································	
				.1		Telephone l	10. 469-7	<u>44-6</u>	182			
,			1 OXY OI	ROSG		racinty Typ	e: lank Baner	<u>Y</u>				
Surface Ow	ner: Priva	te		Mineral C)wner:				API No).		
	*****			LOCA	TIOI	OF RE	LEASE					
•		•		Feet from the	North/	South Line	Feet from the	East/\	West Line	1		
			Lat	-		_						
Type of Rele	ase: Cnide	· · · · · · · · · · · · · · · · · · ·		NA'I	URE	_			Volume I	Pacovered: 1	(1 {	<u></u>
		overflow		·					API No. West Line County Eddy Volume Recovered: 63.: Date and Hour of Discord 10/9/15 @ 8:30am NMOCD District II tercourse. NM OIL CON ARTESIA UC 0 RECE Immediately dispatched to the state of crude from the battery of the state o			y:
Man I——di	ata Nation (7!0							10/9/15 (@ 8:30am		
Was Hindon	#IC 14001CC (Yes [No Not R	equired			Bratcher	NMOCD I	District II		
Sheldon Hite						10/0/15 10	.27		A .	1.5.01.0	0110	551446161
Was a Water	course Read		Yes ⊠	No		If YES, Vo	lume Impacting	the Wat	ercourse.	ARTES	IA DI	STRICT
If a Watercon	urse was lo	pacted, Descr	be Fully.	•						OCT	09	2015
										RE	CEI\	/ED
Describe Car	se of Probl	em and Remo	dial Actio	n Taken *			<u> </u>			-		
Human error	caused a ta	nk battery to o	verflow v	vhile a truck was				ks were	immediate	ly dispatche	d to th	e location to
Describe Are	a Affected	and Cleanup /	Action Tal	(en.♥							· · · · · · · · · · · · · · · · · · ·	MINUTE
The affected	arca was in	side of a lined	and berm	ed tank battery.	acumm	trucks wère u	tilized to recover	63.5bbl	s of crude	from the bat	tery. S	oil sampling
facility and n	eplaced. On	im the remedi ice the remedi	aue to the ation activ	: liner. 1 ne gravei /ities sre completi	in the or La final	artery will be C-141 will b	removed, nauted c submitted to N	I to an IN MOCD :	MOCD appoint and the second se	proved solid	Waste	disposal
	•			•	•	• • • - • - •						
regulations a public health should their or the environ	II operators or the envi operations h nument. In a	are required to ronment. The nave failed to a	o report as acceptant idequately ICD accep	nd/or file certain r ce of a C-141 report investigate and r	elease not by the emodiate	otifications a ENMOCD m e contaminati	nd perform corre arked as "Final F on that pose a th	ctive act Report" d reat to gr	ions for rel loes not rel round wate	eases which leve the ope r, surface wa	may e rator o ster, hi	ndanger of liability uman health
						***************************************	OIL CON	SERV	<u>'ATION</u>	DIVISIO	УV	
Signature:	*/	anc.	e						i f			
Printed Name	e: And	20110	nce	9] .	Approved by	Environmental S	Specialis	"Hn	12	<u></u>	,
Title: Fig		fely R				Approval Dat	c:90/13/15	ź	Expiration	Date: NI	7	
E-mail Addr	ss: ala	nciel	oridge	rigroup.co	m	Conditions of	Approval:					
Date: 10 9			Phone:	469-744-6	82	komediati <u>SUBMIT</u> R	on per O.C.L EMEDIATION	v. mule N RRO	POSAL	NO	·	
		ets If Necess	ary			ATER TH		3115			ZP.	3323

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Energy Minerals and Natural Resources


Form C-141
Revised August 8, 2011


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.


			Rel	ease Notific	catio	n and Co	rrective A	ction							
						OPERA'	TOR	j	API No. Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am atcher NMOCD District II were immediately dispatched to the local second and the area. High levels of Telescope laid out in the approved work plain NMOCD approval the battery was reconderstand that pursuant to NMOCD rules we actions for releases which may endange port does not relieve the operator of liable at to ground water, surface water, human esponsibility for compliance with any oth the total second and the second second water, surface water, human esponsibility for compliance with any oth the total second second water, surface water, human esponsibility for compliance with any oth the total second second second water, surface water, human esponsibility for compliance with any oth the total second sec						
		enturion Pip				Contact: Re	becca Moore								
		ult Drive, ST					No. 432-686-68		API No. St/West Line County Eddy Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am ther NMOCD District II Vatercourse. The immediately dispatched to the location of the area. High levels of TP ope laid out in the approved work plant MOCD approval the battery was reconstituted by the stand of the provided with the provided with the provided work plant MOCD approval the battery was reconstituted by the provided work plant MOCD rules are actions for releases which may endange by the provided water, surface water, human housibility for compliance with any other RVATION DIVISION dist: Expiration Date:						
Facility Na	ne: Pecos	River Station	n Oxy Tr	uck Unload		Facility Typ	e: Tank Battery	API No. ASE tet from the							
Surface Ow	ner: Priva	te		Mineral C	Owner:				API No),					
				LOCA	ATIO	N OF RE	LEASE								
Unit Letter L	Section 12	Township 28	Range 23	Feet from the	North	/South Line	Feet from the	East/W	est Line						
	<u> </u>		Lati	tude <u>32.31587</u>		_Longitude	-104.0491 <u>6</u>			l					
				NAT	TURE	OF REL	EASE								
Type of Rele	ase: Crude					Volume of	Release: 65bbls								
Source of Re	lease: Tank	overflow					lour of Occurrence		Initial Report Final API No. West Line County Eddy Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am NMOCD District II ercourse. immediately dispatched to the location is of crude from the battery. During he taken in the area. High levels of TPHe laid out in the approved work plan. DCD approval the battery was reconstituted in the approved work plan. DCD approval the battery was reconstituted in the pursuant to NMOCD rules and it is not relieve the operator of liability round water, surface water, human he ibility for compliance with any other VATION DIVISION It: Expiration Date:						
XX7 T 11	37	n				10/9/15@			API No. API No. Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am ter NMOCD District II detercourse. The provided Heaville of TPH ope laid out in the area. High levels of TPH ope laid out in the approved work plan. MOCD approval the battery was reconstructed that pursuant to NMOCD rules and actions for releases which may endanger does not relieve the operator of liability ground water, surface water, human her assibility for compliance with any other EVATION DIVISION						
Was Immedi	ne Monce (Yes [No 🗌 Not R	equired	If YES, To Heather Pa		Bratcher N	Initial Report Final API No. West Line County Eddy Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am NMOCD District II Percourse. Immediately dispatched to the location of the county of the laid out in the area. High levels of TPI or laid out in the approved work plan. OCD approval the battery was reconst and that pursuant to NMOCD rules and those for releases which may endanged does not relieve the operator of liability ground water, surface water, human he sibility for compliance with any other VATION DIVISION St: Expiration Date:						
By Whom? Sheldon Hite	hcock-Talo	n/LPE				Date and H 10/9/15 12			API No. West Line County Eddy Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am r NMOCD District II tercourse. e immediately dispatched to the location of the laid out in the area. High levels of TPH pe laid out in the approved work plan. (OCD approval the battery was reconstructed and that pursuant to NMOCD rules and of the laid out in the approved work plan. (OCD approval the battery was reconstructed and that pursuant to NMOCD rules and of the laid of the laid of the laid out in the approved work plan. (OCD approval the battery was reconstructed and that pursuant to NMOCD rules and of the laid of						
Was a Water		hed?						the Water	Initial Report Final API No. West Line County Eddy Volume Recovered: 63.5 Date and Hour of Discovery: 10/9/15 @ 8:30am NMOCD District II ercourse. immediately dispatched to the location of the area. High levels of TPI are laid out in the area. High levels of TPI are laid out in the approved work plan. OCD approval the battery was reconst and that pursuant to NMOCD rules and those for releases which may endanger does not relieve the operator of liability round water, surface water, human he sibility for compliance with any other VATION DIVISION at: Expiration Date:						
			Yes 🏻	No											
If a Watercou	rse was Im	pacted, Descri	be Fully.							·					
Human error recover the re Describe Are The affected excavation of BTEX promp Confirmation and put back	caused a ta eleased fluid a Affected area was in the impact ted further soil sample into service	and Cleanup A side of a lined ed gravel two soil sampling es were taken	overflow v uid was co Action Tak and berm holes wer and a rem within the	while a truck was ontained within a cen.* ed tank battery. Ve discovered in the ediation work plants battery and subn	lined ar /acuum ne liner an. The nitted to	trucks were u beneath tanks remediation w	tilized to recover 1 & 2. Soil samples conducted to to to backfill. Upon	63.5bbls les were t the scope on NMO0	of crude t taken in the laid out in CD approv	from the bat ne area. High n the approvious the batte	tery. Do h levels ed work ry was	uring hand of TPH and k plan. reconstructed			
regulations a public health should their o or the environ	l operators or the envi perations h iment. In a	are required to ronment. The ave failed to a	report an acceptance dequately CD accep	id/or file certain record a C-141 reportance of a C-141 reportance of a C-141	elease rort by the conedian	notifications and ne NMOCD m te contaminati	nd perform correct arked as "Final R on that pose a three the operator of	etive action deport" do reat to gro responsib	ons for relies not relieund water ound water oility for c	eases which ieve the ope r, surface wa ompliance v	may er rator of ater, hu vith any	ndanger Tiability man health			
Signature:	AH.	100	12							DIVISIO	<u> </u>				
Printed Name	: Rebecca l	Moore				Approved by	Environmental S	pecialist:		olume Recovered: 63.5 ate and Hour of Discovery: 1/9/15 @ 8:30am IOCD District II Turse. Torude from the battery. During har ten in the area. High levels of TPH id out in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan. O approval the battery was reconstruit in the approved work plan.					
Title: Enviro	nmental Ad	visor		- horre		Approval Dat	e:	Е	xpiration	Date:					
E-mail Addre	ss: Rebecci	a_Moore@oxy	y.com	, , , , , , , , , , , , , , , , , , ,		Conditions of	Approval:			me Recovered: 63.5 and Hour of Discovery: 15 @ 8:30am CD District II e. iately dispatched to the location and from the battery. During ha in the area. High levels of TPH out in the approved work plan. approval the battery was reconstructed to the pursuant to NMOCD rules and are releases which may endanger to relieve the operator of liability water, surface water, human her ior compliance with any other ON DIVISION ion Date:					
Date:2/9/201 Attach Addi	ional Shee	ets If Necess		432-686-6805				·							

PHOTOGRAPHIC DOCUMENTATION









LABORATORY RESULTS



October 21, 2015

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: PECOS RIVER STATION: OXY UNLOAD

Enclosed are the results of analyses for samples received by the laboratory on 10/20/15 10:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keena

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

10/20/2015

Sampling Date:

10/20/2015

Reported:

10/21/2015

Sampling Type:

Soil

Project Name:

PECOS RIVER STATION: OXY UNLOAD

Sampling Condition:

Cool & Intact

Project Number:

NONE GIVEN

Sample Received By:

Jodi Henson

Project Location:

NOT GIVEN

Sample ID: TANK 1 (H502732-01)

BTEX 8021B	mg/	'L	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	4.43	1.00	10/20/2015	ND	2.04	102	2.00	0.988	
Toluene*	22.9	1.00	10/20/2015	ND	1.86	92.8	2.00	1.59	
Ethylbenzene*	2.82	1.00	10/20/2015	ND	1.84	91.9	2.00	1.91	
Total Xylenes*	51.3	3.00	10/20/2015	ND	6.03	100	6.00	2.01	
Total BTEX	81.4	6.00	10/20/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	109	% 66.2-14	2						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/20/2015	ND	368	92.0	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	1930	50.0	10/20/2015	ND	201	100	200	2.40	
DRO >C10-C28	6050	50.0	10/20/2015	ND	215	107	200	1.74	
Surrogate: 1-Chlorooctane	126	% 47.2-15	7						
Surrogate: 1-Chlorooctadecane	181	% 52.1-17	6						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's Fability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Kreene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported:

10/21/2015

PECOS RIVER STATION: OXY UNLOAD

Project Number: Project Location:

Project Name:

NONE GIVEN NOT GIVEN

10/20/2015

Sampling Date:

Sampling Type:

10/20/2015 Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Jodi Henson

Sample ID: TANK 2 (H502732-02)

BTEX 8021B	mg	/L	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	2.05	2.00	10/20/2015	ND	2.04	102	2,00	0.988	
Toluene*	34.2	2.00	10/20/2015	ND	1.86	92.8	2.00	1.59	
Ethylbenzene*	13.7	2,00	10/20/2015	ND	1.84	91.9	2.00	1.91	
Total Xylenes*	93,6	6.00	10/20/2015	ND	6.03	100	6.00	2.01	
Total BTEX	143	12.0	10/20/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	105	% 66.2-14	2						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/20/2015	ND	368	92.0	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	3140	50.0	10/20/2015	ND	201	100	200	2,40	
DRO >C10-C28	6250	50.0	10/20/2015	ND	215	107	200	1.74	
Surrogate: 1-Chlorooctane	136	% 47.2-15	7						
Surrogate: 1-Chlorooctadecane	165	% 52.1-17	6						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed valved unless made in withing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Celeg D. Keene



Notes and Definitions

S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

Insufficient time to reach temperature.

Chloride by SM4500CI-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damagés. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celeg & Keine



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Talon/LPE	B/// 70	
Project Manager: 5, HHChCColl	P.O. #:	ANALYSIS REQUEST
Address: 408 W. Texas Ave.	Company: Talon/LPE	
City: Artesia State: NM zip: 88210	- 1	
Phone #: 575-746-8768 Fax #: 575-746-8905	Address:	
Project #: Project Owner: 37 Mg CV	City:	
Project Name: PCLOS Rillow Station OXY CUM land	State: Zip:	
Project Location:	#	
Sampler Name: ζ , ψ + Ch / eCK	Tov #.	
	1	
	PRESERV. SAMPLING	<i>;</i>
CONTAINERS ROUNDWATER ASTEWATER OIL	HER: ID/BASE: I/COOL HER:	hlorides
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	A I	
Tank 2	1 10-2616 9:33	
	, ,	
PLEASE NOTE: Leabily and Damages. Cardina's lability and client's exclusive remedy for any claim arising whether based in contract or lort, shall be writted to the amount paid by the client for the analyses. All claims including those for neighbors and any other clause whatsoever shall be deemed waived unless made in writing and received by Cardinal writin 30 days after completion of the applicable. Since, in the event shall Cardinal the table for proceeding or commenced immore a least the control of the applicable.	or tort, shall be limited to the amount paid by the client for the received by Cardinal within 30 days after completion of the applicable	
allimates or successors arising out of or related to the performance of services hereunde; by Cardinal, requiritiess of whether such claim Relinquished By:		
Stally text	Phone Result: Yes Fax Result: Yes REMARKS:	S □ No Add'I Phone #: S □ No Add'I Fax #:
Relinquished By: Time:	Rush !!	
Sampler - UPS - Bus - Other Sampler - UPS - Bus - Other Sample Condition	CHECKED BY:	
2.00		

Cool Intact
Tes Tres



November 06, 2015

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: PECOS RIVER STATION: OXY UNLOAD

Enclosed are the results of analyses for samples received by the laboratory on 10/30/15 15:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keens

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

10/30/2015

Sampling Date:

10/30/2015

Reported:

11/06/2015

Sampling Type:

Soil

Project Name:

PECOS RIVER STATION: OXY UNLOAD

Sampling Condition:

Cool & Intact

Project Number:

701834.037.01

Project Location:

NOT GIVEN

Sample Received By:

Celey D. Keene

Sample ID: S-1 0' (H502858-01)

BTEX 8021B	mg,	/kg	Analyze	d By: MS					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.159	0.050	11/05/2015	ND	2.08	104	2.00	2.22	
Toluene*	0.593	0.050	11/05/2015	ND	2.28	114	2.00	2.94	
Ethylbenzene*	<0.050	0.050	11/05/2015	ND	2.06	103	2.00	3.69	
Total Xylenes*	5.44	0.150	11/05/2015	ND	6.56	109	6.00	3.57	
Total BTEX	6.20	0.300	11/05/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	190	% 73.6-14	0						
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	139	10.0	11/04/2015	ND	212	106	200	1.40	
DRO >C10-C28	1360	10.0	11/04/2015	ND	218	109	200	2.41	
Surrogate: 1-Chlorooctane	122	% 35-147	,						
Surrogate: 1-Chlorooctadecane	145	% 28-171	N.						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's fability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

10/30/2015

Sampling Date:

10/30/2015

Reported:

11/06/2015

Sampling Type:

Soil

Project Name:

PECOS RIVER STATION: OXY UNLOAD

Sampling Condition:

Cool & Intact

Project Number:

701834.037.01

Sample Received By:

Celey D. Keene

Project Location:

NOT GIVEN

Sample ID: S-1 1' (H502858-02)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2015	ND	2.08	104	2.00	2,22	
Toluene*	<0.050	0,050	11/05/2015	ND	2.28	114	2.00	2.94	
Ethylbenzene*	<0.050	0.050	11/05/2015	ND	2.06	103	2.00	3.69	
Total Xylenes*	<0.150	0.150	11/05/2015	ND	6.56	109	6.00	3,57	
Total BTEX	<0.300	0.300	11/05/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	107 5	% 73.6-14	0						
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/04/2015	ND	212	106	200	1.40	
DRO >C10-C28	37,5	10.0	11/04/2015	ND	218	109	200	2.41	
Surrogate: 1-Chlorooctane	121 5	% 35-147	•						
Surrogate: 1-Chlorooctadecane	1365	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion or the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated resons or otherwise. Results relate only to the samples identified above. This

Celeg & Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 10/30/2015

11/06/2015

PECOS RIVER STATION: OXY UNLOAD 701834.037.01

Project Number: Project Location:

Project Name:

NOT GIVEN

Sampling Date:

Sampling Type:

10/30/2015 Soil

Sampling Condition:

Cool & Intact

Sample Received By:

Celey D. Keene

Sample ID: S-1 2' (H502858-03)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2015	ND	2.08	104	2.00	2.22	
Toluene*	<0.050	0.050	11/05/2015	ND	2.28	114	2.00	2.94	
Ethylbenzene*	<0.050	0.050	11/05/2015	ND	2.06	103	2.00	3.69	
Total Xylenes*	<0.150	0.150	11/05/2015	ND	6.56	109	6,00	3.57	
Total BTEX	<0.300	0.300	11/05/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	107 9	% 73.6-14	0						
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/04/2015	ND	212	106	200	1.40	
DRO >C10-C28	<10.0	10.0	11/04/2015	ND	218	109	200	2.41	
Surrogate: 1-Chlorooctane	115 9	% 35-147	Es						
Surrogate: 1-Chlorooctadecane	130 9	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liabley and Damages. Cardinal's liablely and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed valved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Celeg & Keine



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received: Reported: 10/30/2015

11/06/2015

Project Number:

Project Location:

Project Name:

PECOS RIVER STATION: OXY UNLOAD

701834.037.01

NOT GIVEN

Sampling Date:

Sample Received By:

Sampling Type: Soil

Sampling Condition:

Cool & Intact

10/30/2015

Celey D. Keene

Sample ID: S-1 3' (H502858-04)

BTEX 8021B	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/05/2015	ND	2.08	104	2.00	2.22	
Toluene*	<0.050	0.050	11/05/2015	ND	2.28	114	2.00	2.94	
Ethylbenzene*	<0.050	0.050	11/05/2015	ND	2.06	103	2,00	3.69	
Total Xylenes*	<0.150	0.150	11/05/2015	ND	6.56	109	6.00	3.57	
Total BTEX	<0.300	0.300	11/05/2015	ND					
Surrogate: 4-Bromofluorobenzene (PIL	109	% 73.6-14	0						
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	11/04/2015	ND	212	106	200	1.40	
DRO >C10-C28	<10.0	10.0	11/04/2015	ND	218	109	200	2,41	
Surrogate: 1-Chlorooctane	115	% 35-147							
Surrogate: 1-Chlorooctadecane	129	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's faibility and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Celeg & treene



Notes and Definitions

S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and chen'ts exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, wahout limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celley & Keine



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

	Add'I Fax #:	O No	□ Yes		Fay Recult			by:	Keceived by:	X	Date:	By:	Relinquished By:
	Add'I Phone #:	No	Yes	sult:	i Phone Result:		To comment on the page 1	O WINGLISH SU	regardies	by Cardina	affiliates or successors arising out of or related to the performance of services hereunder by Catathai, regardless of windows super cuain a passes of the performance of services hereunder by Catathai, regardless of windows super cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of windows of cuain a passes of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by Catathai, regardless of the performance of services hereunder by the performance of the perf	ising out of or related to the per	affiliates or successors as
				Ė	ed reasons or otherw	uron any of the above stat	chain is based	DUSINESS THEIR	I imitation	ding withou	service. In no event shall Cardinal be liable for incidental or consequential damages, including without immation, pushess situations, was a constrained by the above stated reasons or otherwise.	Cardinal be liable for incidenta	service. In no event shall
				aries.	d by client, its subsid	d by Cardinal within 30 day	nting and receive	less made in w	waived un	be deeme	analyses. All claims including those for negligence and any other cause whatecever shall be deemed waved unless made in writing and received by claimina warm or very successful to the control of profits profits as subsidiaries.	ding those for negligence and a	analyses. All claims inclu
				or the	nt paid by the client i	hall be limited to the amou	contract or tort, s	hether based in	n arising w	for any clair	PLEASE NOTE: Liability and Damagos. Cardinal's liability and client's exclusive remedy for any durin arising whether based in contract or tort, shall be limited to the amount paid by the client for the	and Damages. Cardinal's liabil	PLEASE NOTE: Liability
	_		-										
			-										
		†	+										
			-					1	H				
									+	+			
			+	-									
			-		_				-	7		2-10	10.
			_	_	02:01	_			,	~		-	
	+		-	-	0.00				_	7		2 1 2	9
				1	(1)	,			1	9		7,	52
			_	`	1210 P	\ - -		`	-	` (1	
		T	1	-	41.01.2	1 10/30/14		_	-	r		グープ	2
			+	1		0	S	s	-	(0			120000
			1,	1	TIME		TH	VAS OIL		s)R			
			1	- ρ		C	ER	_		AB			
	_		<u> </u>	2 Н		OOL		WA.	AIN DW	OR	Sample I.D.	Samp	Lab I.D.
			2 X	_				TER		(C)			
				_				₹	_	OMF			
			_		LING	PRESERV. SAMIFLING	-	MATRIX	T	۰.			FOR LAB USE ONLY
					480		Fax				ioch	S. Hitchcock	Sampler Name:
			_			#	Phone #:					2	Project Location:
	_					Zip:	State:	Unlow	XY	0	DOCOS RIVER Station OXY CLARGE		Project Name:
	_		_	_			City.	100	101	er:	Project Owner:	Project #: 10 830 103/101	Project #: /O
			-				7	10		3	2	10000	Tilonom. Of O
						SS:	Address:	O1	2068	-746	Fax #: 575-746-890,5	-746-8768	Bhone #: 575-746-8768
1				_			Attn:	0	882	Zip:	State: NM Zip: 88210		city: Artesia
					PE	any: Talon/LPE	Company:				/e.	Address: 408 W. Texas Ave	Address: 408
	_						P.O. #:				CR	Project Manager: 5, Hithacoch	Project Manage
	- 0.0],	1	$\left\{ \right.$		BILL 10						Company Name: Talon/LPE	Company Name
RECUEST	ANALYSIS REQUEST	1				2111		١	١	ľ	(5/5) 353-2320 : 700 (3/3) 835 27: 6	(0/0) 000-2020	
										3	EDY (5/5) 393-29	15751 202 2376	

Sample Condition
Cool Intact
United Tes
No No

CHECKED BY: (Initials)

REMARKS:

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Time:



January 26, 2016

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: PECOS RIVER OXY TRUCK UNLOAD

Enclosed are the results of analyses for samples received by the laboratory on 01/25/16 13:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-15-7. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

01/25/2016

01/26/2016

Sampling Date:

01/25/2016

Reported:

Sampling Type:

Soil

Project Name:

PECOS RIVER OXY TRUCK UNLOAD

Sampling Condition:

Cool & Intact

Project Number: Project Location:

NONE GIVEN NOT GIVEN

Sample Received By:

Jodi Henson

Sample ID: S-1 1' (H600167-01)

BTEX 8021B	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2.00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2.00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0.150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIE	101	% 73.6-14	9				· · · · · · · · · · · · · · · · · · ·		
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	<10.0	10.0	01/26/2016	ND	184	92.0	200	2.67	
Surrogate: 1-Chlorooctane	78.0	% 35-147	Ž				313 117		
Surrogate: 1-Chlorooctadecane	80.4	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's Fability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Celeg D. Freene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 01/25/2016

01/26/2016

PECOS RIVER OXY TRUCK UNLOAD

Project Name: Project Number: Project Location:

NONE GIVEN NOT GIVEN

01/25/2016

Sampling Type:

Soil

Sampling Condition: Sample Received By:

Sampling Date:

Cool & Intact

Jodi Henson

Sample ID: S-2 0.5' (H600167-02)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2,00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2.00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0,150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIL	101	% 73.6-14	0						
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	<10.0	10,0	01/26/2016	ND	184	92.0	200	2.67	
Surrogate: 1-Chlorooctane	76.5	% 35-147	,						
Surrogate: 1-Chlorooctadecane	77.7	% 28-171	I.						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed valued unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its value or success a result of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celley D. Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

01/25/2016

Reported:

01/26/2016

Project Name:

PECOS RIVER OXY TRUCK UNLOAD

Project Number: NONE GIVEN

Project Location:

NOT GIVEN

Sampling Date:

Sampling Type:

Soil Cool & Intact

Sampling Condition: Sample Received By:

Jodi Henson

01/25/2016

Sample ID: S-3 0.5' (H600167-03)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2.00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2,00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0.150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIL	101 9	% 73.6-14	0			====			
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	<10.0	10.0	01/26/2016	ND	184	92,0	200	2.67	
Surrogate: 1-Chlorooctane	77.7	% 35-147	,						
Surrogate: 1-Chlorooctadecane	76.9	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results related in the samples identified above. This

Celly D. Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

01/25/2016

Reported:

01/26/2016

Project Name:

PECOS RIVER OXY TRUCK UNLOAD

Project Number:

Project Location:

NONE GIVEN

NOT GIVEN

Sampling Date:

Sampling Date.

01/25/2016 Soil

Sampling Type:

Sampling Condition: Sample Received By: Cool & Intact

Jodi Henson

Sample ID: S-4 0.5' (H600167-04)

BTEX 8021B	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2.00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2.00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0.150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0.300	0.300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIL	102 9	6 73.6-14	0						
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	388	10.0	01/26/2016	ND	184	92.0	200	2.67	
Surrogate: 1-Chlorooctane	82.4	% 35-147	,						
Surrogate: 1-Chlorooctadecane	91.0	% 28-171	5						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed varied unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This

Celey & Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

01/25/2016

Reported:

01/26/2016

Project Name:

PECOS RIVER OXY TRUCK UNLOAD

Project Number:

NONE GIVEN Project Location: NOT GIVEN

Sampling Date:

01/25/2016

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Jodi Henson

Sample ID: TANK 1 1' (H600167-05)

BTEX 8021B	mg/	'kg	Analyze	d By: MS			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2,00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2.00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0.150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0.300	0,300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIL	101	% 73.6-14	0						
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	<10.0	10.0	01/26/2016	ND	184	92.0	200	2.67	
Surrogate: 1-Chlorooctane	80.2	% 35-147	,						
Surrogate: 1-Chlorooctadecane	81.4	% 28-171	rs.						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed valved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celley D. Kreene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received: Reported: 01/25/2016

01/26/2016

PECOS RIVER OXY TRUCK UNLOAD

Project Number: Project Location:

Project Name:

NOT GIVEN

NONE GIVEN

Sampling Date:

Sampling Type: Soil

Sampling Condition: Sample Received By: Cool & Intact

01/25/2016

Jodi Henson

Sample ID: TANK 2 1' (H600167-06)

BTEX 8021B	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/26/2016	ND	2.41	121	2.00	5.16	
Toluene*	<0.050	0.050	01/26/2016	ND	2.34	117	2.00	6.00	
Ethylbenzene*	<0.050	0.050	01/26/2016	ND	2.14	107	2.00	6.06	
Total Xylenes*	<0.150	0.150	01/26/2016	ND	6.52	109	6.00	5.02	
Total BTEX	<0,300	0.300	01/26/2016	ND					
Surrogate: 4-Bromofluorobenzene (PIE	101	% 73.6-14	0						
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/26/2016	ND	190	94.9	200	4.43	
DRO >C10-C28	<10.0	10.0	01/26/2016	ND	184	92.0	200	2.67	
Surrogate: 1-Chlorooctane	82.2	% 35-147	7						
Surrogate: 1-Chlorooctadecane	81.9	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



Notes and Definitions

Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high. BS1 Analyte NOT DETECTED at or above the reporting limit ND Relative Percent Difference RPD ** Samples not received at proper temperature of 6°C or below. Insufficient time to reach temperature.

> Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

*=Accredited Analyte Cardinal Laboratories

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Talon/I PF		ANALIGIO ALGOLO:
יייי ייייייייייייייייייייייייייייייייי		
Project Manager: 5, Ht.+Ch. Coll	P.O.#: Coutiarian	
Address: 408 W. Texas Ave.	Company: Action/LPE.	
city: Artesia state: NM zip: 88210	210 Attn:	
Phone #: 575-746-8768 Fax #: 575-746-8905)05 Address:	
Project #: Project Owner: (EV+1/14) Project (Project Owner: (Project O	the job city:	
ame: PC/05 River ox	nad State: Zip:	
Project Location:	Phone #:	
Sampler Name: 5, HIHMOOK	Fax #:	
**************************************	MATRIX PRESERVI SAMPLING	
Lab I.D. Sample I.D. (G)RAB OR (C)OMF	GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER:	TPH BTEX
-	/	
7.0.5	25,0	
3 5-3 0:5	/ W.52	
4 5-4 0.5	10:54	
5 Table 2 1'	1. 1	
6 Tank 2 1' (5)	1 1 10:58	
and the state of t	nowbether hased in contract or log, shall be limited to the amount paid by the client for the	othe

Sampler - UPS - Bus - Other: Delivered By: (Circle One) † Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326 Time: 5.20 Received By: Sample Condition
Cool Intact
Pes 1 Yes
No 1 No 5: 1144 ese

Date:

analyses. All claims including those for neglig service. In no event shall Cardinal be liable to

Relinquished By



January 27, 2016

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: PECOS RIVER STATION: OXY UNLOAD

Enclosed are the results of analyses for samples received by the laboratory on 01/27/16 11:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-15-7. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

01/27/2016

Sampling Date:

01/27/2016

Reported:

01/27/2016

Sampling Type:

Soil

Project Name:

PECOS RIVER STATION: OXY UNLOAD

Sampling Condition:

Cool & Intact

Project Number:

701834.037.01

Project Location:

NOT GIVEN

Sample Received By:

Jodi Henson

Sample ID: S-4 1' (H600192-01)

TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	01/27/2016	ND	199	99.3	200	3.47	
DRO >C10-C28	<10.0	10.0	01/27/2016	ND	190	95.0	200	4.27	
Surrogate: 1-Chlorooctane	85,3	% 35-147	t)						
Surrogate: 1-Chlorooctadecane	85.1	% 28-171							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy (or any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed vaived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Celley D. Kreene



ND

Notes and Definitions

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Analyte NOT DETECTED at or above the reporting limit

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Uability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analysies. All claims, including those for negligence and any other cause whatsoever shall be deemed varied unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

company Name: [alon/LPE		81LL 70	ANALYSIS REQUEST
Project Manager: 5. Hir Cucech	-	P.O. #:	
Address: 408 W. Texas Ave.		company: Talon/LPE	
	State: NM Zip: 88210	Attn:	
Phone #: 575-746-8768 Fax #: 575-746-8905	746-8905	Address:	
	Project Owner: Cothuian	City:	
ame: 90005 Rivar		State: Zip:	
Project Location:		Phone #:	
Sampler Name: 5. HitCh Coch		Fax #:	P
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	
Lab I.D. Sample I.D.	(G)RAB OR (C)OMP. # CONTAINERS GROUNDWATER WASTEWATER SOIL OIL SLUDGE	OTHER: ACID/BASE: ICE / COOL OTHER:	TPH
15-41,	7		
ELEGE NOTE: Limble and Damanes. Cardina's limble and client's exclusive sensor for any claim session whether based in contract or tort, shall be limited to the amount paid by the cleent for the	any claim analise whether based in contrac	I or tort, shall be limited to the amount paid by the client for	The
replace All claims including and passages, can unusure among any other causes whistophysic shall be desired and	downed united inference made in writing to	as made in writing and received by Cardinal within 30 days after completion of the applicable	ha navilinable

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326

Sample Condition
Cool Intact
Larges Larges
No No

Rush

Delivered By: (Circle One)
Sampler - UPS - Bus - Other:

Date: Time: service. In no event shall Cardinal be liable affiliates or successors arising out of or relative to the control of the contro

Phone Result: Fax Result: REMARKS:

☐ Yes

□ No Add'l Phone #: