

From: Patterson, Heather, EMNRD
To: ["Blevins, Bradley"](#)
Cc: [Bratcher, Mike, EMNRD](#)
Subject: RE: PLU CVX JV BS 023H (2RP-3192)
Date: Monday, May 09, 2016 7:14:00 AM

RE: BOPCO * PLU CVX JV BS #23H * 30-015-41392 * 2RP-3192

Bradley,

Your work plan is approved.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
Office (575)748-1283 ext.101
Cell (575)703-0228

From: Blevins, Bradley [mailto:BBlevins@BassPet.Com]
Sent: Tuesday, May 03, 2016 10:29 AM
To: Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD
Cc: Blevins, Bradley
Subject: PLU CVX JV BS 023H (2RP-3192)

Mike/ Heather

Per our meeting and discussion on April 29th 2016 BOPCO has conducted an initial scrape of the release area (SP1-6) and has proposed to remove an additional 1 foot from SP6. We will collect additional samples from the following, SP1-2 and 6 to confirm TPH concentrations. Once field work is complete a final C-141 and closure report will be submitted. Thanks

Brad Blevins
BOPCO, LP
522 W. Mermod, Suite 704
Carlsbad, NM 88220
Office-575-887-7329
Cell-1-432-214-3704
bblevins@basspet.com