

From: Patterson, Heather, EMNRD
To: ["Lucas Middleton"](#)
Cc: [Bratcher, Mike, EMNRD](#); atrujillo@concho.com
Subject: RE: Delineation data for MYOX 32 FEE No. 002H 2RP-3274
Date: Wednesday, June 01, 2016 10:23:00 AM
Attachments: image001.png

RE: COG Operating * Myox 32 Fee #2H * 30-015-41521 * 2RP-3274

Lucas,

This closure request is approved. Thank you for the additional delineation.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
Office (575)748-1283 ext.101
Cell (575)703-0228

From: Lucas Middleton [mailto:lucas.middleton@soudermiller.com]
Sent: Wednesday, May 25, 2016 3:22 PM
To: Patterson, Heather, EMNRD
Subject: Delineation data for MYOX 32 FEE No. 002H 2RP-3274

Good Afternoon Ms. Patterson,

I have attached the additional delineation sample results for MYOX 32 FEE No. 002H (API- 30-015-41521) 2RP-3274. These depths were achieved using a HAS (Hollow Steam Auger).

If you have any question feel free to contact me my phone or email.

Lucas Middleton
Souder, Miller and Associates
Staff Scientist
575-689-5351

