

From: [Groves, Amber](#)
To: [Jerry Burton](#)
Cc: [Patterson, Heather, EMNRD](#); [Bratcher, Mike, EMNRD](#)
Subject: RE: Dorstate Final C-141
Date: Friday, June 03, 2016 10:13:33 AM
Attachments: image002.png
image004.png
image001.png

Jerry,

This final C-141 needs to be submitted to District 2 NMOCD office along with the samples and photos that were requested by them. Please copy me on the e-mail that is submitted to NMOCD, once you have your samples and photos in place.

Thank you,

Amber Groves

Remediation Specialist

Field Operations Division

(575)392-3697

(575)263-3209 cell

New Mexico State Land Office

2827 N. Dal Paso Suite 117

Hobbs, NM 88260

.....

CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is **STRICTLY PROHIBITED**. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

From: Jerry Burton [mailto:jerry@pyotewatersystems.com]

Sent: Friday, June 03, 2016 8:37 AM

To: Groves, Amber <agroves@slo.state.nm.us>

Subject: Fwd: Dorstate Final C-141

Have a great day!

[Jerry Burton](#)
432-448-4917

----- Forwarded message -----

From: **Audra Burton** <audra@pyotewatersystems.com>

Date: Fri, May 13, 2016 at 9:40 PM

Subject: Fwd: Dorstate Final C-141

To: Jerry Burton <jerry@pyotewatersystems.com>, Sheldon Hitchcock
<slhitchcock@talonlpe.com>

I'm no longer employeeed at Pyote. Jerry will have to go
Follow up with all OCD

Audra Burton
Pyote Water Sysrems,LLC

----- Forwarded message -----

From: "Sheldon Hitchcock" <slhitchcock@talonlpe.com>

Date: May 13, 2016 10:24 AM

Subject: Dorstate Final C-141

To: "Audra Burton" <audra@pyotewatersystems.com>, "Jerry Burton"
<jerry@pyotewatersystems.com>

Cc:

Audra,

I have attached a final C-141 for the Dorstate. Please review it with Jerry and let me know if you would like to make any changes. My intention at this point is to get the RP closed with NMOCD since the 500bbl release was contained and the fluid was recovered. The staining on location should be considered "routine housekeeping" since it did not meet the minimum reporting requirement of 5bbls. Keep in mind that OCD can require action on any release that they deem "poses a reasonable probability to endanger public health and/or results in substantial damage to property or the environment."

Also for future reference when you are working on C-141's. With releases such as this where all of the fluid is contained and recovered, you can check both the Initial and Final boxes. This satisfies your reporting requirement but effectively closes the RP immediately. Also the portion of the C-141 that asks about "immediate notification" is refereeing to notification of OCD. You are required to notify OCD immediately if you have a release of 25bbls or more. You have 15 days to notify them of a release greater than 5bbls, but less than 25bbls.

Let me know if you have any questions or concerns.

Respectfully,

Sheldon Hitchcock

Project Manager

Office: [575.746.8768](tel:575.746.8768)

Direct: [575.616.4021](tel:575.616.4021)

Cell: [575.689.5198](tel:575.689.5198)

Fax: [575.746.8905](tel:575.746.8905)

Emergency: [866.742.0742](tel:866.742.0742)

Web: www.talonlpe.com



This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>
