

Bratcher, Mike, EMNRD

From: Price, Henryetta <hprice@blm.gov>
Sent: Monday, February 13, 2017 12:50 PM
To: Christine Alderman; Sheldon Hitchcock
Cc: Weaver, Crystal, EMNRD; Bratcher, Mike, EMNRD
Subject: Re: Pintail Fed 23 #8 (API 30-015-38657)

One more thing for this and any other location

Stockpile topsoil will not be used as back fill unless it is a part of the initial construction where the excess topsoil will be used to level out the location or backfill into the hillside.

The topsoil from the location will be utilized only for reclamation.

The top 3 ft can be topsoil, but if there is shallow topsoil in the area then you can go with the depth of topsoil in the area.

In the event there is an excavation past this amount, caliche would be more desired material due to the fact that topsoil is used for reclamation not for backfill. Topsoil will also allow for leaching of contaminants if they are left within the soils or will allow a faster saturation if another spill occurred at the same location.

You can pull the caliche from the location where interim reclamation is needed and use that for backfill granted that if there are contaminants, it is below the NMOCD RRALs.

Please contact me if there are any additional questions or requests. Thank you and I apologize for the numerous emails.

Henryetta Price

Environmental Protection Specialist

Bureau Of Land Management

[Hprice@blm.gov](mailto:hprice@blm.gov)

Phone 575-234-5951

Cell 575-706-2780

Fax 575-234-5927

On Mon, Feb 13, 2017 at 12:21 PM, Price, Henryetta <hprice@blm.gov> wrote:

Christine,

Also, in the final C141 please update with the amount of area that was affected. The C141 states it was 2ft by 25ft and in the work plan it depicts a larger area.

The location hasn't been downsized at all, so interim reclamation (IR) will need to be addressed within 3 months. I would double check to see if the stockpile topsoil was affected by this release and if it would affect reclamation. Please submit plans for IR within 30 days. Thank you.

Henryetta Price

Environmental Protection Specialist
Bureau Of Land Management

Hprice@blm.gov

Phone 575-234-5951

Cell 575-706-2780

Fax 575-234-5927

On Mon, Feb 13, 2017 at 9:36 AM, Price, Henryetta <hprice@blm.gov> wrote:
Christine,

I will let NMOCD take the lead on this one since it is close to ground water, they will make the call for approval. Keep me updated with the sample analysis and progress. Thank you.

Henryetta Price

Environmental Protection Specialist
Bureau Of Land Management

Hprice@blm.gov

Phone 575-234-5951

Cell 575-706-2780

Fax 575-234-5927

On Mon, Feb 13, 2017 at 9:33 AM, Tucker, Shelly <stucker@blm.gov> wrote:
Henryetta Price will be the Authorized Officer for this release.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Mon, Nov 21, 2016 at 9:54 AM, Christine Alderman <calderman@cimarex.com> wrote:

All,

We had a produced water release at the above named lease 11/20/2016.

50 bbls were released and 2 bbls were recovered.

A 2" threaded fitting corroded and failed. The affected area was pasture and was approximately 2' x 25'.

Please see attached C-141.

Thank you.

Christine Alderman

Cimarex Energy Co.

ESH Supervisor - Permian Basin

Midland TX

Cell - 432.853.7059

-----Original Message-----

From: MidlandScanner@cimarex.com [mailto:MidlandScanner@cimarex.com]

Sent: Monday, November 21, 2016 10:45 AM

To: Christine Alderman <calderman@cimarex.com>

Subject: Message from "RNP0026732E6735"

This E-mail was sent from "RNP0026732E6735" (Aficio MP C5501).

Scan Date: 11.21.2016 10:45:07 (-0600)

Queries to: MidlandScanner@cimarex.com