

Bratcher, Mike, EMNRD

From: Tucker, Shelly <stucker@blm.gov>
Sent: Wednesday, April 19, 2017 12:23 PM
To: Blaney, Karolina
Cc: Weaver, Crystal, EMNRD; Bratcher, Mike, EMNRD
Subject: Re: [EXTERNAL] RE: WPX RDX 17-20 initial C-141

BLM accepts your delineation plan.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Wed, Apr 19, 2017 at 10:25 AM, Blaney, Karolina <Karolina.Blaney@wpxenergy.com> wrote:

Attached is the delineation plan for the RDX 17-20 location.

Please let me know if you need me to include more information.

Thank you,

Karolina Blaney

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

karolina.blaney@wpxenergy.com

From: Weaver, Crystal, EMNRD [mailto:Crystal.Weaver@state.nm.us]

Sent: Monday, March 06, 2017 1:43 PM

To: Blaney, Karolina <Karolina.Blaney@wpxenergy.com>; 'stucker@blm.gov' <stucker@blm.gov>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>

Subject: RE: [EXTERNAL] RE: WPX RDX 17-20 initial C-141

RE: WPX Energy * RDX 17-20H * 30-015-41381 * 2RP-4132

Karolina,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval. The OCD tracking number for this event is 2RP-4132.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Blaney, Karolina [<mailto:Karolina.Blaney@wpxenergy.com>]

Sent: Monday, February 27, 2017 3:28 PM

To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; 'stucker@blm.gov' <stucker@blm.gov>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>

Subject: RE: [EXTERNAL] RE: WPX RDX 17-20 initial C-141

Crystal,

Attached is the revised C-141; I was so focused on getting the coordinates right for once and forgot about the dates...

Please forgive.

Thank you,

Karolina Blaney

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

karolina.blaney@wpxenergy.com

From: Weaver, Crystal, EMNRD [<mailto:Crystal.Weaver@state.nm.us>]
Sent: Monday, February 27, 2017 8:53 AM
To: Blaney, Karolina <Karolina.Blaney@wpxenergy.com>; 'stucker@blm.gov' <stucker@blm.gov>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Subject: [EXTERNAL] RE: WPX RDX 17-20 initial C-141

CAUTION: This email was sent from an EXTERNAL source. Use caution when clicking links or opening attachments.

Hey Karolina,

I am looking over the C-141 that you sent and for this one and it shows a day of release as 11/4/16 with immediate notification on 11/5/16. I am thinking this is a typo. If so could be we got the correct dates.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Blaney, Karolina [<mailto:Karolina.Blaney@wpxenergy.com>]
Sent: Friday, February 24, 2017 11:22 AM
To: 'stucker@blm.gov' <stucker@blm.gov>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>
Subject: WPX RDX 17-20 initial C-141

Good morning,

Attached is the initial C-141 for the RDX 17-20 spill.

Please let me know if you have any questions or concerns.

Thank you and have a great weekend,

Karolina Blaney

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

karolina.blaney@wpxenergy.com

From: Blaney, Karolina
Sent: Friday, February 10, 2017 2:22 PM
To: 'stucker@blm.gov' <stucker@blm.gov>; 'Bratcher, Mike, EMNRD' <mike.bratcher@state.nm.us>;

Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>

Subject: WPX RDX 17-20 spill notification

Good afternoon,

This morning, WPX had a spill at the RDX 17-20 well pad; API #3001541381, qtr/qtr A, Sec. 17 T26S R30E. The cause of the spill is mechanical failure; a hose on a charge pump was exposed to constant vibration and developed a hole. Approximately 400 bbls of produced water got spilled with 100 bbls recovered with a vacuum truck. Some of the spilled fluids migrated to the north of the well pad and impacted an area of ~100'x100'.

The C-141 report will be submitted within the next 15 days however, please feel free to contact me with any questions or concerns.

Thank you and have a great weekend,

Karolina Blaney

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

karolina.blaney@wpxenergy.com