

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Friday, May 12, 2017 7:32 AM
To: 'Robbie Runnels'
Cc: Amy Ruth; Weaver, Crystal, EMNRD; Tucker, Shelly
Subject: RE: XTO Corral Canyon FED CTB - 2RP-4190

RE: XTO * Corral Canyon Fed 4H * 2RP-4190 * DOR: 4/12/17

Amy,

After reviewing the complete field screen data set, the chloride levels appear to be more elevated than what was discussed, through the approximately 10' interval, especially at SP5, SP6 and SP7. OCD requests deeper excavation in the areas of these sample points, through the 10' interval, or as close as practicable. This is a Federal site and will require BLM review and approval as well.

If you have any questions or concerns, please contact me.

Thank you,

Mike Bratcher
NMOCD District 2
811 S. First St.
Artesia NM 88210
575-748-1283 Ext 108
mike.bratcher@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Robbie Runnels [mailto:rrunnels@basinenv.com]
Sent: Thursday, May 11, 2017 12:22 PM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Cc: Amy Ruth <amy_ruth@XTOenergy.com>
Subject: XTO Corral Canyon FED CTB - 2RP-4190

Mr. Bratcher,

Attached is the CAP and the Soil Chemistry Table for the aforementioned site. Please let me know if you have any questions or comments.

Best Regards,

Robbie Runnels

Project Manager
Basin Environmental Service Technologies
3100 Plains Hwy.
P.O. Box 301
Lovington, NM 88260
p. 575-396-2378 m. 575-441-5598
f. 575-396-1429
rrunnels@basinenv.com