

From: [Weaver, Crystal, EMNRD](#)
To: ["Kerry Egan"; Bratcher, Mike, EMNRD](#)
Subject: RE: Coyote Compressor Station Release (2RP-1825-0)
Date: Tuesday, June 6, 2017 3:43:00 PM
Attachments: [1. 4224 - COAs and signed C-141 Initial.pdf](#)

Hello Kerry,

I am going to make this email a two part effort.

Part one – In response to your suggestion of combining the two releases we can of course entertain that thought in the physical sense i.e. meaning during the remediation process clean the two spills as if they are “one” for the benefit of convenience and equipment availability, etc. My question to you is, is there a lot of overlap on this spill vs. 2RP-1825? When 2RP-1825 occurred back in 8/2013 it was stated that clean up action that was taken by Agave included removing effected soils and hauling them off and replacing them. Now if a deferral (as you indicate) did take place, I don’t foresee OCD administering this said deferral to the entire spill area of 2RP-1825 (pad, road, bar ditch area etc., but you never know, so I would need to see a site diagram of 2RP-1825 to get a better understanding of how it pooled and traveled, and if deferred, a diagram and further research would obviously help to understand why). I will have to look into that further to get some more information on it. **However, addressing them as one permit number is not permissible.**

Part two – So with part one being said... I am submitting to you, your signed copy of your initial C-141 and your COAs for your release that occurred on 5/21/17.

Lucid Energy * Coyote Compressor Station * DOR 5/21/17 * fAB1714639098 * 2RP-4224

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval. The OCD tracking number for this event is 2RP-4224.

If you have any questions or comments please let Mike Bratcher or myself know.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Kerry Egan [mailto:KEgan@agaveenergy.com]
Sent: Tuesday, June 6, 2017 7:50 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Cc: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>
Subject: Coyote Compressor Station Release (2RP-1825-0)

Mike,

I wanted to touch base with you briefly about the spill at Coyote Compressor Station, which we reported at the end of May. I still hadn't received an email acknowledging the notification and sending the COA's, which is why I wanted to get in contact with you before you sent one out. I had done a search of the OCD's online files for the Administrative orders, and it looks to me like there was one left open from 2013, which is 2RP-1825-0. I spoke with Austin Weyant about it, as he was the person in charge of that cleanup at the time, and he had said that Agave requested deferral on the closure of that particular spill which is why no final C-141 was filed.

Do to the fact that both that older spill and this new spill affect approximately the same area, and the nature of the spills are similar, I wanted to get your opinion on whether or not we could just address this newer release under the existing Administrative Order (2RP-1825-0)? Handling the cleanup this way, I think may simplify the process and allow us to go ahead and close this older order.

Let me know what you think when you get back to the office.

Thanks,
Kerry Egan
Environmental Compliance Coordinator



326 W. Quay
Artesia, NM Office: (575) 810-6021 | Cell: (575) 513-8988
Kegan@agaveenergy.com | www.lucid-energy.com

This email and its attachments may contain information which is confidential and/or legally privileged. If you are not the intended recipient of this e-mail please notify the sender immediately by e-mail and delete this e-mail and its attachments from your computer and IT systems. You must not copy, re-transmit, use or disclose (other than to the sender) the existence or contents of this e-mail or its attachments or permit anyone else to do so.