

Bratcher, Mike, EMNRD

From: Price, Henryetta <hprice@blm.gov>
Sent: Friday, June 9, 2017 12:55 PM
To: Rebecca Haskell
Cc: Gonzales, Clair; Bratcher, Mike, EMNRD; McNeill, Robert (Robert.McNeill@tetrattech.com); Robert Grubbs; Tavarez, Ike
Subject: Re: COG - Burch Keely Unit #933H - Work Plan Approval Request - 2RP-4083

Rebecca,

Thanks for the call. You are good to go from BLM. Let me know when work is completed. Thanks.

Henryetta Price

Environmental Protection Specialist
Bureau Of Land Management
[Hprice@blm.gov](mailto:hprice@blm.gov)
Phone 575-234-5951
Cell 575-706-2780
Fax 575-234-5927

*Please remember that Lesser Prairie Chicken timing stipulations are in effect 01 Mar- 15 June Annually

* Tis the season for African Rue. Please do a 360 scan around your well locations and lease roads.

On Fri, Jun 9, 2017 at 12:37 PM, Price, Henryetta <hprice@blm.gov> wrote:
Ike,

Have you completed any work yet? I'm asking since the initial request was in Mid May.

Henryetta Price

Environmental Protection Specialist
Bureau Of Land Management
[Hprice@blm.gov](mailto:hprice@blm.gov)
Phone 575-234-5951
Cell 575-706-2780
Fax 575-234-5927

*Please remember that Lesser Prairie Chicken timing stipulations are in effect 01 Mar- 15 June Annually

* Tis the season for African Rue. Please do a 360 scan around your well locations and lease roads.

On Fri, Jun 2, 2017 at 3:16 PM, Tucker, Shelly <stucker@blm.gov> wrote:
I have forwarded this to Henryetta Price. She is the AO for this release.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Tue, May 16, 2017 at 8:18 AM, Gonzales, Clair <Clair.Gonzales@tetrattech.com> wrote:

Good Morning,

Attached is the work plan for the COG – Burch Keely Unit #933H located in Eddy County, New Mexico. Once approved, COG will implement the proposed work plan. Let me know if you have any questions or concerns.

Thank you,

Clair Gonzales

Clair Gonzales | Geologist III
Phone: 432.687.8123 | Mobile 432.260.8634 | Fax:432.682.3946
clair.gonzales@tetrattech.com

Tetra Tech | Complex World, CLEAR SOLUTIONS™
4000 N. Big Spring | Midland, TX 79705 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.