

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Thursday, October 19, 2017 9:21 AM
To: brandon boone; Chuck Johnston; Weaver, Crystal, EMNRD; agroves@slo.state.nm.us
Subject: RE: Karlsbad Corral SWD 2

RE: Vanguard Operating * Karlsbad Corral SWD 2 * 2RP-4437 * DOR: unknown-historical

Greetings,

The proposal for remediation of the above referenced release is approved, with the following:

Liner placement must be a minimum of 4' bgs, not 3' as proposed.

Please advise once remedial activities have been scheduled.

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: brandon boone [mailto:bboone.epi@gmail.com]
Sent: Friday, October 13, 2017 8:26 AM
To: Chuck Johnston <cjohnston@vnreenergy.com>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; agroves@slo.state.nm.us
Subject: Karlsbad Corral SWD 2

All,

Attached is the work plan for the Karlsbad Coral SWD 2 for approval. Please contact Chuck Johnston from Vanguard if any changes need to be made.

--



Environmental Plus Inc.

Brandon Boone
Sales/Consulting

Cell:(575)-390-7865

Office:(575)-394-3481

Fax:(575)-394-2601

bboone.epi@gmail.com