

From: [Weaver, Crystal, EMNRD](#)
To: [Sheldon Hitchcock](#); [Bratcher, Mike, EMNRD](#); [Price, Henryetta](#)
Cc: [Rebecca Haskell](#); [Dakota Neel](#); [Robert McNeill](#); [Christopher Gray](#)
Subject: RE: (Work Plan) Patron 23 Federal #004H (30-015-42451) 7/1/2017 2RP-4286
Date: Thursday, February 15, 2018 4:39:00 PM

COG * Patron 23 Federal #4H * 30-015-42451 * 2RP-4286

Sheldon,

Your work plan is approved.

Since this one has sat in our que since 12/27/17 I will go ahead and approve the work plan rather than make it wait any longer for the rest of the data to be gathered and presented prior to giving your authorization to begin excavating, however, the work plan is not conclusive since delineation and additional sample requests that you and Mike discussed on 1/23/18 (mentioned in your email directly below) have not yet been achieved. Placement of the liner for T-1 will not be agreed upon until the delineation for T-1 is completed. Resampling at 1' for T-3 area in a new trench and an additional north side wall sample request for T-2 would be required (that you mention below), however, while OCD appreciates your North South East and West efforts, confirmation side wall samples will still be required for the whole excavation since delineation is supposed to be both vertical and horizontal till chlorides show 600ppm or less.

Once the full delineation data for T-1 is available please present the data to OCD and mark your submission with URGENT in the subject line so that we can look at the data and thus as quick as possible give you an approval on where the liner should be placed for the T-1 area.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact Mike Bratcher and/or myself in the District II Office.

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Sheldon Hitchcock [mailto:SLHitchcock@concho.com]
Sent: Wednesday, January 24, 2018 10:31 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Price, Henryetta <hprice@blm.gov>
Cc: Rebecca Haskell <RHaskell@concho.com>; Dakota Neel <DNeel2@concho.com>; Robert McNeill <RMcNeill@concho.com>; Christopher Gray <CGray@concho.com>
Subject: (Work Plan) Patron 23 Federal #004H (30-015-42451) 7/1/2017 2RP-4286

Mike,

Per our discussion yesterday we would like to move forward on the attached work plan. With the understanding that we will resample T-3 at 1-foot BGS and take a sidewall sample on the north side of the T-2 area. Please let me know if you have any further questions or concerns.

Thank you,

Sheldon L. Hitchcock
HSE Coordinator
COG Operating LLC
2407 Pecos Avenue | Artesia, NM 88210
Cell: 575-703-6475 | Office: 575-746-2010
slhitchcock@concho.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.