

From: [Bayliss, Randolph, EMNRD](#)
To: [Robbie Runnels](#)
Cc: [Amy Ruth](#); Kyle_Littrell@xtoenergy.com; [Weaver, Crystal, EMNRD](#); [Bratcher, Mike, EMNRD](#); [Tucker, Shelly](#); jamos@blm.com
Subject: RE: Big Eddy Unit #74 - 2RP-3213, 2RP-2664
Date: Thursday, April 19, 2018 11:46:26 AM

RE: XTO * BIG EDDY UNIT #74 * **2RP – 2664 and 2RP-3213** * DOR: 12/4/14 and 8/13/15

XTO's proposal for remedial actions is approved. Federal sites will require like approval. Following remediation, XTO shall submit a Closure Report with results of confirmation sampling. Please submit a proposed schedule for remediation and reporting.

Thank you.

On behalf of
NMOCD District 2
811 South First Street
Artesia, NM 88210



Randolph Bayliss, P.E.
Hydrologist

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws.

From: Bratcher, Mike, EMNRD
Sent: Wednesday, April 18, 2018 3:22 PM
To: Bayliss, Randolph, EMNRD <Randolph.Bayliss@state.nm.us>
Subject: FW: Big Eddy Unit #74 - 2RP-3213, 2RP-2664

From: Robbie Runnels <rrunnels@basinenv.com>
Sent: Monday, March 5, 2018 2:51 PM
To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Tucker, Shelly <stucker@blm.gov>; jamos@blm.com
Cc: Amy Ruth <amy_ruth@XTOenergy.com>; Kyle_Littrell@xtoenergy.com
Subject: Big Eddy Unit #74 - 2RP-3213, 2RP-2664

Mr. Bratcher,

Attached is the Correct Action Plan for the aforementioned site. Please let me know if you have any questions or comments.

Thank you,

Robbie Runnels

Project Manager
Basin Environmental Service Technologies
3100 Plains Hwy.
P.O. Box 301
Lovington, NM 88260
p. 575-396-2378 m. 575-441-5598
f. 575-396-1429
rrunnels@basinenv.com