

Bratcher, Mike, EMNRD

From: Tucker, Shelly <stucker@blm.gov>
Sent: Wednesday, April 18, 2018 4:26 PM
To: Vernon Black
Cc: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD
Subject: Re: Devon Belgain 15 Fed Com 1H Work Plan

Looking at the lab data, it does not show the release site has been fully delineated. I cannot approve removing 3' and laying a liner without a full delineation. For that reason BLM **denies** this proposal.

NOTE: LPC Timing Stipulations are in effect - from March 1st through June 15th. Please plan remedial activities accordingly. Check for African Rue...treat (before it gets out of control).

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

Bureau of Land Management

620 E. Greene St
Carlsbad, NM 88220

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. **In such an event a site does not achieve successful restoration, or future issues with contaminants are encountered, the operator will be asked to address these issues until they are fully mitigated and the location is successfully reclaimed.** In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Mon, Mar 12, 2018 at 6:38 AM, Vernon Black <vblack@hungry-horse.com> wrote:

Good Morning,

Please see the attached remediation work plan and the accompanying lab report for referenced site. I look forward to hearing from you.

Thanks in advance for your help.

