

From: [Weaver, Crystal, EMNRD](#)
To: ["Menoud, Denise"; Bratcher, Mike, EMNRD; Tucker, Shelly](#)
Cc: [Shoemaker, Mike; Fulks, Brett](#)
Subject: RE: Cotton Draw Unit 122H - PW Spill 4/5/17
Date: Monday, May 1, 2017 4:16:00 PM
Attachments: [1. 4169 - COAs & signed C-141 intial.pdf](#)

RE: Devon * Cotton Draw Unit #122H * 30-015-38453 * 2RP-4169

Denise,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval. The OCD tracking number for this event is 2RP-4169.

Thank you,

Crystal Weaver

Environmental Specialist
OCD – Artesia District II
811 S. 1st Street
Artesia, NM 88210
Office: 575-748-1283 ext. 101
Cell: 575-840-5963
Fax: 575-748-9720

From: Menoud, Denise [mailto:Denise.Menoud@dvn.com]
Sent: Monday, April 17, 2017 11:54 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Tucker, Shelly <stucker@blm.gov>
Cc: Shoemaker, Mike <Mike.Shoemaker@dvn.com>; Menoud, Denise <Denise.Menoud@dvn.com>; Fulks, Brett <Brett.Fulks@dvn.com>
Subject: Cotton Draw Unit 122H - PW Spill 4/5/17

Please see attached Initial C-141 with GIS map of spill that occurred at the Cotton Draw Unit 122H on 4/5/2017.

Thank you!

Denise Menoud

Admin Field Support 4 / Completions
Devon Energy Production Co. LP/Artesia NM
Denise.Menoud@dyn.com
575-746-5544

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.