## NM OIL CONSERVATION ARTESIA DISTRICT

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

\* Attach Additional Sheets If Necessary

State of New Mexico **Energy Minerals and Natural Resources** 

MAY 2 3 2017

Form C-141 Revised August 8, 2011

2RP-4225

Oil Conservation Division 1220 South St. Francis Dr.

Submit 1 Copy to appropriate District Office in **RECEIVED** \*\*NMAC.

Santa Fe, NM 87505

Release Notification and Corrective Action											
nAB1714648527						OPERATOR					
Name of Company OG EOG Y Resources, Inc. 255 Address 104 S. 4th Street						Contact Robert Asho Telephone 1 575-748-14	New forms can be found in the New Mexico State Website in forms: http://www.emnrd.state.nm.us/				
Facility Name Julie #2 Battery						Facility Type Battery		OCD/forms.html			
Surface OwnerMineralFeeFee					)wner	er			API No. 30 015-25905		
LOCATION OF RELEASE											
Unit Letter Section Township Range 1 N 8 19S 25E			Feet from the 660	i .	North/South Line South Feet from 1980		East/West Line West		County   Eddy		
Latitude 32.67042 Longitude 104.50895											
NATURE OF RELEASE											
Type of Release Produced Water						Volume of Release 5 B/PW			Volume Recovered 2 B/PW		
Source of Release Check Valve						Date and Hour of Occurrence Date and Hour of Discovery 5/5/2017; AM 5/5/2017; AM				-	
Was Immediate Notice Given?  ☐ Yes ☐ No ☒ Not Required											
By Whom? N/A						Date and Hour N/A					
Was a Watercourse Reached? ☐ Yes ☒ No						If YES, Volume Impacting the Watercourse.					
If a Watercourse was Impacted, Describe Fully.*											
Describe Cause of Problem and Remedial Action Taken.*  A check valve failed, causing the release. Vacuum truck(s) and roustabout crews were called.											
Describe Area Affected and Cleanup Action Taken.*  An approximate area of 40'X 30'. Release was on the west side of the battery. The valves were closed, vacuum trucks were called and a roustabout crew was called to make repairs. Vertical and horizontal delineation samples will be taken and analysis ran for TPH & BTEX. If initial analytical results for											
TPH & BTEX are under RRAL's (site ranking is 10) a Final Report, C-141 will be submitted to the OCD requesting closure. If the analytical results are above the RRAL's a work plan will be submitted to the OCD. Depth to Ground Water: 50-99' (approximately 72', Section 17, T19S-R25E, per the NMOSE), Wellhead Protection Area: No, Distance to Surface Water Body: >1000', SITE RANKING IS 10.											
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.											
Signature: Cua Cu						OIL CONSERVATION DIVISION  Approved by Environmental Specialist & Exercise					
Printed Name: Robert Asher						Approved by Environmental Specialist					
Title: Enviror	nmental Suj			Approval Date: 5/26/17 Expiration Date: N/A							
E-mail Address; Robert_Asher@eogresources.com						Conditions of Approval:					
Date: May 23, 2017 Phone: 575-748-4217 2RP-							Te M	ttached			

Operator/Responsible Party,

The OCD has received the form C-141 you provided on  $\frac{5/23/2017}{}$  regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number  $\frac{\partial RP.4225}{\partial RP.4225}$  has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ARTESIA on or before 6/23/2017. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold
OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us

## Bratcher, Mike, EMNRD

From:

Bob Asher <Bob\_Asher@eogresources.com>

Sent:

Tuesday, May 23, 2017 10:18 AM

To:

Bratcher, Mike, EMNRD

Cc:

Weaver, Crystal, EMNRD

Subject:

Form C-141, Initial Report (Julie #2 Battery)

Attachments:

Form C-141 Initial Report (Julie #2 Battery).pdf

Thank you,

## Robert C. "Bob" Asher

**Environmental Supervisor** 

Safety & Environmental Department EOG Resources, Inc. Artesia Division Artesia, NM 88210 575-748-4217 (Office) 575-365-4021 (Cell)

**EOG Safety Begins With YOUR Safety** 

**eog resources**