

From: [Pruett, Maria, EMNRD](#)
To: [Bratcher, Mike, EMNRD](#); [Kyle Berend](#)
Cc: [Tucker, Shelly](#)
Subject: RE: Pickett Draw Line Leak - 2RP-4757
Date: Thursday, September 13, 2018 10:22:00 AM

Good Morning Mr. Berend,

Thank you for the update! On August 14, 2018 the New Spill Rule came into effect. With that is an updated C-141 form. Please fill in Remediation Plan section and required documents for 2RP-4757, links are below. Let me know if you have any questions or need assistance.

New Spill Rule:

<http://www.emnrd.state.nm.us/OCD/documents/NaturalResourcesWildlifeOilandGasReleases.pdf>

Updated C-141: <http://www.emnrd.state.nm.us/OCD/forms.html>

Best Regards,

Maria Pruett

Environmental Specialist
N.M. Oil Conservation Division
District 2
811 S. 1st Street
Artesia, NM 88210
Desk: 575 748-1283 X 101
Cell: 575 840-5963
Fax: 575748-9720

From: Bratcher, Mike, EMNRD
Sent: Thursday, September 13, 2018 8:02 AM
To: Pruett, Maria, EMNRD <Maria.Pruett@state.nm.us>; Kyle Berend <kberend@bbsoil.com>
Subject: FW: Pickett Draw Line Leak - 2RP-4757

Kyle,

I am forwarding this to Maria Pruett. She is now the Environmental Specialist for OCD District 2 – Artesia.

Maria's email address is: maria.pruett@state.nm.us

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

From: Kyle Berend <kberend@bbsoil.com>
Sent: Thursday, September 13, 2018 7:55 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Subject: Pickett Draw Line Leak - 2RP-4757

Mike,

I apologize for missing our deadline. We had contracted a company to perform the work, but they were too busy and couldn't get it done. I have attached a remediation plan and a map of the contaminated area. If you need anything else, please let me know.

Thank you,

Kyle Berend
Bettis, Boyle & Stovall, Inc.
940-549-0780 ext. 112