

## Hamlet, Robert, EMNRD

---

**From:** Hamlet, Robert, EMNRD  
**Sent:** Thursday, April 11, 2019 10:42 AM  
**To:** 'Melodie Sanjari'  
**Cc:** John Hurt; Heather Patterson; Billings, Bradford, EMNRD; Bratcher, Mike, EMNRD; Venegas, Victoria, EMNRD  
**Subject:** Deferral Approved - Matador - Riser #4 (2RP-5113) 11-4-2018  
**Attachments:** Deferral Approval - Matador - Riser #4 (2RP-5113) 4.11.19.pdf

Melodie,

SMA's remediation closure report requests a deferral for area "SW4" as it borders the concrete canal that runs northwest to southeast and further delineation or excavation would cause damage to the infrastructure. The area has been delineated and documented in the report. At this time, OCD approves this request. Please proceed with the remediation and disregard sending the closure until all remediation has been accomplished in the future including the deferred area. The workplan has been accepted for record and marked accordingly. The release will remain open in OCD database files and reflect an open environmental issue.

Thank you,

Robert J Hamlet  
State of New Mexico  
Energy, Minerals, and Natural Resources  
Oil Conservation Division  
811 S. First St., Artesia NM 88210  
(575) 840-5963  
[Robert.Hamlet@state.nm.us](mailto:Robert.Hamlet@state.nm.us)

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

---

**From:** Melodie Sanjari <melodie.sanjari@soudermiller.com>  
**Sent:** Monday, April 1, 2019 10:39 AM  
**To:** Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>  
**Cc:** John Hurt <JHurt@matadorresources.com>; Heather Patterson <heather.patterson@soudermiller.com>  
**Subject:** [EXT] Amended Riser #4 Closure Report 2RP-5113

Good Morning,

This email serves as the resubmission of the amended remediation closure report for the release associated with the Riser #4 (2RP-5113)

Thank you!

---

**From:** Melodie Sanjari  
**Sent:** Friday, December 28, 2018 2:31 PM  
**To:** 'bradford.billings@state.nm.us' <[bradford.billings@state.nm.us](mailto:bradford.billings@state.nm.us)>; 'robert.hamlet@state.nm.us' <[robert.hamlet@state.nm.us](mailto:robert.hamlet@state.nm.us)>  
**Cc:** Austin Weyant <[austin.veyant@soudermiller.com](mailto:austin.veyant@soudermiller.com)>  
**Subject:** Amended Riser #4 Closure Report 2RP-5113

Good Afternoon All,

Please find the attached amended remediation closure report for the release associated with the Riser #4 (2RP-5113) with the additional sample requested from NMOCD.

Please let me know if there are any questions or concerns – Happy Holidays!

**Melodie Sanjari**  
*Staff Scientist*



**Souder, Miller & Associates**

Engineering ♦ Environmental ♦ Surveying  
201 S Halagueno Street  
Carlsbad, NM 88220  
[www.soudermiller.com](http://www.soudermiller.com)  
(574) 370-9782 (cell)  
(505) 299-0942 Ext. 2204



**Notice of Confidentiality and Privileged Status:** This electronic mail message, including all attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information or otherwise may be protected from disclosure. Any unauthorized review, use, disclosure, distribution or actions which rely on the contents of this information is prohibited. If you are not the intended recipient, please contact the sender and delete the message and any attachment(s) from your system.

**Statement on Viruses and Harmful Software:** While the message and attachment(s) have been scanned with anti-virus software, SMA does not guarantee that this message or any attachment(s) is free of computer viruses or other harmful software. SMA does not accept liability for any damages caused by any computer virus or other harmful software transmitted herewith.