

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Tuesday, April 30, 2019 10:46 AM
To: 'Gonzales, Clair'; Bratcher, Mike, EMNRD; Hamlet, Robert, EMNRD; Mann, Ryan
Cc: Ike Tavarez; Rebecca Haskell; Sheldon Hitchcock; Dakota Neel; DeAnn Grant; Carmona, Mike; Kell, John
Subject: RE: [EXT] COG Myox 8 State #4H (2RP-5165) 12/22/18 Closure Request
Attachments: (C-141 Final) COG Myox 8 State 4H (2RP-5165) 4.30.19.pdf

RE: [EXT] COG Myox 8 State #4H (2RP-5165) 12/22/18 Closure Request

Ms. Gonzalez,
OCD has received your final C-141 and closure request for RE: [EXT] COG Myox 8 State #4H (**2RP-5165**) 12/22/18, thank you. This closure is approved. This is a state site and will require like approval from SLO.
Regards,

Victoria Venegas
EMNRD
OCD-District II
811 S First St. Artesia
NM 88210
Victoria.Venegas@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Gonzales, Clair <Clair.Gonzales@tetrattech.com>
Sent: Tuesday, April 23, 2019 2:01 PM
To: Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>; Mann, Ryan <rmann@slo.state.nm.us>
Cc: Ike Tavarez <itavarez@concho.com>; Rebecca Haskell <RHaskell@concho.com>; Sheldon Hitchcock <SLHitchcock@concho.com>; Dakota Neel <DNeel2@concho.com>; DeAnn Grant <agrants@concho.com>; Carmona, Mike <Mike.Carmona@tetrattech.com>; Kell, John <John.Kell@tetrattech.com>
Subject: RE: [EXT] COG Myox 8 State #4H (2RP-5165) 12/22/18 Closure Request

Ms. Venegas,

My apologies for the delayed response. The figures had the placement of AH-6 incorrect; attached is the revised report with the corrected figures. The area of T-1 was excavated to 6.0' below surface. The chlorides detected at T-1 at 8' bgs may be due to sloughing from the shallower soils during the trenching activities. However, the confirmation samples collected in that area were below the RRAL.

Please let me know if you have any further questions or concerns.

Thank you,

Clair Gonzales

Clair Gonzales | Project Manager

Phone: 432.687.8123 | Mobile 432.260.8634 | Fax: 432.682.3946

clair.gonzales@tetrattech.com

Tetra Tech | Complex World, CLEAR SOLUTIONS™

901 West Wall Street, Ste 100 | Midland, TX 79701 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>

Sent: Wednesday, April 3, 2019 11:25 AM

To: Gonzales, Clair <Clair.Gonzales@tetrattech.com>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>; Mann, Ryan <rmann@slo.state.nm.us>

Cc: Ike Tavarez <itavarez@concho.com>; Rebecca Haskell <RHaskell@concho.com>; Sheldon Hitchcock <SLHitchcock@concho.com>; Dakota Neel <DNeel2@concho.com>; DeAnn Grant <agrants@concho.com>; Carmona, Mike <Mike.Carmona@tetrattech.com>; Kell, John <John.Kell@tetrattech.com>

Subject: RE: [EXT] COG Myox 8 State #4H (2RP-5165) 12/22/18 Closure Request

RE: [EXT] COG Myox 8 State #4H (**2RP-5165**) 12/22/18 Closure Request

Ms. Gonzales,

OCD has received your Closure Report and final C-141 for COG Myox 8 State #4H (**2RP-5165**) 12/22/18, thank you. To continue processing this closure request, I would like to ask for clarification to the following:

- Table I, Sample T-1 Sample Date 1/22/2019 shows 6930 mg/kg chlorides left in place at 8'. However, the final sample table shows chlorides concentration for all confirmation sample points below 600 mg/kg, and according to the Excavation Area & Depth Map (Fig.4), that area was excavated just one foot. Could you please clarify if T-1 was excavated deeper at some point?

Regards,

Victoria Venegas
EMNRD
OCD-District II
811 S First St. Artesia
NM 88210
Victoria.Venegas@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Gonzales, Clair <Clair.Gonzales@tetrattech.com>

Sent: Thursday, March 21, 2019 11:00 AM

To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>; Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Mann, Ryan <rmann@slo.state.nm.us>

Cc: Ike Tavarez <itavarez@concho.com>; Rebecca Haskell <RHaskell@concho.com>; Sheldon Hitchcock <SLHitchcock@concho.com>; Dakota Neel <DNeel2@concho.com>; DeAnn Grant <agrants@concho.com>; Carmona, Mike <Mike.Carmona@tetrattech.com>; Kell, John <John.Kell@tetrattech.com>

Subject: [EXT] COG Myox 8 State #4H (2RP-5165) 12/22/18 Closure Request

Good Afternoon,

The closure report for the above referenced site located in Eddy County, New Mexico is attached. Please let me know if you have any questions or concerns.

Thank you,

Clair Gonzales

Clair Gonzales | Project Manager

Phone: 432.687.8123 | Mobile 432.260.8634 | Fax: 432.682.3946

clair.gonzales@tetrattech.com

Tetra Tech | Complex World, CLEAR SOLUTIONS™

901 West Wall Street, Ste 100 | Midland, TX 79701 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.