

Hamlet, Robert, EMNRD

From: Ashley Ager <aager@ltenv.com>
Sent: Thursday, June 6, 2019 3:52 PM
To: Hamlet, Robert, EMNRD
Cc: Littrell, Kyle; Tacoma Morrissey; Bratcher, Mike, EMNRD; Venegas, Victoria, EMNRD; jamos@blm.gov
Subject: [EXT] RE: Deferral Denied - XTO - Poker Lake Unit 52 Battery (2RP-5314) 3.3.19

Hi Robert,

Are pothole samples PH01A @ 10' and PH03B @ 6' insufficient for vertical delineation? Both of those samples are clean at depth. If you need more, can you provide some guidance on additional samples you would require for deferral? Feel free to call me if it's easier to discuss.

Thanks,
Ashley

Ashley Ager
Vice President of Regional Offices

(970) 385-1096 office
(970) 946-1093 mobile

From: Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>
Sent: Tuesday, June 4, 2019 11:49 AM
To: Ashley Ager <aager@ltenv.com>
Cc: Littrell, Kyle <Kyle_Littrell@xtoenergy.com>; Tacoma Morrissey <tmorrissey@ltenv.com>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; jamos@blm.gov
Subject: Deferral Denied - XTO - Poker Lake Unit 52 Battery (2RP-5314) 3.3.19

Ashley,

We have received your deferral request for (2RP-5314) Poker Lake Unit 52 Battery, thank you. The deferral request is denied.

Before we can approve a deferral the spill needs to be vertically delineated. All of the Floor samples are over the limit in either Chlorides and/or TPH. The OCD request that samples be taken to a depth that contamination amounts are under the limit.

Regards,

Robert J Hamlet
State of New Mexico
Energy, Minerals, and Natural Resources
Oil Conservation Division
811 S. First St., Artesia NM 88210
(575) 840-5963
Robert.Hamlet@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Ashley Ager <aager@ltenv.com>

Sent: Friday, May 31, 2019 3:10 PM

To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>; jamos@blm.gov

Cc: Littrell, Kyle <Kyle.Littrell@xtoenergy.com>; Tacoma Morrissey <tmorrissey@ltenv.com>

Subject: [EXT] Deferral Request - PLU 52 Battery (2RP-5314)

On behalf of XTO, attached is a deferral request for the PLU 52 Battery (2RP-5314) for your review.

Thank You,
Ashley



Ashley Ager

Senior Geologist/Vice President of Regional Offices

970.946.1093 *cell*

970.385.1096 *office*

848 East Second Avenue, Durango, CO 81301

www.ltenv.com



Think before you print. [Click for our email disclosure.](#)