UNITED STATES

FORM APPROVED

(301/2 2015)	DEPARTMENT OF THE INTERIOR					OMB NO. 1004-0137 Expires: January 31, 2018			
	BUREAU OF LAND MANAGEMENT					5. Lease Serial No.			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						NMNM1531			
						6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2						7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well	8. Well Name and No.								
2. Name of Operator Contact: LAURA BECERRA						FEDERAL 4 COM 1			
2. Name of Oper CHEVRON	USA INC	Contact: E-Mail: LBECERR	I.COM		9. API Well No. 30-015-20952				
6301 DEAUVILLE BLVD MIDLAND, TX 79706			3b. Phone No Ph: 432-68	. (include area code) 7-7655	10. Field and Pool or Exploratory Area BURTON FLAT;BONE SPRING				
4. Location of W	ell (Footage, Sec., 7		25	11. County or Parish	, State				
	R27E Mer NMP 2 N Lat, 104.188310			EDDY COUNTY, NM					
12.	CHECK THE A	PROPRIATE BOX(ES)	TO INDICA	TE NATURE OF	NOTICE,	REPORT, OR OT	HER DAT	A	
TYPE OF S	SUBMISSION	TYPE OF ACTION							
Notice of □	Intent	☐ Acidize	☐ Dee	pen	☐ Producti	on (Start/Resume)	□ Wate	r Shut-Off	
_		☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclama	ntion	□ Well	Integrity	
☐ Subsequent Report		☐ Casing Repair	☐ Nev	Construction	onstruction		Other	:	
☐ Final Abandonment Notice		☐ Change Plans ☐ Plug		and Abandon 📋 Tempora		arily Abandon			
		☐ Convert to Injection	Plug	Back Back	☐ Water D	isposal			
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleted in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.									
Chevron USA respectfully requests authorization for the following proposed activities to delineate the extent of impact to soil and groundwater associated with remediation case number, 1RP-4855. Anticipated activities to assess soil and groundwater impact are as follows:									
TO 1									
The installation of one temporary groundwater well to assess impact to groundwater during 2019, four soil borings to determine the vertical and horizonal impact. During 2020, further soil delineation could be required if delineation is not completed during 2019. If soil delineation is complete during 2019, Shallow surface excavation to approximately 4' below ground surface will be									
planned and executed. DISTRICTI/ARTESIAO.C.D.									
SEE attache	ed C-141 with oper	rator responsibilities provi	ded by NMO	CD.		17-21			
Renec	Liation	level de	sends	on d	elene	eation	of +1	esle	
14. I hereby certi	fy that the foregoing is	Electronic Submission #4	i 176662 verifie 'RON USA IN	d by the BLM Well , sent to the Carl	Information sbad	System		al .	
Name (Printed	/Typed) LAURA BI	Title REGULATORY SPECIALIST							
Signature (Electronic Submission)				Date 08/05/2019					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE									
Approved By	Lamos	a. amos	2	Title SAG	ET.		Dat	8-19	

Tige 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CFO

JUL 1 1 2018

OIL CONSERVATION DIVISION

District I 1625 N. French Dr., Hobbs. NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural ResourcesDISTRICT II-ARTESIA O.C.D. Revised April 3, 2017

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit I Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action **OPERATOR** Initial Report Name of Company: Chevron USA, Inc. Final Report Contact: Amy Barnhill Address: 6301 Deauville Blvd., Midland, TX 79706 Telephone No.: 432-687-7108 Facility Name: Federal 4 Com no. 001 Facility Type: Battery Surface Owner: BLM Mineral Owner: BLM API No.: 30-015-20952 **LOCATION OF RELEASE** Unit Letter Section Township Range Feet from the North Line Feet from the East Line County 215 27E 2787 860 Eddy Latitude: 32.51491 Longitude: -104.18831 NAD83 NATURE OF RELEASE, Type of Release: Historical Spill Volume of Release: Unknown Volume Recovered Source of Release: Tanks Date and Hour of Occurrence: Date and Hour of Discovery: 6-26-18 Unknown/Historical Was Immediate Notice Given? If YES, To Whom? ☐ Yes 🖾 No 🗌 Not Required By Whom? Date and Hour Was a Watercourse Reached? If YES, Volume Impacting the Watercourse. ☐ Yes 🖾 No If a Watercourse was Impacted, Describe Fully.* N/A Describe Cause of Problem and Remedial Action Taken.* On 6/26/2018 a work crew began soil remediation scope on the Fed 4 Com 1 site, and after starting the soil removal in the areas under where the tanks (3 oil, 1 produced water) had been, they discovered large areas of seemingly hydrocarbonimpacted soil. There was no liner in place under the tanks. Describe Area Affected and Cleanup Action Taken.* Contact OCD and BLM and determine the sampling requirements. I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: (in force)	11110
Printed Name: Amy Barnhill	Approved by Environmental Specialist:
Title: Waste/Water Specialist	Approval Date: 71118 Expiration Date: NIA
E mail Address Attack Attack	Conditions of Approval
Date: 7-9-18 Phone: 432-687-7108	See attached Attached ARP 485

^{*} Attach Additional Sheets If Necessary

Operator/Responsible Party.

The OCD has received the form C-141 you provided on 1118 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in Article on or before 9 10 18. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- •Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.
- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.
- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring
 wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit
 either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should
 not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location
 and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold
OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us