

Hamlet, Robert, EMNRD

From: Hamlet, Robert, EMNRD
Sent: Tuesday, September 24, 2019 3:27 PM
To: Rob Kirk
Cc: Bratcher, Mike, EMNRD; Venegas, Victoria, EMNRD; Billings, Bradford, EMNRD; Griswold, Jim, EMNRD
Subject: Remediation Plan Denied - Solaris Midstream - Okeanos #1 SWD Flowback Line - (1RP-5407) 2-23-2019
Attachments: Remediation Plan Denied - Solaris Midstream - Okeanos #1 SWD Flowback Line - (1RP-5407) 9.24.19.pdf

Rob,

We have received your Workplan/Remediation Proposal for **1RP-5407 Okeanos #1 SWD Flowback Line**, thank you. This Workplan/Remediation proposal is denied.

Please review and resubmit including all documentation as required.

Please submit:

1. Scaled site map diagram with sample points clearly marked
2. Site Photos
3. Site Assessment/Delineation summary (horizontal and vertical)
4. Delineation sample analytical results (lab tested)
5. Table containing analytical data
6. Description of proposed excavation depths corresponding to analytical table
7. Depth to groundwater evaluation, including fluid level data from New Mexico Office of the State Engineer or other documented evidence
8. Karst evaluation, here is the link to the [CFO GIS data](#)
9. FEMA National Flood map review.
10. Signed and dated C-141 (Pages 3-5)

The report is missing most of the necessary documentation. Please, doublecheck and make sure all from the above list is included in your remediation plan resubmittal.

Resubmit the remediation plan through the Payment Portal at recompletion.

If you need assistance, the current spill rule may be viewed here: <http://164.64.110.134/parts/title19/19.015.0029.html>

Please let me know if you have any further questions.

Thank you,

Robert J Hamlet
State of New Mexico
Energy, Minerals, and Natural Resources
Oil Conservation Division
811 S. First St., Artesia NM 88210
(575) 748-1283
Robert.Hamlet@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.