

July 26, 2019

AVRJU-190729-C-1410

#5E27950 BG14

NMOCD District 1 1625 N. French Drive Hobbs, New Mexico 88240

SUBJECT: Remediation Closure Report for the Black Horse 7 Fed Com 1H Fire (1RP-5511), Lea County, New Mexico

To Whom it May Concern:

On behalf of Marathon Oil Permian LLC, Souder, Miller & Associates (SMA) has prepared this Remediation Closure Report that describes the remediation of a release of liquids related to oil and gas production activities at the Black Horse Fed 7 Com No. 1H site. The site is in Unit M, Section 7, Township 20S, Range 33E, Lea County, New Mexico, on federal land. Figure 1 illustrates the vicinity and site location on an USGS 7.5 minute quadrangle map.

Table 1 summarizes release information and Closure Criteria.

Table 1: Release Information and Closure Criteria						
Name	Black Horse Fed Com 0 33 07 SB No. 1H	Company	Marathon Oil Permian LLC			
API Number	30-025-43240	Location	32.59160463, -103.70793500			
Incident Number		1RP-5511				
Estimated Date of Release	5/6/2019	Date Reported to NMOCD	5/6/2019			
Land Owner	Federal	Reported To	NMOCD & BLM			
Source of Release	Equipment failure; flare					
Released Volume	0.97 bbls out of flare	Released Material	Crude oil			
Recovered Volume		Net Release	0.97 bbls			
NMOCD Closure Criteria	>100 feet to groundwater					
SMA Response Dates	5/7/2019, 6/13/2019					

1.0 Background

On May 6, 2019, a release was discovered at the Black Horse 7 Fed Com 1H site due to equipment failure. The heater treater shut in the well, the recycle pump failed and fluids continued to fill the scrubber, resulting in 0.97 bbls of crude oil being released out of the flare, igniting a small fire around the flare line. Initial response activities were conducted by the operator, and included extinguishing the fire, source elimination and site security. Figures 1 and 2 illustrate the vicinity and site location, Figure 3 illustrates the release location. The C-141 forms are included in Appendix A.

2.0 Site Information and Closure Criteria

The Black Horse 7 Fed Com 1H is located approximately 30 miles east of Carlsbad, New Mexico on Federal (BLM) land at an elevation of approximately 3,528 feet above mean sea level (amsl).

Based upon well water data (Appendix B), depth to groundwater in the area is estimated to be 129 feet below grade surface (bgs). There is one (1) known water sources within ½-mile of the location, according to the USGS National Water Information System and the New Mexico Office of the State Engineer (NMOSE) online water well database (https://gis.ose.state.nm.us/gisapps/ose_pod_locations/; accessed 1/18/2019). The nearest significant watercourse is Laguna Gatuna Salt Playa, located approximately 433 feet to the east. Figure 2 illustrates the site with 200 and 300-foot radii to indicate that it does not lie within a sensitive area as described in 19.15.29.12.C(4) NMAC.

Based on the information presented herein, the applicable NMOCD Closure Criteria for this site is for a groundwater depth of greater than 100 feet bgs. The site has been restored to meet the standards of Table I of 19.15.29.12 NMAC. In addition to meeting the Closure Criteria, the top four (4) feet of impacted areas off the well pad meet the Reclamation requirement of 19.15.29.13(D)(1).

Table 2 demonstrates the Closure Criteria applicable to this location. Pertinent well data is attached in Appendix B.

3.0 Release Characterization and Remediation Activities

On May 7, 2019, SMA personnel arrived on site in response to the release associated with the Black Horse 7 Fed Com 1H. SMA performed site delineation activities by collecting soil samples around the release site and throughout the visibly stained area.

A total of 4 sample locations (L1-L4) were investigated using a hand-auger, to depths up to 6 inches bgs. A total of four samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D.

As summarized in Table 3, results indicated that an area approximately 40 feet by 10 feet had been impacted around the flare.

On June 13, 2019, SMA returned to the site to guide the excavation of contaminated soil. SMA guided the excavation activities by collecting soil samples for field screening. Samples were screened for hydrocarbon impacts using a calibrated MiniRAE 3000 photoionization detector (PID) equipped with a 10.6 eV lamp. The walls and base were excavated until field screening results indicated that the NMOCD Closure Criteria would be met. NMOCD was notified on June 11, 2019 that closure samples were expected to be collected in two (2) business days.

Page 3 of 4

On June 13, 2019, SMA conducted confirmation sampling of the walls and base of the excavation, which measured approximately 400 square feet. The impacted area was excavated to a depth of 0.5 feet bgs.

Confirmation samples were composed of five-point composites of the base (CS1-CS4) and walls (CSW1-CSW4).

A total of eight (8) confirmation samples were collected for laboratory analysis for total chloride using EPA Method 300.0; BTEX using EPA Method 8260B; and MRO, DRO, and GRO by EPA Method 8015D. Samples were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Hall Environmental Analysis Laboratory in Albuquerque, New Mexico (Appendix D).

Figure 3 shows the extent of the excavation and sample locations. All laboratory results are summarized in Table 3. Laboratory reports are included in Appendix D.

Contaminated soils were removed and replaced with clean backfill material to return the surface to previous contours. The contaminated soil was transported and disposed of an NMOCD permitted disposal facility.

4.0 Scope and Limitations

The scope of our services included: assessment sampling; verifying release stabilization; regulatory liaison; remediation; and preparing this closure report. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact either Heather Patterson at 575-200-5343 or Shawna Chubbuck at 505-325-7535.

Submitted by: SOUDER, MILLER & ASSOCIATES Reviewed by:

Heather Patterson Project Scientist

Jauna Chubbuck

Shawna Chubbuck Senior Scientist

ATTACHMENTS:

Figures:

Figure 1: Vicinity and Well Head Protection Map Figure 2: Surface Water Radius Map Figure 3: Site and Sample Location Map

Tables:

Table 2: NMOCD Closure Criteria Justification Table 3: Summary of Sample Results

Appendices:

Appendix A: C141 Forms Appendix B: NMOSE Wells Report Appendix C: Photo Documentation and Field Notes Appendix D: Laboratory Analytical Reports

FIGURES







TABLES

Table 2: NMOCD Closure Criteria

Site Information (19.15.29.11.A(2, 3, and 4) NMA(C)	Source/Notes
Depth to Groundwater (feet bgs)	129	NMOSE & USGS (Appendix B)
Hortizontal Distance From All Water Sources Within 1/2 Mile (ft)	1700	USGS well
Hortizontal Distance to Nearest Significant Watercourse (ft)	433	Laguna Gatuna to the east

Closure Criteria (19.15	Table 1 NMAC)						
		Closu	Closure Criteria (units in mg/kg)				
Depth to Groundwater	Depth to Groundwater		ТРН	GRO + DRO	BTEX	Benzene	
< 50' BGS		600	100		50	10	
51' to 100'		10000	2500	1000	50	10	
>100'	х	20000	2500	1000	50	10	
Surface Water	yes or no	if yes, then					
<300' from continuously flowing watercourse or other significant watercourse? <200' from lakebed, sinkhole or playa lake? Water Well or Water Source	no no						
Water Weir of Water Source							
<500 feet from spring or a private, domestic fresh water well used by							
less than 5 households for domestic or stock watering purposes?	no						
<1000' from fresh water well or spring?	no						
Human and Other Areas		600	100		50	10	
<300' from an occupied permanent residence, school, hospital, institution or church?	no						
within incorporated municipal boundaries or within a defined municipal fresh water well field?	no						
<100' from wetland?	no						
within area overlying a subsurface mine	no						
within an unstable area?	no; low karst]					
within a 100-year floodplain?	no						



Table 3: Summary of Sample Results

Marathon Oil Permian LLC

Black Horse 7 Fed Com 1H (1RP-5511)

Sample	Sample	Depth	Action	BTEX	Benzene	GRO	DRO	MRO	Total TPH	CI-
ID	Date	(feet bgs)	71011011	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
	NMOCD C	Closure Criteria	à	50	10	10	00		2,500	20,000
				Initial	Sampling					
L1	5/7/2019	0.5	excavated	0.507	<0.024	7.8	2,600	1,400	4,007.8	490
L2	5/7/2019	0.5	excavated	0.14	<0.025	<5.0	920	810	1,730	82
L3	5/7/2019	0.5	excavated	1.4	<0.025	20	1,100	790	1,910	530
L4	5/7/2019	0.5	excavated	0.13	<0.025	<4.9	340	270	610	93
				Confirma	tion Sampl	ling				
CS1	6/13/2019	0.5	in-situ	<0.221	<0.025	<4.9	<9.8	<49	<63.7	1400
CS2	6/13/2019	0.5	in-situ	<0.222	<0.025	<4.9	52	58	110	62
CS3	6/13/2019	0.5	in-situ	<0.221	<0.025	<4.9	<9.5	<47	<61.4	<60
CS4	6/13/2019	0.5	in-situ	<0.220	<0.024	<4.9	150	120	270	<60
CSW1	6/13/2019	0.5	in-situ	<0.217	<0.024	<4.8	37	72	<113.8	90
CSW2	6/13/2019	0.5	in-situ	<0.225	<0.025	<5.0	<9.8	<49	<63.8	1400
CSW3	6/13/2019	0.5	in-situ	<0.219	<0.024	<4.9	15	<49	15	160
CSW4	6/13/2019	0.5	in-situ	<0.217	<0.025	<4.8	51	<49	51	660
	6/13/2019	0.5	in-situ	-	-	-	-	-	-	<60
BG-1	6/13/2019	2	in-situ	-	-	-	-	-	-	130
	6/13/2019	4	in-situ	-	-	-	-	-	-	380
	6/13/2019	0.5	in-situ	-	-	-	-	-	-	<60
BG-2	6/13/2019	2	in-situ	-	-	-	-	-	-	1200
	6/13/2019	4	in-situ	-	-	-	-	-	-	390

"--" = Not Analyzed



APPENDIX A C141 FORMS

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

)

Incident ID	NAB1915028224
District RP	1RP-5511
Facility ID	
Application ID	pAB1915027889

Release Notification

Responsible Party

Responsible Party Marathon Oil Permian LLC	OGRID 372098			
Contact Name Callie Karrigan	Contact Telephone 575-297-0956			
Contact email cnkarrigan@marathonoil.com	Incident # (assigned by OCD) NAB1915028224			
Contact mailing address 4111 Tidwell Road, Carlsbad New Mexico, 88220				

Location of Release Source

Latitude 32.59160463

Longitude 103.70793500 (NAD 83 in decimal degrees to 5 decimal places)

Site Name Black Horse Fed Com 20 33 07 SB No. 1H	Site Type Oil and gas drilling facility
Date Release Discovered 5/6/19	API# (if applicable) 30-025-43240

Unit Letter	Section	Township	Range	County
М	7	20S	33E	LEA

Surface Owner: 🔲 State 🖌 Federal 🔲 Tribal 🗌 Private (Name:

Nature and Volume of Release

Materi	al(s) Released (Select all that apply and attach calculations or specific	usufication for the volumes provided below)
Crude Oil	Volume Released (bbls) 0.97	Volume Recovered (bbls) 0
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
0 00 1		

Cause of Release

This morning at approximately 10:00 am, the heater treater hi-leveled and shut the well in. The recycle pump did not turn off and fluids continued to fill the gas scrubber and hp flare knock out and sent fluid to the flare. Approximately 0.97 barrels of oil was released out the flare, igniting a small fire around the flare pit.

Form C-141 Page 2

Incident ID	NAB1915028224
District RP	1RP-5511
Facility ID	
Application ID	pAB1915027889

Was this a major release as defined by 19.15.29.7(A) NMAC?	If YES, for what reason(s) does the responsible party consider this a major release? Release resulted in a small fire around the perimeter of the flare pit	
Yes 🗌 No		
If YES, was immediate n	otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	
District 1 email, Jim	Amos and Jim Griswold via email on 5/6/19 at 7:49 pm	
1		

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

There were no standing fluids associated with this incident.

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Ca	lie Karrigan
------------------	--------------

Signature: Callie Kanigan

email: cnkarrigan@marathonoil.com

Date: 5/8/19

Title: HES Professional

Telephone: 575-297-0956

OCD Only

Received hv:	

Amalia Bustamante

Date: 5/30/2019

Form C-141 Page 3

Incident ID	NAB1915028224
District RP	IRP-5511
Facility ID	
Application ID	pAB1915027889

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>129</u> (ft bgs)
Did this release impact groundwater or surface water?	🗋 Yes 🖾 No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	🗌 Yes 🛛 No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	🗌 Yes 🖾 No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	🗌 Yes 🛛 No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	🗌 Yes 🛛 No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	🗌 Yes 🛛 No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	🗌 Yes 🛛 No
Are the lateral extents of the release within 300 feet of a wetland?	🗌 Yes 🛛 No
Are the lateral extents of the release overlying a subsurface mine?	🗌 Yes 🛛 No
Are the lateral extents of the release overlying an unstable area such as karst geology?	🗌 Yes 🛛 No
Are the lateral extents of the release within a 100-year floodplain?	🗌 Yes 🛛 No
Did the release impact areas not on an exploration, development, production, or storage site?	🗌 Yes 🛛 No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data 🛛 🕅 🕅 🕅
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ¹/₂-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Form C-141	State of New Mexico	2011	
Dage 4		Incident ID	NAB1915028224
rage 4	On Conservation Division	District RP	1RP-5511
		Facility ID	
		Application ID	pAB1915027889
I hereby certify that the informer regulations all operators are republic health or the environme failed to adequately investiga addition, OCD acceptance of and/or regulations. Printed Name:	mation given above is true and complete to the best of my equired to report and/or file certain release notifications ar ent. The acceptance of a C-141 report by the OCD does n te and remediate contamination that pose a threat to group a C-141 report does not relieve the operator of responsibil ac CaAC Title: Date: <u>hon oill. Com Telephone:575-988-</u> D	knowledge and understand that purs and perform corrective actions for reli- tot relieve the operator of liability shi dwater, surface water, human health ity for compliance with any other fe $A \partial u H E S Tech$ 7 - 16 - 19 0.561	suant to OCD rules and eases which may endanger nould their operations have to or the environment. In ederal, state, or local laws

Form C-141 Page 6 State of New Mexico Oil Conservation Division

Incident ID	NAB1915028224
District RP	1RP-5511
Facility ID	
Application ID	PAB1915027889

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the fi	allowing items must be included in all a
A scaled site and campling diagram as density it	to be a constructed in the closure report.
	19.15.29.11 NMAC
Photographs of the remediated site prior to backfill must be notified 2 days prior to liner inspection)	or photos of the liner integrity if applicable (Note: appropriate OCD District office
Laboratory analyses of final sampling (Note: approp	riate ODC District office must be notified 2 days prior to final sampling)
Description of remediation activities	
I have by goal if a share is a	
should their operations have failed to adequately investigat human health or the environment. In addition, OCD accep compliance with any other federal, state, or local laws and/ restore, reclaim, and re-vegetate the impacted surface area accordance with 19.15.29.13 NMAC including notification Printed Name: Icaac Carto Signature: Signature: Icaac Carto	plance of a C-141 report by the OCD does not relieve the operator of liability the and remediate contamination that pose a threat to groundwater, surface water, tance of a C-141 report does not relieve the operator of responsibility for for regulations. The responsible party acknowledges they must substantially to the conditions that existed prior to the release or their final land use in to the OCD when reclamation and re-vegetation are complete. Title: $Adv HES Teck$ Date: $7-16-19$ Telephone: $575-988-056/$
OCD Only	
Received by:	Date: le party of liability should their operations have failed to adequately investigate and surface water, human health, or the environment nor does not relieve the responsible ws and/or regulations.
Closure Approved by	Date:
Printed Name:	Title:

APPENDIX B NMOSE WELLS REPORT



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)	(R=POD has been replaced, O=orphaned, C=the file is closed)	,	(qua (qua	rter rter	rs a rs a	are 1: are si	=NW malles	2=NE st to la	3=SW 4 rgest)	=SE (N/) AD83 UTM in me	eters)	(In feet)	
POD Number	POD Sub- Code basin C	ount	Q y 64	Q 16	Q 4	Sec	Tws	Rng		x	Y	Distance	Depth Well	Depth Water	Water Column
CP 00317	CP	LE	3	4	3	05	20S	33E	6230)54	3607235* 🌍	1861	680	325	355
L 07023	L	LE	2	3	3	32	19S	33E	6228	340	3609047* 🌍	2789	262	185	77
											Avera	ge Depth to	Water:	255	feet
												Minimum	Depth:	185	feet
												Maximum	Depth:	325	feet
Record Count: 2				_											

UTMNAD83 Radius Search (in meters):

Easting (X): 621256.7

Northing (Y): 3606750.2

Radius: 3000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



National Water Information System: Web Interface

USGS Water Resources

Data Category:		Geographic Area:		
Groundwater	•	United States	•	GO

USGS Home Contact USGS Search USGS

Click to hideNews Bulletins

• Introducing The Next Generation of USGS Water Data for the Nation

• Full News 🔊

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs site_no list =

• 323429103421601

Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 323429103421601 20S.33E.18.12322

Lea County, New Mexico Latitude 32°34'29", Longitude 103°42'16" NAD27 Land-surface elevation 3,503 feet above NAVD88 This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

Output formats

<u>Table of data</u>

Tab-separated data

<u>Graph of data</u>

Reselect period

Date	Time	? Water- level date- time accuracy	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Water- level accuracy	? Status	? Method of measurement	? Measuring agency	? Source o measure
1968-03-19		D	249.88			2		U		
1972-09-25		D	245.58			2		U		
1976-01-13		D	129.54			2		U		
1977-01-07		D	129.46			2		U		
1989-01-05		D	130.07			2		U		

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level accuracy	2	Water level accuracy to nearest hundredth of a foot
Status		The reported water-level measurement represents a static level
Method of measurement	U	Unknown method.
Measuring agency		Not determined
Source of measurement	U	Source is unknown.
Water-level approval status	А	Approved for publication Processing and review completed.

Questions about sites/data? Feedback on this web site Accessibility

Automated retrievals <u>Help</u> Explanation of terms Subscribe for system changes <u>News</u>

Policies and Notices

Plug-Ins FOIA U.S. Department of the Interior | U.S. Geological Survey Title: Groundwater for USA: Water Levels URL: https://nwis.waterdata.usgs.gov/nwis/gwlevels?

Privacy

Page Contact Information: <u>USGS Water Data Support Team</u> Page Last Modified: 2019-07-25 13:00:33 EDT 1.93 0.62 nadww01



APPENDIX C PHOTO DOCUMENTATION & FIELD NOTES

Photo Log Photo Taken June 13, 2019 Facing northwest

32.57820, -103.70104



<u>— SMA</u> Field Screening										
Location Name: Black Norse				Date: 6-1	3-19				_	
Sample Name:	Collection Time:	EC (mS)	Temp (°C)	PID Reading /PF	Soil Col	or	Primary Soil Type	Moisture Level	Other Remarks/Notes:	
21-1	846	1.79	23.8	1.5	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Silt Clay	Ury Moist Wet		
64-1	910	0.25	93.8	1.2	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sana Silt Clay	Q≠ý Moist Wet		
BCII-2	1003	6.44	24.9	4.1	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sapo Silt Clay	Do Moist Wet		
BG1-05	1002	6.11	25.1	4.8	Light T afi Gray Yellow	Dark Brown Olive Red	Gravel Rock Sapa Silt Clay	Dry Moist Wet		
BG1-4	1007	136	25.0	1.9	Light Tan Gray Yellow	Dark Br e wn Olive Red	Gravel Kock Sand Silt Clay	D rý Moist Wet	Caliche	
862-0.5	1650	0.12	27.7	1.3	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet		
P3G2-2	1051	1.49	27.5	0.4	Light Tan Gray Yellow	Dark Brown Olive Red	Grävel Rock Sand Silt Clay	Dry Moist Wet		
66-2-4	1054	1.72	27.5	6.7	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet		
C54-0.5	1262	_	_	0.8	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Moist Wet		

			<u>SMA</u>	Field Scr	eening			
Location Name: Black Worke				Date:	.13.14			_
Sample Name:	Collection Time:	EC (mS)	Temp (°C)	PID Reading /PF	Soil Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
CSWI	1208	-	-	0.9	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sapo Silt Clay	Drý Moist Wet	
CSI	1215	1	-	1.6	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sapd Silt Clay	Øry Moist Wet	
15W2	1221	(-	28	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Saper Silt Clay	Dry Moist Wet	
501	1225	(-	0.7	Light Dark 'Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	
CS2	1256	-	ł	71.3	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	
C Sad	(257	-	-	18.5	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	2
CSW3	1259	(-	12.1	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	
(SW4	130h			0.3	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	
CSWS	1204			1.9	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	

			SMA	Field Scr	eening					
Location Name:				Date:	Date:					
Sample Name:	Collection Time:	EC (mS)	Temp (*C)	PID Reading /PF	Soil Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:		
CSWB	1328	-	-	7.3	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
65607	1320	_	-	14.2	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
(sw 8	1323	-	-	24.1	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
(5009	1339	1	-	71.5	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
SP2	1413	_	-	31	Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
					Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
					Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
					Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			
					Light Dark Tan Brown Gray Olive Yellow Red	Gravel Rock Sand Silt Clay	Dry Moist Wet			

APPENDIX D LABORATORY ANALYTICAL REPORTS



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

May 16, 2019

Heather Patterson Souder, Miller & Associates 201 S Halagueno Carlsbad, NM 88221 TEL: (575) 689-8801 FAX:

RE: Black Horse

OrderNo.: 1905534

Dear Heather Patterson:

Hall Environmental Analysis Laboratory received 4 sample(s) on 5/10/2019 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

andy

Andy Freeman Laboratory Manager 4901 Hawkins NE Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 5/16/2019

CLIENT: Souder, Miller & Associates Project: Black Horse	Client Sample ID: L1-0.5 Collection Date: 5/7/2019 12:03:00 PM									
Lab ID: 1905534-001	Matrix: SOIL		Recei	ved Dat	e: 5/1	0/2019 8:50:00 AM				
Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch			
EPA METHOD 300.0: ANIONS						Analyst	MRA			
Chloride	490	60		mg/Kg	20	5/14/2019 1:07:17 PM	44902			
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst	том			
Diesel Range Organics (DRO)	2600	99		mg/Kg	10	5/14/2019 9:24:59 AM	44879			
Motor Oil Range Organics (MRO)	1400	500		mg/Kg	10	5/14/2019 9:24:59 AM	44879			
Surr: DNOP	0	70-130	S	%Rec	10	5/14/2019 9:24:59 AM	44879			
EPA METHOD 8015D: GASOLINE RANG	E					Analyst	NSB			
Gasoline Range Organics (GRO)	7.8	4.8		mg/Kg	1	5/14/2019 2:07:11 AM	44846			
Surr: BFB	142	73.8-119	S	%Rec	1	5/14/2019 2:07:11 AM	44846			
EPA METHOD 8021B: VOLATILES						Analyst	NSB			
Benzene	ND	0.024		mg/Kg	1	5/14/2019 2:07:11 AM	44846			
Toluene	ND	0.048		mg/Kg	1	5/14/2019 2:07:11 AM	44846			
Ethylbenzene	0.097	0.048		mg/Kg	1	5/14/2019 2:07:11 AM	44846			
Xylenes, Total	0.41	0.097		mg/Kg	1	5/14/2019 2:07:11 AM	44846			
Surr: 4-Bromofluorobenzene	102	80-120		%Rec	1	5/14/2019 2:07:11 AM	44846			

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 8

Hall Environmental Analysis Laboratory, Inc.

Lab Order 1905534 Date Reported: 5/16/2019

CLIENT: Souder, Miller & Associates	Client Sample ID: L2-0.5									
Project: Black Horse Lab ID: 1905534-002	Matrix: SOIL	Received Date: 5/10/2019 8:50:00 AM								
Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch			
EPA METHOD 300.0: ANIONS						Analyst	MRA			
Chloride	82	60		mg/Kg	20	5/14/2019 1:19:41 PM	44902			
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst	том			
Diesel Range Organics (DRO)	920	97		mg/Kg	10	5/14/2019 10:11:48 AM	44879			
Motor Oil Range Organics (MRO)	810	480		mg/Kg	10	5/14/2019 10:11:48 AM	44879			
Surr: DNOP	0	70-130	S	%Rec	10	5/14/2019 10:11:48 AM	44879			
EPA METHOD 8015D: GASOLINE RANG	E					Analyst	NSB			
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	5/14/2019 2:29:58 AM	44846			
Surr: BFB	102	73.8-119		%Rec	1	5/14/2019 2:29:58 AM	44846			
EPA METHOD 8021B: VOLATILES						Analyst	: NSB			
Benzene	ND	0.025		mg/Kg	1	5/14/2019 2:29:58 AM	44846			
Toluene	ND	0.050		mg/Kg	1	5/14/2019 2:29:58 AM	44846			
Ethylbenzene	ND	0.050		mg/Kg	1	5/14/2019 2:29:58 AM	44846			
Xylenes, Total	0.14	0.10		mg/Kg	1	5/14/2019 2:29:58 AM	44846			
Surr: 4-Bromofluorobenzene	95.1	80-120		%Rec	1	5/14/2019 2:29:58 AM	44846			

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 8

Hall Environmental Analysis Laboratory, Inc.

Lab Order 1905534 Date Reported: 5/16/2019

CLIENT: Souder, Miller & Associates Project: Black Horse	Client Sample ID: L3-0.5 Collection Date: 5/7/2019 12:24:00 PM									
Lab ID: 1905534-003	Matrix: SOIL	·	Recei	ved Dat	e: 5/1	0/2019 8:50:00 AM				
Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch			
EPA METHOD 300.0: ANIONS						Analyst	MRA			
Chloride	530	60		mg/Kg	20	5/14/2019 1:32:06 PM	44902			
EPA METHOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst	: том			
Diesel Range Organics (DRO)	1100	97		mg/Kg	10	5/14/2019 10:56:06 AM	44879			
Motor Oil Range Organics (MRO)	790	480		mg/Kg	10	5/14/2019 10:56:06 AM	44879			
Surr: DNOP	0	70-130	S	%Rec	10	5/14/2019 10:56:06 AM	44879			
EPA METHOD 8015D: GASOLINE RANGI	E					Analyst	: NSB			
Gasoline Range Organics (GRO)	20	4.9		mg/Kg	1	5/14/2019 2:52:40 AM	44846			
Surr: BFB	308	73.8-119	S	%Rec	1	5/14/2019 2:52:40 AM	44846			
EPA METHOD 8021B: VOLATILES						Analyst	: NSB			
Benzene	ND	0.025		mg/Kg	1	5/14/2019 2:52:40 AM	44846			
Toluene	ND	0.049		mg/Kg	1	5/14/2019 2:52:40 AM	44846			
Ethylbenzene	0.30	0.049		mg/Kg	1	5/14/2019 2:52:40 AM	44846			
Xylenes, Total	1.1	0.099		mg/Kg	1	5/14/2019 2:52:40 AM	44846			
Surr: 4-Bromofluorobenzene	125	80-120	S	%Rec	1	5/14/2019 2:52:40 AM	44846			

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 8

Hall Environmental Analysis Laboratory, Inc.

Lab Order 1905534

Date Reported: 5/16/2019

CLIENT:	Souder, Miller & Associates		Cl	ient Sample II): L4	-0.5				
Project:	Black Horse		(Collection Dat	e: 5/7	7/2019 12:38:00 PM				
Lab ID:	1905534-004	Matrix: SOIL Received Date: 5/10/2019 8:50:00 AM								
Analyses		Result	RL	Qual Units	DF	Date Analyzed	Batch			
EPA MET	HOD 300.0: ANIONS					Analyst	MRA			
Chloride		93	60	mg/Kg	20	5/14/2019 1:44:31 PM	44902			
EPA MET	HOD 8015M/D: DIESEL RANGE	E ORGANICS				Analyst	ТОМ			
Diesel Ra	ange Organics (DRO)	340	9.9	mg/Kg	1	5/14/2019 10:46:52 PM	44879			
Motor Oil	I Range Organics (MRO)	270	49	mg/Kg	1	5/14/2019 10:46:52 PM	44879			
Surr: E	DNOP	94.6	70-130	%Rec	1	5/14/2019 10:46:52 PM	44879			
EPA MET	HOD 8015D: GASOLINE RANG	E				Analyst	NSB			
Gasoline	Range Organics (GRO)	ND	4.9	mg/Kg	1	5/14/2019 3:15:19 AM	44846			
Surr: E	3FB	101	73.8-119	%Rec	1	5/14/2019 3:15:19 AM	44846			
EPA MET	HOD 8021B: VOLATILES					Analyst	NSB			
Benzene		ND	0.025	mg/Kg	1	5/14/2019 3:15:19 AM	44846			
Toluene		ND	0.049	mg/Kg	1	5/14/2019 3:15:19 AM	44846			
Ethylben	zene	ND	0.049	mg/Kg	1	5/14/2019 3:15:19 AM	44846			
Xylenes,	Total	0.13	0.099	mg/Kg	1	5/14/2019 3:15:19 AM	44846			
Surr: 4	1-Bromofluorobenzene	94.9	80-120	%Rec	1	5/14/2019 3:15:19 AM	44846			

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 8

Client: Project:	Soude Black	er, Miller & As Horse	ssociate	es							
Sample ID:	MB-44902	SampT	ype: m ł	olk	Tes	tCode: El	PA Method	300.0: Anion	s		
Client ID:	PBS	Batch	n ID: 44	902	F	RunNo: 5	9859				
Prep Date:	5/14/2019	Analysis D	ate: 5/	14/2019	S	SeqNo: 2	019990	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		ND	1.5								
Sample ID:	LCS-44902	SampT	ype: Ics	5	Tes	tCode: El	PA Method	300.0: Anion	s		
Client ID:	LCSS	Batch	n ID: 44	902	F	RunNo: 5	9859				
Prep Date:	5/14/2019	Analysis D	ate: 5/	14/2019	S	SeqNo: 2	019991	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride		14	1.5	15.00	0	95.2	90	110			

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

1905534

WO#:

16-May-19

Page 5 of 8

Client: Souder, Project: Black H	, Miller & Ass Iorse	ociate	es							
Sample ID: LCS-44879	SampTyp	SampType: LCS TestCode: EPA Method							e Organics	
Client ID: LCSS	Batch I	Batch ID: 44879 RunNo: 59853								
Prep Date: 5/13/2019	Analysis Dat	te: 5/	14/2019	S	SeqNo: 20	018947	Units: mg/k	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	96.9	63.9	124			
Surr: DNOP	4.6		5.000		91.9	70	130			
Sample ID: MB-44879	SampTyp	De: ME	BLK	Tes	tCode: EF	PA Method	8015M/D: Die	esel Rang	e Organics	
Client ID: PBS	Batch I	D: 44	879	F	RunNo: 5 9	9853				
Prep Date: 5/13/2019	Analysis Dat	te: 5/	14/2019	S	SeqNo: 20	018948	Units: mg/#	íg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	11		10.00		105	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 8

²

WO#:	1905534

16-May-19

Client:	Souder, I	Miller & As	ssociate	es							
Project:	Black Ho	orse									
Sample ID: I	MB-44846	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	PBS	Batch	ו ID: 44	846	F	RunNo: 5	9831				
Prep Date:	5/10/2019	Analysis D	ate: 5/	13/2019	S	SeqNo: 2	018468	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range	Organics (GRO)	ND	5.0								
Surr: BFB		930		1000		92.8	73.8	119			
Sample ID: I	LCS-44846	SampT	SampType: LCS TestCode: EPA Method 8015D: Gasoline Range								
Client ID:	LCSS	Batch	Batch ID: 44846 RunNo: 59831								
Prep Date:	5/10/2019	Analysis D	ate: 5/	13/2019	S	SeqNo: 2	018469	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range	Organics (GRO)	24	5.0	25.00	0	96.8	80.1	123			
Surr: BFB		1100		1000		107	73.8	119			
Sample ID: I	MB-44827	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	PBS	Batch	ו ID: 44	827	F	RunNo: 5	9832				
Prep Date:	5/9/2019	Analysis D	ate: 5/	/13/2019	S	SeqNo: 2	018531	Units: %Red	;		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		840		1000		83.9	73.8	119			
Sample ID: I	LCS-44827	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015D: Gaso	line Rang	e	
Client ID:	LCSS	Batch ID: 44827 RunNo: 59832									
Prep Date:	5/9/2019	Analysis D	ate: 5/	13/2019	S	SeqNo: 2	018532	Units: %Red	;		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB		980		1000		97.8	73.8	119			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

QC SUMMARY REPORT
Hall Environmental Analysis Laboratory, Inc.

WO#:	1905	5534
	1 < 1 4	

16-May-19

Client:	Souder, N	Ailler & A	ssociate	es							
Project:	Black Ho	rse									
Sample ID: MB-	44846	Samp	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volat	iles		
Client ID: PBS	i	Batc	h ID: 44	846	RunNo: 59831						
Prep Date: 5/1	0/2019	Analysis [Date: 5/ *	13/2019	5	eqNo: 20	018511	Units: mg/K	ſg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		ND	0.025								
Toluene		ND	0.050								
Ethylbenzene		ND	0.050								
Xylenes, Total		ND	0.10								
Surr: 4-Bromofluor	obenzene	0.90		1.000		90.0	80	120			
Sample ID: LCS	-44846	Samp	Гуре: LC	S	Tes	tCode: EF	PA Method	8021B: Volat	iles		
Client ID: LCS	s	Batch ID: 44846 RunNo: 59831									
Prep Date: 5/1	0/2019	Analysis [Date: 5/ *	13/2019	S	eqNo: 20	018512	Units: mg/K	g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene		0.89	0.025	1.000	0	89.0	80	120			
Toluene		0.92	0.050	1.000	0	92.1	80	120			
Ethylbenzene		0.93	0.050	1.000	0	93.2	80	120			
Xylenes, Total		2.8	0.10	3.000	0	93.0	80	120			
Surr: 4-Bromofluor	obenzene	0.94		1.000		94.1	80	120			
Sample ID: MB-	44827	Samp	Гуре: МЕ	BLK	Tes	tCode: EF	PA Method	8021B: Volat	iles		
Client ID: PBS	i	Batc	h ID: 44(827	F	unNo: 59	9832				
Prep Date: 5/9	/2019	Analysis [Date: 5/ *	13/2019	5	eqNo: 20	018567	Units: %Red	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluor	obenzene	0.87		1.000		86.7	80	120			
Sample ID: LCS	-44827	Samp	Гуре: LC	S	Tes	tCode: EF	PA Method	8021B: Volat	iles		
Client ID: LCS	S	Batc	h ID: 44	827	F	unNo: 59	9832				
Prep Date: 5/9	/2019	Analysis [Date: 5/ *	13/2019	S	eqNo: 20	018568	Units: %Red	C		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluor	obenzene	0.98		1.000		97.7	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 8 of 8

HALL ENVIE ANAL LABO	RONMENTAL YSIS Ratory	Hall Environme - TEL: 505-345-3 Website: www	ntal Analysis Labor 4901 Hawki Albuquerque, NM & 1975 FAX: 505-345- w.hallenvironmenta	ratory ns NE 87109 San 4107 1.com	nple Log-In Ch	eck List
Client Name:	SMA-CARLSBAD	Work Order Num	ber: 1905534		RcptNo: 1	
Received By:	Erin Melendrez	5/10/2019 8:50:00	АМ	int	5	
Completed By:	Yazmine Garduno	5/10/2019 10:15:40	AM	Apagmine lighteret		
Reviewed By:	ENM <u>5-10-19</u>	5/10/A				
Chain of Cus	stody					
	ustody complete?		Yes 💌			
2. How was the	sample delivered?		Courier			
Log In 3. Was an atten	npt made to cool the sample	es?	Yes 🗹	No 🗌	NA 🗌	
4. Were all sam	ples received at a temperati	ure of >0° C to 6.0°C	Yes 🗸	No 🗌		
. Sample(s) in	proper container(s)?		Yes 🗸	No 🗌		
5. Sufficient sam	ple volume for indicated tes	st(s)?	Yes 🖌	No 🗌		
. Are samples (except VOA and ONG) prop	perly preserved?	Yes 🗸	No 🗌		
. Was preserva	tive added to bottles?		Yes	No 🔽		
VOA vials hav	ve zero headspace?		Vec	No	No VOA Vials 🗸	
0. Were any sar	nple containers received bro	oken?	Yes	No 🗹		
. ,					# of preserved	
1. Does paperwo	ork match bottle labels?		Yes 🗸	No 🗌	for pH:	
(Note discrepa	ancies on chain of custody)		. .		(<2 or >1 Adjusted?	2 unless noted)
Are matrices of	t analysiss were requested?	of Custody?	Yes 🗸			
1 Were all holdi	r analyses were requested?		Yes V		Checked by:	10 5-10-
(If no, notify ci	ustomer for authorization.)		ies 💌			<u>JC 3</u> 10
oecial Handl	ing (if applicable)					
5. Was client no	tified of all discrepancies wi	th this order?	Yes	No 🗌	NA 🗸	
Person	Notified:	Data	r			
By Who	m.	Date.				
Regard	ing:	via.				
Client Ir	nstructions:					
6. Additional rei	marks					
7 0						
7. Cooler Infor Cooler No	Temp °C Condition	Seal Intact Seal No	Seal Date	Signed By		
1	3.8 Good	Yes	ocal Date	Signed by		

ALL ENVIRONMENTAL JALYSIS LABORATORY w.hallenvironmental.com NE - Albuquerque, NM 87109 3975 Fax 505-345-4107	F, Br, NO ₃ , NO ₂ , PO ₄ , SO ₄ DF, Br, NO ₃ , NO ₂ , PO ₄ , SO ₄ S0 (VOA) T0 (Semi-VOA) tal Coliform (Present/Absent) Insert (Present/Absent)	
AL AN Mw Hawkins 05-345-:	B (Method 504.1) SMI20528 10 01 8270SIMS	
1901 Tel. 5	(OXM (OXG (OXB)GC108:H	
	EX () WTBE / TMB's (8021)	
nd Time: 5 des hur Ird _ Rush me: ell [furt	nager: 1. Hu Du Husin 1. Hun Nes DNO S: 1 (CF=-0.1) np(including CF): 3 Soc Preservative HEAL NO.	t Type 100534 -001 -002 -004 -004 -004 -004 -004 -004
Turn-Arour	Project Ma	Type and # U U U Received by
Client: SWA Client: SWA Mailing Address:	email or Fax#: OA/OC Package: DA/OC Package: CA/OC Package: DA/OC Package:	Date Time Matrix Sample Name 5/7/4 12:21 L1 - U.i 12:21 L2 - U.i 12:24 L2 - U.i 12:24 L2 - U.i 12:24 L2 - U.i 12:24 L2 - U.i 12:38 L4 - U.i 11:00 L1:38 12:01 L1:01 13:01 L4 - U.i 14:01 L4 - U.i 15:01 L1:01 15:01 L1:01 16:01 L1:01 17:01 L1:01 19:01 L1:01 19:01 L1:01

Hall Environmental Analysis Laboratory, Inc.				Lab Order 1906850 Date Reported: 6/24/2019						
CLIENT:	Souder, Miller & Associates		Cl	ient S	ample II	D: BC	G1-0.5			
Project:	Black Horse	Collection Date: 6/13/2019 10:02:00 AM								
Lab ID:	1906850-001	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM							
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch		
EPA MET	HOD 300.0: ANIONS						Analys	st: MRA		
Chloride		ND	60		mg/Kg	20	6/21/2019 4:54:30 PM	45732		

Analytical Report

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

* **Qualifiers:**

- Value exceeds Maximum Contaminant Level. D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank В
- Е Value above quantitation range
- Analyte detected below quantitation limits J Sample pH Not In Range
- Р
- RL Reporting Limit

Page 1 of 18

Hall En	vironmental Analysis	s Laboratory, Inc	2.	Lab Order 1906850 Date Reported: 6/24/2019					
CLIENT:	Souder, Miller & Associates		C	ient Sa	ample II	D: BC	G1-2		
Project:	Black Horse			Collect	tion Dat	e: 6/1	3/2019 10:03:00 AM		
Lab ID:	1906850-002	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM						
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch	
EPA MET	HOD 300.0: ANIONS						Analys	t: MRA	
Chloride		130	60		mg/Kg	20	6/21/2019 5:06:54 PM	45732	

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 18

Analytical Report Lab Order 1906850

Hall Environmental Analysis Laboratory, Inc.				Lab Order 1906850 Date Reported: 6/24/2019					
CLIENT: S	Souder, Miller & Associates		Cl	ient Sa	ample Il	D: BC	51-4		
Project: I	Black Horse	Collection Date: 6/13/2019 10:07:00							
Lab ID:	1906850-003	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM						
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch	
EPA METH	IOD 300.0: ANIONS						Analys	st: MRA	
Chloride		380	60		mg/Kg	20	6/21/2019 4:42:37 PM	45735	

Analytical Report

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 18

Hall Environmental Analysis	s Laboratory, In	c.	Date Reported: 6/24/2019					
CLIENT: Souder, Miller & Associates		Clier	nt Sample II	D: BC	G2-0.5			
Project: Black Horse		Co	llection Dat	e: 6/1	3/2019 10:50:00 AM	1		
Lab ID: 1906850-004	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM						
Analyses	Result	RL Q	ual Units	DF	Date Analyzed	Batch		
EPA METHOD 300.0: ANIONS					Analy	st: MRA		
Chloride	ND	60	mg/Kg	20	6/21/2019 4:55:02 PM	45735		

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 18

Analytical Report Lab Order 1906850

Hall Environmental Analysis Laboratory, Inc.							Lab Order 1906850 Date Reported: 6/24/20	19
CLIENT:	Souder, Miller & Associates		Cl	ient Sa	ample II	D: B(52-2	
Project:	Black Horse		(Collect	tion Dat	e: 6/1	3/2019 10:52:00 AM	
Lab ID:	1906850-005	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM					
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA MET	HOD 300.0: ANIONS						Analyst	MRA
Chloride		1200	59		mg/Kg	20	6/21/2019 5:32:15 PM	45735

Analytical Report

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: * Valu

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 18

Hall Environmental Analys	с.	Lab Order 1906850 Date Reported: 6/24/2019					
CLIENT: Souder, Miller & Associates		Clien	t Sample II	D: BC	52-4		
Project: Black Horse		3/2019 10:54:00 AM	1				
Lab ID: 1906850-006	Matrix: SOIL	Received Date: 6/15/2019 10:15:00 AM					
Analyses	Result	RL Q	ual Units	DF	Date Analyzed	Batch	
EPA METHOD 300.0: ANIONS					Analy	st: MRA	
Chloride	390	60	mg/Kg	20	6/21/2019 5:44:40 PM	45735	

Analytical Report

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT: Souder, Miller & Associates		Cli	ient Sample II	D: CS	51	
Project: Black Horse		(Collection Dat	e: 6/1	3/2019 12:15:00 PM	
Lab ID: 1906850-007	Matrix: SOIL		Received Dat	e: 6/1	15/2019 10:15:00 AM	
Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	1400	60	mg/Kg	20	6/21/2019 6:08:57 PM	45745
EPA METHOD 8015D MOD: GASOLIN	E RANGE				Analyst	RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/18/2019 5:46:11 PM	45621
Surr: BFB	109	70-130	%Rec	1	6/18/2019 5:46:11 PM	45621
EPA METHOD 8015M/D: DIESEL RAN	GE ORGANICS				Analyst	JME
Diesel Range Organics (DRO)	ND	9.8	mg/Kg	1	6/18/2019 8:15:03 PM	45634
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	6/18/2019 8:15:03 PM	45634
Surr: DNOP	117	70-130	%Rec	1	6/18/2019 8:15:03 PM	45634
EPA METHOD 8260B: VOLATILES SH	ORT LIST				Analyst	RAA
Benzene	ND	0.025	mg/Kg	1	6/18/2019 5:46:11 PM	45621
Toluene	ND	0.049	mg/Kg	1	6/18/2019 5:46:11 PM	45621
Ethylbenzene	ND	0.049	mg/Kg	1	6/18/2019 5:46:11 PM	45621
Xylenes, Total	ND	0.098	mg/Kg	1	6/18/2019 5:46:11 PM	45621
Surr: 1,2-Dichloroethane-d4	98.1	70-130	%Rec	1	6/18/2019 5:46:11 PM	45621
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	6/18/2019 5:46:11 PM	45621
Surr: Dibromofluoromethane	115	70-130	%Rec	1	6/18/2019 5:46:11 PM	45621
Surr: Toluene-d8	94.8	70-130	%Rec	1	6/18/2019 5:46:11 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT:	Souder, Miller & Associates		Cl	ient Sa	ample II	D: CS	32	
Project:	Black Horse		(Collect	ion Dat	e: 6/1	3/2019 12:56:00 PM	
Lab ID:	1906850-008	Matrix: SOIL		Recei	ved Dat	e: 6/1	5/2019 10:15:00 AM	
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA MET	THOD 300.0: ANIONS						Analyst	MRA
Chloride		62	60		mg/Kg	20	6/21/2019 6:21:22 PM	45745
EPA MET	THOD 8015D MOD: GASOLINE	RANGE					Analyst	RAA
Gasoline	e Range Organics (GRO)	ND	4.9		mg/Kg	1	6/18/2019 6:14:54 PM	45621
Surr: I	BFB	110	70-130		%Rec	1	6/18/2019 6:14:54 PM	45621
EPA MET	THOD 8015M/D: DIESEL RANGE	ORGANICS					Analyst	: JME
Diesel R	ange Organics (DRO)	52	9.9		mg/Kg	1	6/18/2019 10:45:28 AM	45634
Motor Oi	il Range Organics (MRO)	58	50		mg/Kg	1	6/18/2019 10:45:28 AM	45634
Surr: I	DNOP	139	70-130	S	%Rec	1	6/18/2019 10:45:28 AM	45634
EPA MET	THOD 8260B: VOLATILES SHO	RT LIST					Analyst	RAA
Benzene	9	ND	0.025		mg/Kg	1	6/18/2019 6:14:54 PM	45621
Toluene		ND	0.049		mg/Kg	1	6/18/2019 6:14:54 PM	45621
Ethylben	izene	ND	0.049		mg/Kg	1	6/18/2019 6:14:54 PM	45621
Xylenes,	Total	ND	0.099		mg/Kg	1	6/18/2019 6:14:54 PM	45621
Surr: 7	1,2-Dichloroethane-d4	98.4	70-130		%Rec	1	6/18/2019 6:14:54 PM	45621
Surr: 4	4-Bromofluorobenzene	98.7	70-130		%Rec	1	6/18/2019 6:14:54 PM	45621
Surr: I	Dibromofluoromethane	116	70-130		%Rec	1	6/18/2019 6:14:54 PM	45621
Surr: ⁻	Toluene-d8	93.4	70-130		%Rec	1	6/18/2019 6:14:54 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers: *

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT:	Souder, Miller & Associates		Cl	ient Sample II	D:CS	53	
Project:	Black Horse		(Collection Dat	e: 6/1	13/2019 12:57:00 PM	
Lab ID:	1906850-009	Matrix: SOIL		Received Dat	e: 6/1	15/2019 10:15:00 AM	
Analyses		Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA MET	HOD 300.0: ANIONS					Analys	: MRA
Chloride		ND	60	mg/Kg	20	6/21/2019 6:33:46 PM	45745
EPA MET	HOD 8015D MOD: GASOLINE	RANGE				Analys	: RAA
Gasoline	Range Organics (GRO)	ND	4.9	mg/Kg	1	6/18/2019 6:43:31 PM	45621
Surr: E	3FB	109	70-130	%Rec	1	6/18/2019 6:43:31 PM	45621
EPA MET	HOD 8015M/D: DIESEL RANG	E ORGANICS				Analys	: JME
Diesel R	ange Organics (DRO)	ND	9.5	mg/Kg	1	6/18/2019 8:39:30 PM	45634
Motor Oi	I Range Organics (MRO)	ND	47	mg/Kg	1	6/18/2019 8:39:30 PM	45634
Surr: [ONOP	126	70-130	%Rec	1	6/18/2019 8:39:30 PM	45634
EPA MET	HOD 8260B: VOLATILES SHO	RT LIST				Analys	: RAA
Benzene		ND	0.025	mg/Kg	1	6/18/2019 6:43:31 PM	45621
Toluene		ND	0.049	mg/Kg	1	6/18/2019 6:43:31 PM	45621
Ethylben	zene	ND	0.049	mg/Kg	1	6/18/2019 6:43:31 PM	45621
Xylenes,	Total	ND	0.098	mg/Kg	1	6/18/2019 6:43:31 PM	45621
Surr: 1	1,2-Dichloroethane-d4	97.7	70-130	%Rec	1	6/18/2019 6:43:31 PM	45621
Surr: 4	4-Bromofluorobenzene	97.8	70-130	%Rec	1	6/18/2019 6:43:31 PM	45621
Surr: [Dibromofluoromethane	115	70-130	%Rec	1	6/18/2019 6:43:31 PM	45621
Surr: 7	Toluene-d8	94.5	70-130	%Rec	1	6/18/2019 6:43:31 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT: Souder, Miller & Associates	S	Cl	ient Sample II	D: CS	34	
Project: Black Horse		(Collection Dat	e: 6/1	13/2019 12:02:00 PM	
Lab ID: 1906850-010	Matrix: SOIL		Received Dat	e: 6/1	5/2019 10:15:00 AM	
Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	6/21/2019 7:10:59 PM	45745
EPA METHOD 8015D MOD: GASOLI	NE RANGE				Analyst	RAA
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	6/18/2019 7:12:06 PM	45621
Surr: BFB	108	70-130	%Rec	1	6/18/2019 7:12:06 PM	45621
EPA METHOD 8015M/D: DIESEL RA	NGE ORGANICS				Analyst	JME
Diesel Range Organics (DRO)	150	9.4	mg/Kg	1	6/18/2019 11:50:05 AM	45634
Motor Oil Range Organics (MRO)	120	47	mg/Kg	1	6/18/2019 11:50:05 AM	45634
Surr: DNOP	122	70-130	%Rec	1	6/18/2019 11:50:05 AM	45634
EPA METHOD 8260B: VOLATILES S	HORT LIST				Analyst	RAA
Benzene	ND	0.024	mg/Kg	1	6/18/2019 7:12:06 PM	45621
Toluene	ND	0.049	mg/Kg	1	6/18/2019 7:12:06 PM	45621
Ethylbenzene	ND	0.049	mg/Kg	1	6/18/2019 7:12:06 PM	45621
Xylenes, Total	ND	0.098	mg/Kg	1	6/18/2019 7:12:06 PM	45621
Surr: 1,2-Dichloroethane-d4	98.1	70-130	%Rec	1	6/18/2019 7:12:06 PM	45621
Surr: 4-Bromofluorobenzene	101	70-130	%Rec	1	6/18/2019 7:12:06 PM	45621
Surr: Dibromofluoromethane	114	70-130	%Rec	1	6/18/2019 7:12:06 PM	45621
Surr: Toluene-d8	92.2	70-130	%Rec	1	6/18/2019 7:12:06 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT: Souder, Miller & Associate	S	Cl	ient Sample II): CS	SW1	
Project: Black Horse		(Collection Dat	e: 6/1	3/2019 12:08:00 PM	
Lab ID: 1906850-011	Matrix: SOIL		Received Date	e: 6/1	15/2019 10:15:00 AM	
Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	90	60	mg/Kg	20	6/21/2019 7:23:24 PM	45745
EPA METHOD 8015D MOD: GASOLI	NE RANGE				Analyst	RAA
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	6/18/2019 7:40:39 PM	45621
Surr: BFB	111	70-130	%Rec	1	6/18/2019 7:40:39 PM	45621
EPA METHOD 8015M/D: DIESEL RA	NGE ORGANICS				Analyst	: JME
Diesel Range Organics (DRO)	37	9.7	mg/Kg	1	6/18/2019 12:38:17 PM	45634
Motor Oil Range Organics (MRO)	72	49	mg/Kg	1	6/18/2019 12:38:17 PM	45634
Surr: DNOP	110	70-130	%Rec	1	6/18/2019 12:38:17 PM	45634
EPA METHOD 8260B: VOLATILES S	HORT LIST				Analyst	RAA
Benzene	ND	0.024	mg/Kg	1	6/18/2019 7:40:39 PM	45621
Toluene	ND	0.048	mg/Kg	1	6/18/2019 7:40:39 PM	45621
Ethylbenzene	ND	0.048	mg/Kg	1	6/18/2019 7:40:39 PM	45621
Xylenes, Total	ND	0.097	mg/Kg	1	6/18/2019 7:40:39 PM	45621
Surr: 1,2-Dichloroethane-d4	98.4	70-130	%Rec	1	6/18/2019 7:40:39 PM	45621
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	6/18/2019 7:40:39 PM	45621
Surr: Dibromofluoromethane	114	70-130	%Rec	1	6/18/2019 7:40:39 PM	45621
Surr: Toluene-d8	93.6	70-130	%Rec	1	6/18/2019 7:40:39 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range

RL Reporting Limit

Page 11 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT:	Souder, Miller & Associates		Cl	ient Sa	ample II	D: CS	W2	
Project:	Black Horse			Collect	ion Dat	e: 6/1	3/2019 12:21:00 PM	
Lab ID:	1906850-012	Matrix: SOIL		Recei	ved Dat	e: 6/1	5/2019 10:15:00 AM	
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA MET	THOD 300.0: ANIONS						Analyst	MRA
Chloride		1400	60		mg/Kg	20	6/21/2019 7:35:49 PM	45745
EPA MET	THOD 8015D MOD: GASOLINE	RANGE					Analyst	RAA
Gasoline	e Range Organics (GRO)	ND	5.0		mg/Kg	1	6/18/2019 8:09:16 PM	45621
Surr: I	BFB	112	70-130		%Rec	1	6/18/2019 8:09:16 PM	45621
EPA MET	THOD 8015M/D: DIESEL RANGI	E ORGANICS					Analyst	: JME
Diesel R	ange Organics (DRO)	ND	9.8		mg/Kg	1	6/18/2019 9:03:58 PM	45634
Motor Oi	l Range Organics (MRO)	ND	49		mg/Kg	1	6/18/2019 9:03:58 PM	45634
Surr: I	DNOP	167	70-130	S	%Rec	1	6/18/2019 9:03:58 PM	45634
EPA MET	HOD 8260B: VOLATILES SHO	RT LIST					Analyst	RAA
Benzene	9	ND	0.025		mg/Kg	1	6/18/2019 8:09:16 PM	45621
Toluene		ND	0.050		mg/Kg	1	6/18/2019 8:09:16 PM	45621
Ethylben	izene	ND	0.050		mg/Kg	1	6/18/2019 8:09:16 PM	45621
Xylenes,	Total	ND	0.10		mg/Kg	1	6/18/2019 8:09:16 PM	45621
Surr: 7	1,2-Dichloroethane-d4	101	70-130		%Rec	1	6/18/2019 8:09:16 PM	45621
Surr: 4	4-Bromofluorobenzene	101	70-130		%Rec	1	6/18/2019 8:09:16 PM	45621
Surr: I	Dibromofluoromethane	117	70-130		%Rec	1	6/18/2019 8:09:16 PM	45621
Surr: ⁻	Toluene-d8	92.9	70-130		%Rec	1	6/18/2019 8:09:16 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT:	Souder, Miller & Associate	s	Cl	ient Sample II	D: CS	SW3	
Project:	Black Horse		(Collection Dat	e: 6/1	13/2019 1:20:00 PM	
Lab ID:	1906850-013	Matrix: SOIL		Received Date	e: 6 /1	15/2019 10:15:00 AM	
Analyses		Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA MET	THOD 300.0: ANIONS					Analyst	MRA
Chloride		160	60	mg/Kg	20	6/21/2019 7:48:13 PM	45745
EPA MET	THOD 8015D MOD: GASOLI	NE RANGE				Analyst	RAA
Gasoline	e Range Organics (GRO)	ND	4.9	mg/Kg	1	6/18/2019 8:37:46 PM	45621
Surr: I	BFB	109	70-130	%Rec	1	6/18/2019 8:37:46 PM	45621
EPA ME	THOD 8015M/D: DIESEL RA	NGE ORGANICS				Analyst	: JME
Diesel R	ange Organics (DRO)	15	9.8	mg/Kg	1	6/18/2019 1:19:49 PM	45634
Motor Oi	il Range Organics (MRO)	ND	49	mg/Kg	1	6/18/2019 1:19:49 PM	45634
Surr: I	DNOP	105	70-130	%Rec	1	6/18/2019 1:19:49 PM	45634
EPA MET	THOD 8260B: VOLATILES S	HORT LIST				Analyst	RAA
Benzene)	ND	0.024	mg/Kg	1	6/18/2019 8:37:46 PM	45621
Toluene		ND	0.049	mg/Kg	1	6/18/2019 8:37:46 PM	45621
Ethylben	izene	ND	0.049	mg/Kg	1	6/18/2019 8:37:46 PM	45621
Xylenes,	Total	ND	0.097	mg/Kg	1	6/18/2019 8:37:46 PM	45621
Surr:	1,2-Dichloroethane-d4	98.3	70-130	%Rec	1	6/18/2019 8:37:46 PM	45621
Surr: 4	4-Bromofluorobenzene	101	70-130	%Rec	1	6/18/2019 8:37:46 PM	45621
Surr: I	Dibromofluoromethane	116	70-130	%Rec	1	6/18/2019 8:37:46 PM	45621
Surr:	Toluene-d8	92.3	70-130	%Rec	1	6/18/2019 8:37:46 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 18

Hall Environmental Analysis Laboratory, Inc.

Date Reported: 6/24/2019

CLIENT:	Souder, Miller & Associat	es	Cl	ient Sa	ample II	D: CS	SW4	
Project:	Black Horse		(Collect	ion Dat	e: 6/1	3/2019 1:39:00 PM	
Lab ID:	1906850-014	Matrix: SOIL		Recei	ved Dat	e: 6/1	5/2019 10:15:00 AM	
Analyses		Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA MET	HOD 300.0: ANIONS						Analyst:	MRA
Chloride		660	60		mg/Kg	20	6/21/2019 8:00:37 PM	45745
EPA MET	HOD 8015D MOD: GASOL	INE RANGE					Analyst:	RAA
Gasoline	Range Organics (GRO)	ND	4.8		mg/Kg	1	6/18/2019 9:06:13 PM	45621
Surr: I	BFB	110	70-130		%Rec	1	6/18/2019 9:06:13 PM	45621
EPA MET	HOD 8015M/D: DIESEL R	ANGE ORGANICS					Analyst	JME
Diesel R	ange Organics (DRO)	51	9.8		mg/Kg	1	6/18/2019 1:43:52 PM	45634
Motor Oi	I Range Organics (MRO)	ND	49		mg/Kg	1	6/18/2019 1:43:52 PM	45634
Surr: I	ONOP	151	70-130	S	%Rec	1	6/18/2019 1:43:52 PM	45634
EPA MET	HOD 8260B: VOLATILES	SHORT LIST					Analyst:	RAA
Benzene	•	ND	0.024		mg/Kg	1	6/18/2019 9:06:13 PM	45621
Toluene		ND	0.048		mg/Kg	1	6/18/2019 9:06:13 PM	45621
Ethylben	zene	ND	0.048		mg/Kg	1	6/18/2019 9:06:13 PM	45621
Xylenes,	Total	ND	0.097		mg/Kg	1	6/18/2019 9:06:13 PM	45621
Surr: 7	1,2-Dichloroethane-d4	97.9	70-130		%Rec	1	6/18/2019 9:06:13 PM	45621
Surr: 4	4-Bromofluorobenzene	96.0	70-130		%Rec	1	6/18/2019 9:06:13 PM	45621
Surr: I	Dibromofluoromethane	117	70-130		%Rec	1	6/18/2019 9:06:13 PM	45621
Surr: 7	Toluene-d8	93.5	70-130		%Rec	1	6/18/2019 9:06:13 PM	45621

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range

RL Reporting Limit

Page 14 of 18

Result

Result

Result

Result

14

ND

14

ND

SampType: Ics

Batch ID: 45732

Analysis Date: 6/21/2019

SampType: mblk

Batch ID: 45745

Analysis Date: 6/21/2019

SampType: Ics

Batch ID: 45745

Analysis Date: 6/21/2019

PQL

1.5

PQL

1.5

PQL

1.5

Analysis Date: 6/21/2019

PQL

1.5

Client:

Project:

Analvte

Chloride

Sample ID: MB-45735

Prep Date: 6/21/2019

Sample ID: MB-45732

Sample ID: LCS-45732

Prep Date: 6/21/2019

Sample ID: MB-45745

Prep Date: 6/21/2019

Sample ID: LCS-45745

6/21/2019

Client ID: LCSS

Prep Date:

Analyte

Chloride

Client ID: PBS

Client ID: LCSS

6/21/2019

Client ID: PBS

Prep Date:

Analyte

Analyte

Analyte

Chloride

Chloride

Chloride

Client ID: PBS

Soude Black	r, Miller & As Horse	ssociate	es							
35	SampT	ype: m l	olk	Tes	tCode: E	PA Method	300.0: Anion	s		
	Batch	n ID: 45	735	F	RunNo: 6	0840				
019	Analysis D	oate: 6/	21/2019	S	SeqNo: 2	059612	Units: mg/K	g		
	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
	ND	1.5								
32	SampT	ype: ml	olk	Tes	tCode: E	PA Method	300.0: Anion	s		
	Batch	n ID: 45	732	F	RunNo: 6	0839				

Units: mg/Kg

Units: mg/Kg

110

Units: mg/Kg

Units: mg/Kg

110

HighLimit

HighLimit

HighLimit

HighLimit

SeqNo: 2059650

RunNo: 60839

95.3

RunNo: 60839

RunNo: 60839

%REC

95.2

SeqNo: 2059681

SeqNo: 2059680

SeqNo: 2059651

TestCode: EPA Method 300.0: Anions

LowLimit

TestCode: EPA Method 300.0: Anions

TestCode: EPA Method 300.0: Anions

LowLimit

90

90

SPK value SPK Ref Val %REC LowLimit

SPK value SPK Ref Val %REC

0

SPK value SPK Ref Val %REC LowLimit

0

15.00

SPK value SPK Ref Val

15.00

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

Н Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

POL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix S

R Analyte detected in the associated Method Blank

Е Value above quantitation range

Analyte detected below quantitation limits J

Р Sample pH Not In Range

RL Reporting Limit RPDLimit

RPDLimit

RPDLimit

RPDLimit

Qual

Qual

Qual

Qual

%RPD

%RPD

%RPD

%RPD

ND

15

Result

61

6.4

50

SampType: LCS

Batch ID: 45634

Analysis Date: 6/18/2019

PQL

10

10.00

50.00

5.000

SPK value SPK Ref Val

Client: S Project: B	ouder, Miller & Asso lack Horse	ociates	5							
Sample ID: MB-45634	SampTyp	e: MB	LK	Test	tCode: E	PA Method	8015M/D: Die	esel Range	e Organics	
Client ID: PBS	Batch II): 456	34	R	RunNo: 6	0743				
Prep Date: 6/17/201	9 Analysis Date	e: 6/1	8/2019	S	SeqNo: 2	055584	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DR	0) ND	10								

148

RunNo: 60743

%REC

123

128

0

SeqNo: 2055586

70

LowLimit

63.9

70

130

Units: mg/Kg

124

130

HighLimit

%RPD

RPDLimit

TestCode: EPA Method 8015M/D: Diesel Range Organics

Qualifiers:

Analyte

Surr: DNOP

Surr: DNOP

Motor Oil Range Organics (MRO)

Sample ID: LCS-45634

Prep Date: 6/17/2019

Diesel Range Organics (DRO)

Client ID: LCSS

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit ND
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix S

- в Analyte detected in the associated Method Blank
- Е Value above quantitation range
- J Analyte detected below quantitation limits
- Р Sample pH Not In Range
- RL

- Reporting Limit

Page 16 of 18

s

Qual

WO#:	1906850

24-Jun-19

Client: Souder, Miller & Associates Project: Black Horse

Sample ID: Ics-45621	SampT	ype: LC	S	Test	tCode: El	PA Method	8260B: Volat	tiles Short	List	
Client ID: LCSS	Batcl	n ID: 450	621	R	RunNo: 6	0734				
Prep Date: 6/17/2019	Analysis D	Date: 6/	18/2019	S	SeqNo: 2	055220	Units: mg/K	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	101	70	130			
Toluene	0.98	0.050	1.000	0	98.1	70	130			
Surr: 1,2-Dichloroethane-d4	0.50		0.5000		100	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		99.3	70	130			
Surr: Dibromofluoromethane	0.58		0.5000		115	70	130			
Surr: Toluene-d8	0.48		0.5000		95.9	70	130			
Sample ID: mb-45621	SampT	уре: МЕ	BLK	Test	tCode: El	PA Method	8260B: Volat	tiles Short	List	
Client ID: PBS	Batcl	n ID: 450	621	R	RunNo: 6	0734				
Prep Date: 6/17/2019	Analysis D	Date: 6/	18/2019	S	SeqNo: 2	055221	Units: mg/K	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.50		0.5000		100	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		99.8	70	130			
Surr: Dibromofluoromethane	0.58		0.5000		116	70	130			
Surr: Toluene-d8	0.47		0.5000		94.5	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Client: Project:	Souder, Miller & A Black Horse	Associate	es							
Sample ID: Ics-456	21 Samp		:S	Tes	tCode: El	PA Method	8015D Mod:	Gasoline I	Range	
Prep Date: 6/17/2	019 Analysis	Date: 6/	/18/2019	S	SeqNo: 2	0734 055246	Units: mg/ł	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics	s (GRO) 23	5.0	25.00	0	93.3	70	130			
Surr: BFB	550		500.0		110	70	130			
Sample ID: mb-456	21 Samp	Туре: М	BLK	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: PBS	Bate	ch ID: 45	621	F	RunNo: 6	0734				
Prep Date: 6/17/2	019 Analysis	Date: 6/	18/2019	5	SeqNo: 2	055247	Units: mg/k	٢g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics	GRO) ND	5.0								
Surr: BFB	550		500.0		109	70	130			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 18

HALL ENVIRONMENTAL ANALYSIS LABORATORY	Hall Environme TEL: 505-345-, Website: ww	ental Analysis Labora 4901 Hawkins Albuquerque, NM 87 3975 FAX: 505-345-4 w.hallenvironmental.	tory 5 NE 7109 Sam 9107 com	nple Log-In Che	eck List
Client Name: SMA-CARLSBAD	Work Order Nun	nber: 1906850		RcptNo: 1	
Received By: Thom Maybee Completed By: Leah Baca	6/15/2019 10:15:0 6/17/2019 8:18:55	0 AM AM	Lood Baca		
Chain of Custody					
1. Is Chain of Custody complete?		Yes 🗹	No 🗌	Not Present	
2. How was the sample delivered?		Courier			
Log In 3. Was an attempt made to cool the samples	?	Yes 🔽	No 🗌		
4. Were all samples received at a temperatur	e of >0° C to 6.0°C	Yes 🗹	No 🗌		
5. Sample(s) in proper container(s)?		Yes 🗹	No 🗌		
6. Sufficient sample volume for indicated test	(s)?	Yes 🗹	No 🗌		
7. Are samples (except VOA and ONG) prope	erly preserved?	Yes 🗹	No 🗌		
8. Was preservative added to bottles?		Yes 🗌	No 🗹	NA 🗌	
9. VOA vials have zero headspace?		Yes	No 🗌	No VOA Vials 🗹	
10. Were any sample containers received brok	ken?	Yes 🗌	No 🗹	# of preserved	
11. Does paperwork match bottle labels? (Note discrepancies on chain of custody)		Yes 🗹	No 🗌	for pH:	unless noted)
12. Are matrices correctly identified on Chain of	f Custody?	Yes 🗹	No 🗌	Adjusted?	
13. Is it clear what analyses were requested?		Yes 🗹	No 🗌		17.18
 Were all holding times able to be met? (If no, notify customer for authorization.) 		Yes 🗹	No 🗌	Checked by: JJC	6.1 [* //
Special Handling (if applicable)					
15. Was client notified of all discrepancies with	n this order?	Yes	No 🗌	NA 🗹	
Person Notified:	Date	•	trent an antique and the		
By Whom:	Via:	eMail Pl	hone 🗌 Fax	In Person	
Client Instructions:					
16. Additional remarks:					
17. <u>Cooler Information</u>	0		o		
14.6GoodY	es	Seal Date	Signed By		

	Chain	-of-Cl	ustody F	Record	Turn-Around	Time: S	das hun				;		ļ			1
Client:	2 M	T								Ē			HTA	IMNO)		
	2)		10100		Project Nam	e:				A	AL		0	ABOR	ALOK	×.
Mailin	g Address)	DODA UNDAL		R(T	020		1 100	M	ww.hall	enviro	Iment	al.com	c	
					Project #:	11 mm		 + ,	Tel 50	5-345-	3975	Fax	nerqui	345-4107	D.	
Phone	:#:										A	nalysis	s Req	uest		
email	or Fax#:				Project Mana	ager:	2	()	10			[†] 0		(ìr		
QA/QC) Package: Indard		□ Level 4 (F	⁻ ull Validation)	Hei	after f	a Hersu	1208) s	PCB's	5115	014110	S '⁺Od		192dA\t		
	ditation:	□ Az Cc	ompliance		Sampler: 6	44 H	HP The	AMT BMT	8082	(1.4(0.170 1	' ^z ON	(\	นอรอา		
	D (Type)				# of Coolers:	1		/ 38 	səbi)3 bi	slej	^{'8} Ol	/0/·	y) w		
					Cooler Temp	0(including CF): V. 3	310,3=4.60	TM	oite	ethc	eM e	r, <i>1</i>	-imə	nofilo		
	i				Container	Preservative	HEAL No.	LEX)	991 Pe	M) 80	S AAD	260 (V	S) 022	otal Co		
0/13/0	1 10:02	Matrix %	Sample IN	ame - 0.5	$V_{0,7}$	I ype	1406850	8)	8	a E	8	<u>9</u> ×	8	 		
	1003	<	198	R			200-									
	[00]		361	h-			- 003					\times				
	Q.S.01		362	-0.0-			-00	~				X				
	(05J	/	202	-2			200-					X				
/	hson	/	303	5-1			200-					X				
	1245		S		_		-00-	XX				\times				
/	1256	/	CS	X	/		- 00	XX				X				
	1257	(S	53			- 00 -	X '				X				
	1202	/	S	Ъ			-010	XX				X				
	120%	/	CSU	1	(110 -	XX	_			\mathbf{X}				
	1221		CSH	21			-01	X Z	X			\times				
Date:	Time:	Relinquish	ed by:		Received by:	Nia:	Date Time	Remar	ks:							
.51. 9	15.00	2	O/M/O)	XIX	1	6/14/19 090	0		V				74 10 4	2	
/ Date:	Time:	Relinquish	ed by	Ĩ	Received W:	Via: contier	Dáte Time	N/	Craf	M				\supset		
6/1/10	202/	A	1		1/ mg		615-19 10.15	· · · ·			a total	115			1	
	II necessary,	', samples sur	DMILLED TO FIGHT CHAIN	ronfinential may be supr	CONTRACTED IN UNIVERSITY OF	Cleuted laboration	S. 11115 SELVES AS 1101105 0	tinu pussining	ne kuw .	D-CUIIII au	leu uala v	III DE CIEC	ITIY INUAL	ed on the analytic	cal repuir.	

HALL ENVIRONMENTAL ANALYSIS LABORATORY www.hallenvironmental.com www.hallenvironmental.com Hawkins NE - Albuquerque, NM 87109 505-345-3975 Fax 505-345-4107 Analysis Request	EDB (Method 504.1) PAHs by 8310 or 8270SIMS 3CRA 8 Metals 3260 (VOA) 3270 (Semi-VOA) Total Coliform (Present/Absent) (fnesdat/inesent)		wh-contracted data will be clearly notated on the analytical report.
4901 Tel. t	3ТЕХ/ МТВЕ / ТМВ's (8021) ТРН:8015D(GRO / DRO / МRO)		Remarks:
Turn-Around Time: Solus hun Standard Rush Project Name: Broject #:	Project Manager: Project Manager: A PLA FLA A A A A A A A A A A A A A A A A A	4 or 1 - 013 1 - 014 014 - 014 014	Received W: I i.a.: Date Time F Received by: Via: $G_{\sigma,r,er}$ Date Time F Received by: $Via:G_{\sigma,r,er}$ Date Time \mathcal{F}_{10} for \mathcal{F}_{10} contracted to other accredited laboratories. This serves as notice of this p
Client: Swh Mailing Address:	email or Fax#: QA/QC Package: Calandard Cevel 4 (Full Validation) Accreditation: Az Compliance Accreditation: Az Compliance Calandaria Accreditation: Az Compliance Calandaria Calandaria Calandaria Calandaria Accreditation: Az Compliance Calandaria Calandaria Accreditation: Az Compliance Calandaria Calandaria Accreditation: Az Compliance Calandaria Calandaria Accreditation: Az Compliance Calandaria Cal	6/13/20 Suild CSW3 5 1339 LI CSW3	Date: Time: Relinquished by: Date: Time: Relinquished by: Date: Time: Relinquished by: If necessary, samples submitted to Hall Environmental may be sub-