

SITE INFORMATION

Report Type: Closure Report 1RP-5632

General Site Information:

Site:	Fascinator Fed Com #703H					
Company:	COG Operating LLC					
Section, Township and Range	Unit L	Sec. 29	T 24S	R 35E		
Lease Number:	API No.					
County:	Lea County					
GPS:	32.18807			-103.39778		
Surface Owner:	Private					
Directions:	From intersection of HWY 18 and HWY 28 in Jal, travel west on HWY 128for approximately 13.4 miles, turn north onto lease road for 0.45 mile to the location on the west side of the lease road.					

Release Data:

Date Released:	7/11/2019
Type Release:	Recycled Produced Water
Source of Contamination:	Layflat Line
Fluid Released:	66 bbls
Fluids Recovered:	60 bbls

Official Communication:

Name:	Ike Tavaréz		Clair Gonzales
Company:	COG Operating, LLC		Tetra Tech
Address:	One Concho Center		901 West Wall Street
	600 W. Illinois Ave.		Suite 100
City:	Midland Texas, 79701		Midland, Texas
Phone number:	(432) 686-3023		(432) 687-8110
Fax:	(432) 684-7137		
Email:	itavarez@concho.com		Clair.Gonzales@tetrattech.com

Site Characterization

Depth to Groundwater:	139' below surface
Karst Potential:	Low

Recommended Remedial Action Levels (RRALs)

Benzene	Total BTEX	TPH (GRO+DRO)	TPH (GRO+DRO+MRO)	Chlorides
10 mg/kg	50 mg/kg	1,000 mg/kg	2,500 mg/kg	20,000 mg/kg

October 8, 2019

Dylan Rose-Coss
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

Re: Closure Report for the COG Operating, LLC, Fascinator Fed Com #703H, Unit L, Section 29, Township 24 South, Range 35 East, Lea County, New Mexico. 1RP-5632

Mr. Rose-Coss:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating, LLC (COG) to remediate a release that occurred at the Fascinator Fed Com #703H, Unit L, Section 29, Township 24 South, Range 35 East, Lea County, New Mexico (Site). The spill site coordinates are 32.18807°, -103.39778°. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report the release was discovered on July 11, 2019. Approximately 66 barrels of recycled produced water were released due to a third party's 12" lay flat line developing a hole. A vacuum truck was dispatched to remove all freestanding fluids, recovering approximately 60 barrels. The release impacted an area in the pasture adjacent to the lease road measuring approximately 25' x 75'. The initial C-141 Form is included in Appendix A.

Site Characterization

A site characterization was performed for the site and no watercourses, lakebeds, sinkholes, playa lakes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the specified distances. The site is in a low karst potential area. The nearest well is listed on the USGS National Water Information System in Section 30, approximately 1.0 miles southwest of the site and has a reported depth to groundwater of 139 feet below surface. The groundwater data is shown in Appendix B.

Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, updated August 14, 2018. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of

Tetra Tech

901 W. Wall Street, Suite 100, Midland, TX 79701

Tel 432.682.4559 www.tetrattech.com



benzene, toluene, ethylbenzene, and xylene). Based upon the site characterization, the proposed RRAL for TPH is 1,000 mg/kg (GRO + DRO) and 2,500 mg/kg (GRO + DRO + MRO). Additionally, based on the site characterization, the proposed RRAL for chlorides is 20,000 mg/kg.

Remediation Activities

Tetra Tech personnel were onsite from September 3-6, 2019 to supervise the remediation activities. The release area was excavated to total depths between 2.0' to 6.0' below surface. Nine (9) bottom hole composite samples (Bottom Hole 1 through Bottom Hole 9) and six (6) sidewall composite samples (NSW-1, NSW-2, SSW-1, SSW-2, ESW-1, and WSW-1) were collected every 200 square feet to ensure proper removal of the impacted soils.

Additionally, two auger holes (AH-1 and AH-2) were installed along the lease road and cattle guard to total depths ranging from 3'-3.5' and 5'-5.5' below surface. Selected samples were submitted to the laboratory to be analyzed for TPH method 8015 extended, BTEX method 8021B, and Chloride by method SM4500. The sampling results are summarized in Table 1. The excavation depths and sample locations are shown in Figure 4.

The area of AH-1 showed a chloride high of 1,180 mg/kg at 1'-1.5' which then declined with depth to 16.0 mg/kg at 2'-2.5' below surface. The area of AH-2 showed a chloride high of 656 mg/kg at 2'-2.5' which also declined with depth to 32.0 mg/kg at 3'-3.5' below surface. The area of AH-2 was not excavated due to safety concerns with the high traffic in the area.

Referring to Table 1, all final confirmation samples showed benzene, total BTEX, TPH, and chloride concentrations below the RRAL's and below the reclamation standards.

Approximately 280 cubic yards of material were excavated and transported offsite for proper disposal. The area was then backfilled with clean material to surface grade.

Conclusion

Based on the laboratory results and remediation activities performed, COG requests closure of this spill issue. The final C-141 is enclosed in Appendix A. If you have any questions or comments concerning the assessment or remediation activities for this site, please call at (432) 682-4559.

Respectfully submitted,
TETRA TECH


A handwritten signature in blue ink that reads 'Clair Gonzales'.

Clair Gonzales, P.G.,
Project Manager


cc: Ike Tavarez – COG
Dakota Neel - COG
Rebecca Haskell - COG
DeAnn Grant - COG

Figures

Document Path: C:\Users\MISTI\MORGAN\Desktop\project folder\212C-MD-01892 FASCINATOR FEDERAL COM #703H SPILL 2 FIG. 1.mxd



● SITE LOCATION



Approximate Scale in Feet

Service Layer Credits: Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community



STATE LOCATOR MAP

OVERVIEW MAP
FASCINATOR FEDERAL COM #703H SPILL 2
Property Located at coordinates 32.18807°,-103.339778°
LEA COUNTY, NEW MEXICO



Project #:
212C-MD-01892

FIGURE
1

Date: 10/1/2019 Document Path: C:\Users\MIST\MORGAN\Desktop\project folder\212C-MD-01892 FASCINATOR FEDERAL COM #703H SPILL #212C-MD-01892 FASCINATOR FEDERAL COM #703H SPILL 2 FIG. 3.mxd




AUGER HOLE DESIGNATION	LATITUDE	LONGITUDE
AH-1	32.188441°	-103.398234°
AH-2	32.188455°	-103.398196°

● AUGERHOLE SAMPLE POINT LOCATIONS

✕✕ FENCELINE

— FLOWLINE

■ AFFECTED SPILL AREA



0 30 60
Approximate Scale in Feet

EXCAVATION AREA & DEPTH MAP
FASCINATOR FEDERAL COM #703H SPILL 2
Property Located at coordinates 32.18807°,-103.339778°
LEA COUNTY, MEXICO




FIGURE
3

Source: "New Mexico", 32°11'17.05"N, 103°23'52.01"W, Google Earth.
November 2017, September 13, 2019.



- BH BOTTOM HOLE
- 2.0' EXCAVATED DEPTH AREA
- 4.0' EXCAVATED DEPTH AREA
- 6.0' EXCAVATED DEPTH AREA
- SIDEWALL SAMPLE DESIGNATIONS
- FENCELINE
- FLOWLINE



0 20 40
Approximate Scale in Feet

EXCAVATION AREA & DEPTH MAP
FASCINATOR FEDERAL COM #703H SPILL 2
Property Located at coordinates 32.18807°,-103.339778°
LEA COUNTY, NEW MEXICO



FIGURE
4

Tables

Table 1
COG
Fascinator Fed Com #703 Spill #2 (07.11.19)
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Excavation Depth (ft)	Soil Status		TPH (mg/kg)					Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
				In-Situ	Removed	GRO	DRO	GRO+DRO	ORO	Total						
AH-1	9/3/2019	0-1	-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	128
	"	1-1.5	-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	1,180
	"	2-2.5	-	X		-	-	-	-	-	-	-	-	-	-	16.0
	"	3-3.5	-	X		-	-	-	-	-	-	-	-	-	-	16.0
	"	4-4.5	-	X		-	-	-	-	-	-	-	-	-	-	16.0
	"	5-5.5	-	X		-	-	-	-	-	-	-	-	-	-	32.0
AH-2	9/5/2019	0-1	-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	336
	"	1-1.5	-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	400
	"	2-2.5	-	X		-	-	-	-	-	-	-	-	-	-	656
	"	3-3.5	-	X		-	-	-	-	-	-	-	-	-	-	32.0
Bottom Hole 1	9/5/2019		4.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 2	9/5/2019		4.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 3	9/5/2019		4.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 4	9/5/2019		6.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 5	9/5/2019		2.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
Bottom Hole 6	9/5/2019		2.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 7	9/5/2019		2.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
Bottom Hole 8	9/5/2019		2.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
Bottom Hole 9	9/5/2019		2.0	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
NSW-1	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	112
NSW-2	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	64.0
SSW-1	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0
SSW-2	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	32.0
ESW-1	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	<16.0
WSW-1	9/5/2019		-	X		<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300	16.0

Photos



View East – Excavation Area



View West – Excavation Area

Concho Fascinator Federal Com #703H #2

Lea County, New Mexico



View North – Excavation Area



View South – Excavation Area

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped.	
<input type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: _____	Title: _____
Signature: <u>Delann Opreant</u>	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

<p>Characterization Report Checklist: <i>Each of the following items must be included in the report.</i></p> <ul style="list-style-type: none"><input type="checkbox"/> Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.<input type="checkbox"/> Field data<input type="checkbox"/> Data table of soil contaminant concentration data<input type="checkbox"/> Depth to water determination<input type="checkbox"/> Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release<input type="checkbox"/> Boring or excavation logs<input type="checkbox"/> Photographs including date and GIS information<input type="checkbox"/> Topographic/Aerial maps<input type="checkbox"/> Laboratory data including chain of custody
--

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Closure


The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

Appendix B

Water Well Data
Average Depth to Groundwater (ft)
COG - Fascinator Fed Com #703H
Lea County, New Mexico

23 South			34 East				
6	329	5	4	3	2	1	137
7		8	255	9	10	11	12
18	17		16	345	15	14	13
19	20	21		22	282	23	233
				295		265	
30	29	28		27	26		25
31	32	160	33	34	35		36
	130						

23 South			35 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

23 South			36 East		
6	5	4 160	3	2	1
7	8	9	10	11	12
18	17	16 220	15 149	14	13
19	20	21	22 400	23 143	24
30	29	28	27	26	25
31 189	32	33	34	35	36 127

24 South			34 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

24 South			35 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	97	21	22	23
30	29	28	27	26	25
139					
31	32	33	34	35	36

24 South			36 East		
6	5	4 165	3	2	1
7	8	9	10	11	12
18	17	16	15 312	14	13
19	20	21	22	23 160	24
30	29	28	27	26	25
31	32	33 54 53	34	35	36

25 South			34 East		
6	5	4	3	2	1 260
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	135	22	23
30	29 50	28	27	26	24 300
31	32	33	34	35	36

25 South			35 East			
6	5	4	3	108	2	1
	165					
7	8	9	10	11	12	
18	17	16	15	14	13	
230						
19	20	21	22	23	24	
		218				
30	29	28	27	26	25	
80						
31	32	33	34	35	36	

25 South			36 East			
6	295	5	4	3	2	1
7	8	9	10	300	11	12
			180			
18	17	16	15	14	13	
			120			
19	20	21	22	23	24	
				53.7	455	
30	29	28	27	26	25	
31	32	33	80	34	35	36

- 88** New Mexico State Engineers Well Reports
- 105** USGS Well Reports
- 90** Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
- Geology and Groundwater Resources of Eddy County, NM (Report 3)
- 34** NMOCD - Groundwater Data
- 123** Tetra Tech installed temporary wells and field water level
- 143** NMOCD Groundwater map well location



National Water Information System: Mapper

Sites

Map

Search

Search by Street Address:
32.18334 -103.39826

Search by Place Name:
Enter Place Name

Search by Site Number(s):
Enter Site Number(s)

Search by State/Territory:
Select an Area

Search by Watershed Region:
Select a Region

Surface-Water Sites

Groundwater Sites

Springs

Atmospheric Sites

Other Sites



Site Information



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:


Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- [Introducing The Next Generation of USGS Water Data for the Nation](#)
- [Full News](#) 

Groundwater levels for the Nation

Search Results -- 1 sites found

site_no list =

- 321039103243402

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 321039103243402 24S.35E.30.342331

Available data for this site

Groundwater: Field measurements

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007

Latitude 32°10'39", Longitude 103°24'34" NAD27

Land-surface elevation 3,343 feet above NAVD88

The depth of the well is 176 feet below land surface.

This well is completed in the Chinle Formation (231CHNL) local aquifer.


Output formats

[Table of data](#)

[Tab-separated data](#)

[Graph of data](#)

[Reselect period](#)



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2019-08-19 12:38:58 EDT

1.11 0.91 nadww01



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 00366 POD1	CP	LE		4	1	1	10	24S	35E	654447	3567834*	1250		
CP 00573	CP	LE		1	4	1	10	24S	35E	654657	3567638*	405	300	105
CP 00839 POD1	CP	LE			4	3	30	24S	35E	650017	3561833*	175		
CP 00842 POD1	CP	LE			2	4	24	24S	35E	658834	3563982*	130		
CP 00845 POD1	CP	LE			1	3	10	24S	35E	654360	3567130*	190		
CP 01056 POD1	CP	LE		4	4	3	02	24S	35E	656465	3568304	5396	4399	997
CP 01057 POD1	CP	LE		4	2	3	02	24S	35E	656464	3568762	5390	4365	1025
CP 01119 POD2	CP	LE				4	23	24S	35E	657210	3564007	1572		
CP 01513 POD1	CP	LE		3	3	1	10	24S	35E	654184	3567350	186		
P 04623 POD4	P	RO		2	2	4	14	24S	35E	653797	3787492	250		

Average Depth to Water: **3021 feet**

Minimum Depth: **300 feet**

Maximum Depth: **4399 feet**

Record Count: 10

PLSS Search:

Township: 24S

Range: 35E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

COG Fascinator Fed Com #3H

Karst Potential Map

Legend

- High
- Low
- Medium
- Site



Google Earth

© 2018 Google



2000 ft



NFHL Web Mapping Application



Data Layers

3333 ft

3329 ft

3313 ft

W NM Highway 128

128

W NM Highway 128

128

128

W NM Highway 128



Appendix C



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 04, 2019

MIKE CARMONA

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: FASCINATOR FED COM #703H

Enclosed are the results of analyses for samples received by the laboratory on 09/03/19 15:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/03/2019	Sampling Date:	09/03/2019
Reported:	09/04/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/2019)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: AH - 1 0-1' (H903032-01)

BTX 8021B			mg/kg		Analyzed By: BF				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/04/2019	ND	2.07	104	2.00	9.14	
Toluene*	<0.050	0.050	09/04/2019	ND	2.07	104	2.00	7.57	
Ethylbenzene*	<0.050	0.050	09/04/2019	ND	2.09	105	2.00	8.65	
Total Xylenes*	<0.150	0.150	09/04/2019	ND	6.26	104	6.00	8.31	
Total BTX	<0.300	0.300	09/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 85.6 % 73.3-129

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	09/04/2019	ND	432	108	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/04/2019	ND	203	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	09/04/2019	ND	211	105	200	3.43	
EXT DRO >C28-C36	<10.0	10.0	09/04/2019	ND					

Surrogate: 1-Chlorooctane 72.9 % 41-142

Surrogate: 1-Chlorooctadecane 76.5 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/03/2019	Sampling Date:	09/03/2019
Reported:	09/04/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/2019)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: AH - 1 1'-1.5' (H903032-02)

BTEx 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/04/2019	ND	2.07	104	2.00	9.14	
Toluene*	<0.050	0.050	09/04/2019	ND	2.07	104	2.00	7.57	
Ethylbenzene*	<0.050	0.050	09/04/2019	ND	2.09	105	2.00	8.65	
Total Xylenes*	<0.150	0.150	09/04/2019	ND	6.26	104	6.00	8.31	
Total BTEX	<0.300	0.300	09/04/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.6 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1180	16.0	09/04/2019	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/04/2019	ND	203	101	200	2.19	
DRO >C10-C28*	<10.0	10.0	09/04/2019	ND	211	105	200	3.43	
EXT DRO >C28-C36	<10.0	10.0	09/04/2019	ND					

Surrogate: 1-Chlorooctane 75.4 % 41-142

Surrogate: 1-Chlorooctadecane 78.2 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TETRA TECH
 MIKE CARMONA
 901 WEST WALL STREET , STE 100
 MIDLAND TX, 79701
 Fax To: (432) 682-3946

Received:	09/03/2019	Sampling Date:	09/03/2019
Reported:	09/04/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/2019)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: AH - 1 2'-2.5' (H903032-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/04/2019	ND	432	108	400	3.77		

Sample ID: AH - 1 3'-3.5' (H903032-04)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/04/2019	ND	432	108	400	3.77		

Sample ID: AH - 1 4'-4.5' (H903032-05)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/04/2019	ND	432	108	400	3.77		

Sample ID: AH - 1 5'-5.5' (H903032-06)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/04/2019	ND	432	108	400	3.77		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 06, 2019

MIKE CARMONA

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: FASCINATOR FED COM #703H

Enclosed are the results of analyses for samples received by the laboratory on 09/05/19 15:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/05/2019	Sampling Date:	09/05/2019
Reported:	09/06/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: AH - 2 0-1' (H903073-01)

BTX 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2019	ND	2.03	102	2.00	1.92	
Toluene*	<0.050	0.050	09/05/2019	ND	2.06	103	2.00	3.54	
Ethylbenzene*	<0.050	0.050	09/05/2019	ND	2.08	104	2.00	2.30	
Total Xylenes*	<0.150	0.150	09/05/2019	ND	6.35	106	6.00	1.85	
Total BTX	<0.300	0.300	09/05/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.1 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	09/06/2019	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/05/2019	ND	198	99.0	200	1.22	
DRO >C10-C28*	<10.0	10.0	09/05/2019	ND	204	102	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	09/05/2019	ND					

Surrogate: 1-Chlorooctane 76.7 % 41-142

Surrogate: 1-Chlorooctadecane 81.1 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received: 09/05/2019
Reported: 09/06/2019
Project Name: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Location: COG - LEA COUNTY, NM

Sampling Date: 09/05/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: AH - 2 1'-1.5' (H903073-02)

BTEx 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/05/2019	ND	2.03	102	2.00	1.92	
Toluene*	<0.050	0.050	09/05/2019	ND	2.06	103	2.00	3.54	
Ethylbenzene*	<0.050	0.050	09/05/2019	ND	2.08	104	2.00	2.30	
Total Xylenes*	<0.150	0.150	09/05/2019	ND	6.35	106	6.00	1.85	
Total BTEx	<0.300	0.300	09/05/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.5 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	400	16.0	09/06/2019	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/05/2019	ND	198	99.0	200	1.22	
DRO >C10-C28*	<10.0	10.0	09/05/2019	ND	204	102	200	3.97	
EXT DRO >C28-C36	<10.0	10.0	09/05/2019	ND					

Surrogate: 1-Chlorooctane 88.1 % 41-142

Surrogate: 1-Chlorooctadecane 91.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/05/2019	Sampling Date:	09/05/2019
Reported:	09/06/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: AH - 2 2'-2.5' (H903073-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	656	16.0	09/06/2019	ND	416	104	400	0.00		

Sample ID: AH - 2 3'-3.5' (H903073-04)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/06/2019	ND	416	104	400	0.00		

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Push!!



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 10, 2019

MIKE CARMONA

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: FASCINATOR FED COM #703H

Enclosed are the results of analyses for samples received by the laboratory on 09/05/19 15:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BOTTOM HOLE - 4 COMP 6'	H903074-01	Soil	05-Sep-19 00:00	05-Sep-19 15:55
BOTTOM HOLE - 5 COMP 2'	H903074-02	Soil	05-Sep-19 00:00	05-Sep-19 15:55
BOTTOM HOLE - 6 COMP 2'	H903074-03	Soil	05-Sep-19 00:00	05-Sep-19 15:55
BOTTOM HOLE - 7 COMP 2'	H903074-04	Soil	05-Sep-19 00:00	05-Sep-19 15:55
BOTTOM HOLE - 8 COMP 2'	H903074-05	Soil	05-Sep-19 00:00	05-Sep-19 15:55
BOTTOM HOLE - 9 COMP 2'	H903074-06	Soil	05-Sep-19 00:00	05-Sep-19 15:55
ESW - 1 COMP 2'	H903074-07	Soil	05-Sep-19 00:00	05-Sep-19 15:55

09/09/19 - Client requested rerun of chloride on sample -04.

09/10/19 - Discovered that sample -04 was switched with another sample -04 when lined up for chloride analysis and analyst didn't catch it. Sample was rerun for chloride and new value replaced the previously reported value. This is the revised report and will replace the one sent on 09/06/19.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 4 COMP 6' H903074-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9090606	AC	06-Sep-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	05-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID) 87.1 % 73.3-129 9090509 BF 05-Sep-19 8021B

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	

Surrogate: 1-Chlorooctane 86.3 % 41-142 9090508 MS 05-Sep-19 8015B

Surrogate: 1-Chlorooctadecane 94.3 % 37.6-147 9090508 MS 05-Sep-19 8015B

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 5 COMP 2'

H903074-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	9090606	AC	06-Sep-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	05-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			85.5 %		73.3-129	9090509	BF	05-Sep-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	

Surrogate: 1-Chlorooctane			86.0 %		41-142	9090508	MS	05-Sep-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.8 %		37.6-147	9090508	MS	05-Sep-19	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 6 COMP 2'

H903074-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9090606	AC	06-Sep-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	06-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			87.0 %	73.3-129		9090509	BF	06-Sep-19	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	

Surrogate: 1-Chlorooctane			82.8 %	41-142		9090508	MS	06-Sep-19	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			87.2 %	37.6-147		9090508	MS	06-Sep-19	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 7 COMP 2'

H903074-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	9090606	AC	06-Sep-19	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	06-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	06-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			87.2 %		73.3-129	9090509	BF	06-Sep-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	06-Sep-19	8015B	

Surrogate: 1-Chlorooctane			85.1 %		41-142	9090508	MS	06-Sep-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.2 %		37.6-147	9090508	MS	06-Sep-19	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 8 COMP 2'

H903074-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	9090607	AC	06-Sep-19	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	05-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			86.4 %		73.3-129	9090509	BF	05-Sep-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	

Surrogate: 1-Chlorooctane			75.5 %		41-142	9090508	MS	05-Sep-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			78.2 %		37.6-147	9090508	MS	05-Sep-19	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

BOTTOM HOLE - 9 COMP 2'

H903074-06 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	9090607	AC	06-Sep-19	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	05-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			87.3 %		73.3-129	9090509	BF	05-Sep-19	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	

Surrogate: 1-Chlorooctane			78.9 %		41-142	9090508	MS	05-Sep-19	8015B	
---------------------------	--	--	--------	--	--------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			81.2 %		37.6-147	9090508	MS	05-Sep-19	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

ESW - 1 COMP 2' H903074-07 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	9090607	AC	06-Sep-19	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Toluene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	9090509	BF	05-Sep-19	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	9090509	BF	05-Sep-19	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			86.7 %	73.3-129		9090509	BF	05-Sep-19	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	9090508	MS	05-Sep-19	8015B	

Surrogate: 1-Chlorooctane			76.9 %	41-142		9090508	MS	05-Sep-19	8015B	
---------------------------	--	--	--------	--------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			79.4 %	37.6-147		9090508	MS	05-Sep-19	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 9090606 - 1:4 DI Water

Blank (9090606-BLK1)

Prepared & Analyzed: 06-Sep-19

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (9090606-BS1)

Prepared & Analyzed: 06-Sep-19

Chloride	448	16.0	mg/kg	400		112	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (9090606-BSD1)

Prepared & Analyzed: 06-Sep-19

Chloride	432	16.0	mg/kg	400		108	80-120	3.64	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Batch 9090607 - 1:4 DI Water

Blank (9090607-BLK1)

Prepared & Analyzed: 06-Sep-19

Chloride	ND	16.0	mg/kg							
----------	----	------	-------	--	--	--	--	--	--	--

LCS (9090607-BS1)

Prepared & Analyzed: 06-Sep-19

Chloride	416	16.0	mg/kg	400		104	80-120			
----------	-----	------	-------	-----	--	-----	--------	--	--	--

LCS Dup (9090607-BSD1)

Prepared & Analyzed: 06-Sep-19

Chloride	416	16.0	mg/kg	400		104	80-120	0.00	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET, STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9090509 - SW846-5035

Blank (9090509-BLK1)

Prepared & Analyzed: 05-Sep-19

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0895		mg/kg	0.100		89.5	73.3-129			

LCS (9090509-BS1)

Prepared & Analyzed: 05-Sep-19

Benzene	2.03	0.050	mg/kg	2.00		102	72.2-131			
Toluene	2.06	0.050	mg/kg	2.00		103	71.7-126			
Ethylbenzene	2.08	0.050	mg/kg	2.00		104	68.9-126			
Total Xylenes	6.35	0.150	mg/kg	6.00		106	71.4-125			
Surrogate: 4-Bromofluorobenzene (PID)	0.0855		mg/kg	0.100		85.5	73.3-129			

LCS Dup (9090509-BSD1)

Prepared & Analyzed: 05-Sep-19

Benzene	1.99	0.050	mg/kg	2.00		99.7	72.2-131	1.92	6.91	
Toluene	1.99	0.050	mg/kg	2.00		99.3	71.7-126	3.54	7.12	
Ethylbenzene	2.03	0.050	mg/kg	2.00		102	68.9-126	2.30	7.88	
Total Xylenes	6.23	0.150	mg/kg	6.00		104	71.4-125	1.85	7.46	
Surrogate: 4-Bromofluorobenzene (PID)	0.0898		mg/kg	0.100		89.8	73.3-129			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701

Project: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Manager: MIKE CARMONA
Fax To: (432) 682-3946

Reported:
10-Sep-19 11:25

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 9090508 - General Prep - Organics

Blank (9090508-BLK1)

Prepared & Analyzed: 05-Sep-19

GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	41.0		mg/kg	50.0		82.0	41-142			
Surrogate: 1-Chlorooctadecane	42.3		mg/kg	50.0		84.7	37.6-147			

LCS (9090508-BS1)

Prepared & Analyzed: 05-Sep-19

GRO C6-C10	198	10.0	mg/kg	200		99.0	76.5-133			
DRO >C10-C28	204	10.0	mg/kg	200		102	72.9-138			
Total TPH C6-C28	402	10.0	mg/kg	400		100	78-132			
Surrogate: 1-Chlorooctane	44.8		mg/kg	50.0		89.6	41-142			
Surrogate: 1-Chlorooctadecane	45.0		mg/kg	50.0		89.9	37.6-147			

LCS Dup (9090508-BSD1)

Prepared & Analyzed: 05-Sep-19

GRO C6-C10	200	10.0	mg/kg	200		100	76.5-133	1.22	20.6	
DRO >C10-C28	212	10.0	mg/kg	200		106	72.9-138	3.97	20.6	
Total TPH C6-C28	413	10.0	mg/kg	400		103	78-132	2.62	18	
Surrogate: 1-Chlorooctane	46.0		mg/kg	50.0		92.1	41-142			
Surrogate: 1-Chlorooctadecane	46.4		mg/kg	50.0		92.8	37.6-147			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

CARDINAL
Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]

September 09, 2019

MIKE CARMONA

TETRA TECH

901 WEST WALL STREET , STE 100

MIDLAND, TX 79701

RE: FASCINATOR FED COM #703H

Enclosed are the results of analyses for samples received by the laboratory on 09/06/19 11:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-18-11. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/06/2019	Sampling Date:	09/06/2019
Reported:	09/09/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: BOTTOM HOLE - 1 COMP 4' (H903085-01)

BTEx 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02	
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46	
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60	
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01	
Total BTEx	<0.300	0.300	09/06/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.5 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/09/2019	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 82.1 % 41-142

Surrogate: 1-Chlorooctadecane 88.4 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received: 09/06/2019
Reported: 09/09/2019
Project Name: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Location: COG - LEA COUNTY, NM

Sampling Date: 09/06/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BOTTOM HOLE - 2 COMP 4' (H903085-02)

BTEx 8021B		mg/kg		Analyzed By: BF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02		
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46		
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60		
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01		
Total BTEx	<0.300	0.300	09/06/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.9 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/09/2019	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 76.5 % 41-142

Surrogate: 1-Chlorooctadecane 82.4 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received: 09/06/2019
Reported: 09/09/2019
Project Name: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Location: COG - LEA COUNTY, NM

Sampling Date: 09/06/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: BOTTOM HOLE - 3 COMP 4' (H903085-03)

BTEx 8021B		mg/kg		Analyzed By: BF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02		
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46		
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60		
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01		
Total BTEx	<0.300	0.300	09/06/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/09/2019	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 79.0 % 41-142

Surrogate: 1-Chlorooctadecane 83.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received: 09/06/2019
Reported: 09/09/2019
Project Name: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Location: COG - LEA COUNTY, NM

Sampling Date: 09/06/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NSW-1 COMP 4' (H903085-04)

BTX 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02	
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46	
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60	
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01	
Total BTX	<0.300	0.300	09/06/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 87.9 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	09/09/2019	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 76.6 % 41-142

Surrogate: 1-Chlorooctadecane 82.8 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received: 09/06/2019
Reported: 09/09/2019
Project Name: FASCINATOR FED COM #703H
Project Number: #2 (7/11/19)
Project Location: COG - LEA COUNTY, NM

Sampling Date: 09/06/2019
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Tamara Oldaker

Sample ID: NSW-2 COMP 2' (H903085-05)

BTX 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02	
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46	
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60	
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01	
Total BTX	<0.300	0.300	09/06/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.3 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	09/09/2019	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 74.1 % 41-142

Surrogate: 1-Chlorooctadecane 79.3 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/06/2019	Sampling Date:	09/06/2019
Reported:	09/09/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: SSW-1 COMP 4' (H903085-06)

BTEX 8021B		mg/kg		Analyzed By: BF						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02		
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46		
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60		
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01		
Total BTEX	<0.300	0.300	09/06/2019	ND						

Surrogate: 4-Bromofluorobenzene (PID) 90.0 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/09/2019	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 68.2 % 41-142

Surrogate: 1-Chlorooctadecane 73.6 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/06/2019	Sampling Date:	09/06/2019
Reported:	09/09/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: SSW-2 COMP 2' (H903085-07)

BTEx 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02	
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46	
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60	
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01	
Total BTEx	<0.300	0.300	09/06/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 86.6 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/09/2019	ND	400	100	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 77.1 % 41-142

Surrogate: 1-Chlorooctadecane 80.9 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TETRA TECH
MIKE CARMONA
901 WEST WALL STREET , STE 100
MIDLAND TX, 79701
Fax To: (432) 682-3946

Received:	09/06/2019	Sampling Date:	09/06/2019
Reported:	09/09/2019	Sampling Type:	Soil
Project Name:	FASCINATOR FED COM #703H	Sampling Condition:	Cool & Intact
Project Number:	#2 (7/11/19)	Sample Received By:	Tamara Oldaker
Project Location:	COG - LEA COUNTY, NM		

Sample ID: WSW-1 COMP 4' (H903085-08)

BTEx 8021B		mg/kg		Analyzed By: BF					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/06/2019	ND	2.00	100	2.00	8.02	
Toluene*	<0.050	0.050	09/06/2019	ND	1.97	98.7	2.00	4.46	
Ethylbenzene*	<0.050	0.050	09/06/2019	ND	2.04	102	2.00	6.60	
Total Xylenes*	<0.150	0.150	09/06/2019	ND	6.15	103	6.00	7.01	
Total BTEX	<0.300	0.300	09/06/2019	ND					

Surrogate: 4-Bromofluorobenzene (PID) 88.0 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/09/2019	ND	400	100	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/06/2019	ND	205	103	200	0.162	
DRO >C10-C28*	<10.0	10.0	09/06/2019	ND	212	106	200	1.90	
EXT DRO >C28-C36	<10.0	10.0	09/06/2019	ND					

Surrogate: 1-Chlorooctane 80.4 % 41-142

Surrogate: 1-Chlorooctadecane 85.7 % 37.6-147

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

[illegible]