Page 5 of 136

Incident ID

District RP

Facility ID

Application ID

NAB1917835106

2RP-5503

PAB1917834838

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.	
 □ Detailed description of proposed remediation technique □ Scaled sitemap with GPS coordinates showing delineation points □ Estimated volume of material to be remediated □ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC □ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required) 	
Deferral Requests Only: Each of the following items must be con	firmed as part of any request for deferral of remediation.
Contamination must be in areas immediately under or around predeconstruction.	
Contamination does not cause an imminent risk to human health, the environment, or groundwater.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name:Kyle Littrell	Title:SH&E Coordinator
Signature:	Date:03/04/2020
email: Kyle_Littrell@xtoenergy.com	Telephone:(432)-221-7331
OCD Only	
Received by: Robert Hamlet	Date: 5/6/2020
Approved Approved with Attached Conditions of A	Approval
Signature: A flux	Date: 5/6/2020