Form C-141 Page 5

## State of New Mexico Oil Conservation Division

| Incident ID    | NAB1925350725 |
|----------------|---------------|
| District RP    | 1RP-5650      |
| Facility ID    |               |
| Application ID | pAB1925350426 |

## **Remediation Plan**

QLMVJ-190712-C-1410

| Remediation Plan Checklist: Each of the following items must be included in the plan.  |  |  |
|--|--|--|
| <ul> <li>✓ Detailed description of proposed remediation technique</li> <li>✓ Scaled sitemap with GPS coordinates showing delineation points</li> <li>✓ Estimated volume of material to be remediated</li> <li>✓ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC</li> <li>✓ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)</li> </ul>  |  |  |
| Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.  |  |  |
| Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.   |  |  |
| Extents of contamination must be fully delineated.   |  |  |
| Contamination does not cause an imminent risk to human health, the environment, or groundwater.  |  |  |
| I hereby certify that the information given above is true and complete rules and regulations all operators are required to report and/or file ce which may endanger public health or the environment. The acceptan liability should their operations have failed to adequately investigate surface water, human health or the environment. In addition, OCD are sponsibility for compliance with any other federal, state, or local la Printed Name: <a href="Ike Tayarez">Ike Tayarez</a> Signature: <a "sig<="" "signature:="" href="Signature: " signature:="" td=""><td>retain release notifications and perform corrective actions for releases ce of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, ecceptance of a C-141 report does not relieve the operator of</td></a>  | retain release notifications and perform corrective actions for releases ce of a C-141 report by the OCD does not relieve the operator of and remediate contamination that pose a threat to groundwater, ecceptance of a C-141 report does not relieve the operator of |  |
| email: itavarez@concho.com   | Telephone: 432-701-8630  |  |
|  | •  |  |
| CCD Only  Received by:  Amalia Bustamante  X Approved  Approved with Attached Conditions of Approved with Attached Conditi | Date: 9/10/2019  Approval Denied Deferral Approved   |  |
| Signature: I   | Date: 09/13/2019   |  |