

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

RECEIVED

MAY 26 2004

Form C-105
Revised 1-1-89

WELL API NO.
30-015-33226

5. Indicate Type of Lease

STATE ☐

FEE ☐

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT

1a. Type of Well:

OIL WELL ☒

GAS WELL ☐

DRY ☐

OTHER ☐

b. Type of Completion:

NEW
WELL ☒

WORK
OVER ☐

DEEPEN ☐

PLUG
BACK ☐

DIFF
RESVR ☐

OTHER ☐

7. Lease Name or Unit Agreement Name

Big Walt 2 State

2. Name of Operator

Nearburg Producing Company

8. Well No.

9

3. Address of Operator

3300 N A St., Bldg 2, Suite 120, Midland, TX 79705

9. Pool name or Wildcat

Indian Basin; Upper Penn, Associated

4. Well Location

Unit Letter 0 : 1240 Feet From The South Line and 2085 Feet From The East Line

Section

2

Township

22S

Range

24E

NMPM

Eddy

County

10. Date Spudded

03/04/2004

11. Date T.D. Reached

04/07/2004

12. Date Compl. (Ready to Prod.)

05/12/2004

13. Elevations (DF & RKB, RT, GR, etc.)

3940

14. Elev. Casinghead

15. Total Depth

8378

16. Plug Back T.D.

8329

17. If Multiple Compl. How
Many Zones?

18. Intervals
Drilled By

Rotary Tools ☒

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

7924-8070 (OA)

20. Was Directional Survey Made

Yes

21. Type Electric and Other Logs Run

CNL/CDT

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8	40 & 36	1607	14-3/4	1130 sxs	Circ to pit
7	23 & 26	8378	8-3/4	1155 sxs	TOC @ 1400'

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8	8078	

26. Perforation record (interval, size, and number)

7924-8070 (OA)

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

7924-8070 (OA)

AMOUNT AND KIND MATERIAL USED

25,200 gals 20% HCL

28. PRODUCTION

Date First Production

05/12/2004

Production Method (Flowing, gas lift, pumping - Size and type pump)

Pumping

Well Status (Prod. or Shut-in)

Producing

Date of Test

5/24/04

Hours Tested

24

Choke Size

Prod'n For
Test Period

Oil - Bbl.

2201

Gas - MCF

4755

Water - Bbl.

3228

Gas - Oil Ratio

2160:1

Flow Tubing Press.

400

Casing Pressure

420

Calculated 24-
Hour Rate

Oil - Bbl.

2201

Gas - MCF

4755

Water - Bbl.

3228

Oil Gravity - API - (Corr.)

66.6

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Tony Bunch

30. List Attachments

C-104, Deviation Report, Logs

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Sarah Jordan

Printed
Name

Sarah Jordan

Title

Production Analyst

Date

5/25/04

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all specific tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs 2786.0	T. Entrada _____	T. _____
T. Abo _____	T. 2nd Bone Spring 5768.0	T. Wingate _____	T. _____
T. Wolfcamp 7516.0	T. 3rd Bone Spring 7144.0	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) 7924.0	T. _____	T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 7924 to 8070
No. 2, from to
No. 3, from to
No. 4, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet



LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology
2786.0	5768.0	2982.0	Limestone
5768.0	7144.0	1376.0	Sand, Lime
7144.0	7516.0	372.0	Sand, Lime
7516.0	7924.0	408.0	Shale, Lime
7924.0	8378.0	454.0	Dolomite

Nearburg Producing Company

WELL	Big Walt 2 St. #9	FIELD	Eddy County	STRUCTURE	Big Walt 2 St. #9
Magnetic Parameters	Model: KFF 200	Dip: 0.487°	Date: April 02, 2004	Station Location	NO. 02 Nearburg Steel Plant, Eddy County, N.M. 88401
	Min. Dip: 4.00°	FS: 48.0447	Lat: 36° 24' 51.87"	Heading	595.8378 S
			Lon: 104° 20' 04.7"	Easting	49974.218 S
				Scale Factor	0.9991 0036
Modifications	Dr: Big Walt 2 St. #9	TVD Ref: 040 (001 down)	Plan: Big Walt 2 St. #9	Dr: Big Walt 2 St. #9	Dr: Big Walt 2 St. #9
				Dr: Big Walt 2 St. #9	Dr: Big Walt 2 St. #9

Scale = 1:200(R)



INTREPID
Directional Drilling Specialists

Departure (ft) Azim = 165.75°, Scale = 1:600 Origin = 0 N/-S, 0 E/-W

Survey Report

Report Date: April 8, 2004	Survey / DLS Computation Method: Minimum Curvature / Lubinski
Client: Nearburg Producing Company	Vertical Section Azimuth: 165.750°
Field: Eddy County	Vertical Section Origin: N 0.000 ft, E 0.000 ft
Structure / Slot: Big Walt 2 St. #9 / Big Walt 2 St. #9	TVD Reference Datum: RKB
Well: Big Walt 2 St. #9	TVD Reference Elevation: 0.0 ft relative to
Borehole: Big Walt 2 St. #9	Sea Bed / Ground Level Elevation: 0.000 ft relative to
UWIAPH#:	Magnetic Declination: 9.039°
Survey Name / Date: Big Walt 2-9 from Surface to projected TD / March 12, 2004	Total Field Strength: 49514.772 nT
Tort / AHD / DDI / ERD ratio: 56.858° / 614.76 ft / 4.546 / 0.074	Magnetic Dip: 60.445°
Grid Coordinate System: NAD27 New Mexico State Planes, Eastern Zone, US Feet	Declination Date: March 12, 2004
Location Lat/Long: N 32 24 57.857, W 104 28 0.477	Magnetic Declination Model: IGRF 2000
Location Grid N/E Y/X: N 515106.700 ftUS, E 458814.200 ftUS	North Reference: Grid North
Grid Convergence Angle: -0.07154627°	Total Corr Mag North -> Grid North: +9.111°
Grid Scale Factor: 0.99991103	Local Coordinates Referenced To: Well Head

Comments	Survey Type (Markers)	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)
Tie-In	***	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	SS	192.00	0.50	160.00	192.00	192.00	0.83	-0.79	0.29	0.84	160.00	0.26
	SS	376.00	0.50	235.00	375.99	184.00	1.92	-2.00	-0.10	2.00	182.76	0.33
	SS	671.00	0.50	246.00	670.98	295.00	2.59	-3.26	-2.33	4.01	215.48	0.03
	SS	1164.00	1.25	210.00	1163.92	493.00	6.81	-8.80	-6.98	11.23	218.44	0.18
	SS	1284.00	1.25	205.00	1283.89	120.00	8.76	-11.12	-8.19	13.81	216.38	0.09
	SS	1554.00	1.50	255.00	1553.83	270.00	11.09	-14.70	-12.85	19.52	221.15	0.44
	SS	1771.00	1.25	240.00	1770.76	217.00	11.76	-16.62	-17.64	24.23	226.71	0.20
	SS	2083.00	1.50	250.00	2082.67	312.00	13.10	-19.72	-24.42	31.39	231.09	0.11
	SS	2333.00	1.25	262.00	2332.60	250.00	13.13	-21.22	-30.20	36.91	234.91	0.15
	SS	2648.00	2.00	240.00	2647.48	315.00	14.25	-24.44	-38.36	45.49	237.50	0.31
	SS	2744.00	2.50	247.00	2743.40	96.00	15.02	-26.10	-41.74	49.23	237.99	0.59
	***	2842.00	1.50	240.10	2841.34	98.00	15.69	-27.57	-44.82	52.62	238.40	1.05
	***	2904.00	1.50	246.10	2903.32	62.00	16.05	-28.31	-46.27	54.24	238.54	0.25
	***	2996.00	1.50	235.10	2995.29	92.00	16.67	-29.48	-48.35	56.63	238.63	0.31
	***	3090.00	1.60	192.40	3089.26	94.00	18.28	-31.47	-49.64	58.78	237.63	1.20
	***	3183.00	1.70	165.80	3182.22	93.00	20.82	-34.07	-49.59	60.16	235.50	0.82
	***	3277.00	1.80	158.40	3276.18	94.00	23.68	-36.80	-48.70	61.04	232.93	0.26
	***	3370.00	1.50	157.30	3369.14	93.00	26.33	-39.28	-47.69	61.78	230.53	0.32
	***	3465.00	1.80	153.80	3464.10	95.00	29.02	-41.76	-46.55	62.54	228.10	0.33
	***	3559.00	1.80	168.20	3558.05	94.00	31.94	-44.53	-45.60	63.74	225.68	0.48
	***	3653.00	1.70	159.80	3652.01	94.00	34.80	-47.29	-44.82	65.15	223.46	0.29
	***	3745.00	2.10	160.50	3743.96	92.00	37.84	-50.16	-43.78	66.58	221.12	0.44
	***	3838.00	2.40	172.90	3836.89	93.00	41.47	-53.70	-42.97	68.77	218.67	0.61
	***	3933.00	2.20	190.40	3931.81	95.00	45.10	-57.46	-43.06	71.80	216.84	0.77
	***	4025.00	2.70	196.90	4023.73	92.00	48.56	-61.27	-44.01	75.44	215.69	0.62
	***	4119.00	3.20	210.90	4117.60	94.00	52.30	-65.64	-46.00	80.15	215.02	0.93
	***	4214.00	3.50	196.80	4212.44	95.00	56.66	-70.69	-48.20	85.56	214.28	0.92
	***	4309.00	3.50	189.80	4307.27	95.00	61.79	-76.33	-49.53	90.99	212.98	0.45
As of 03-16	***	4402.00	3.10	197.40	4400.11	93.00	66.52	-81.52	-50.76	96.04	211.91	0.64
	***	4497.00	2.90	194.10	4494.98	95.00	70.82	-86.31	-52.12	100.82	211.13	0.28
	***	4559.00	3.00	204.00	4556.90	62.00	73.48	-89.31	-53.16	103.93	210.76	0.84
	***	4621.00	3.40	203.40	4618.80	62.00	76.21	-92.48	-54.55	107.37	210.53	0.65
	***	4684.00	3.30	205.70	4681.70	63.00	79.08	-95.83	-56.08	111.03	210.34	0.27
	***	4747.00	3.80	197.70	4744.58	63.00	82.24	-99.45	-57.50	114.88	210.03	1.12
As of 03-17	***	4810.00	3.90	196.80	4807.43	63.00	85.84	-103.49	-58.75	119.00	209.58	0.19
	***	4873.00	3.70	189.10	4870.29	63.00	89.55	-107.55	-59.69	123.00	209.03	0.87
	***	4936.00	4.10	184.40	4933.15	63.00	93.55	-111.80	-60.19	126.97	208.30	0.81
	***	4967.00	4.30	187.50	4964.07	31.00	95.68	-114.06	-60.42	129.08	207.91	0.98
	***	5030.00	4.20	189.60	5026.89	63.00	99.98	-118.68	-61.12	133.49	207.25	0.29
	***	5094.00	4.00	190.10	5090.73	64.00	104.16	-123.18	-61.90	137.86	206.68	0.32

Comments	Survey Type (Markers)	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)
As of 3-18	***	5125.00	4.40	182.00	5121.65	31.00	106.28	-125.44	-62.13	139.98	206.35	2.30
	***	5187.00	4.20	179.50	5183.47	62.00	110.77	-130.08	-62.19	144.19	205.55	0.44
	***	5218.00	4.10	177.60	5214.39	31.00	112.96	-132.33	-62.14	146.19	205.15	0.55
	***	5250.00	4.00	180.90	5246.31	32.00	115.16	-134.58	-62.11	148.22	204.77	0.79
	***	5282.00	4.00	177.50	5278.23	32.00	117.33	-136.82	-62.08	150.24	204.40	0.74
	***	5313.00	4.20	174.20	5309.15	31.00	119.51	-139.03	-61.91	152.19	204.01	1.00
	***	5345.00	4.40	171.10	5341.06	32.00	121.89	-141.40	-61.61	154.24	203.54	0.96
	***	5376.00	4.40	169.40	5371.97	31.00	124.26	-143.75	-61.20	156.23	203.06	0.42
	***	5407.00	4.70	169.50	5402.87	31.00	126.71	-146.17	-60.75	158.29	202.57	0.97
	***	5439.00	4.50	173.80	5434.77	32.00	129.26	-148.70	-60.38	160.49	202.10	1.25
As of 3-19	***	5470.00	4.80	174.20	5465.67	31.00	131.75	-151.20	-60.12	162.71	201.68	0.97
	***	5532.00	5.00	172.30	5527.44	62.00	137.00	-156.46	-59.49	167.39	200.82	0.42
	***	5564.00	4.50	169.50	5559.33	32.00	139.64	-159.08	-59.08	169.69	200.37	1.72
	***	5594.00	4.40	172.10	5589.24	30.00	141.96	-161.37	-58.70	171.72	199.99	0.75
	***	5626.00	4.70	173.10	5621.14	32.00	144.48	-163.89	-58.38	173.98	199.61	0.97
	***	5658.00	5.20	181.10	5653.02	32.00	147.18	-166.64	-58.25	176.53	199.27	2.66
	***	5689.00	5.80	187.40	5683.88	31.00	149.99	-169.60	-58.48	179.40	199.02	2.74
	***	5720.00	6.20	187.60	5714.71	31.00	153.00	-172.81	-58.90	182.57	198.82	1.29
	***	5751.00	6.20	187.80	5745.53	31.00	156.10	-176.13	-59.35	185.86	198.62	0.07
	***	5813.00	5.90	188.30	5807.18	62.00	162.15	-182.60	-60.26	192.29	198.26	0.49
	***	5875.00	5.90	189.80	5868.85	62.00	168.00	-188.89	-61.26	198.58	197.97	0.25
	***	5938.00	5.50	186.40	5931.54	63.00	173.78	-195.09	-62.15	204.75	197.67	0.83
	***	5969.00	5.40	183.20	5962.40	31.00	176.57	-198.02	-62.40	207.62	197.49	1.03
	***	6066.00	4.90	186.50	6059.01	97.00	184.79	-206.69	-63.12	216.11	196.98	0.60
	***	6097.00	4.80	186.10	6089.90	31.00	187.25	-209.30	-63.41	218.69	196.86	0.34
	***	6129.00	4.80	188.70	6121.79	32.00	189.74	-211.95	-63.76	221.33	196.74	0.68
	***	6160.00	4.70	186.60	6152.68	31.00	192.12	-214.49	-64.10	223.87	196.64	0.65
	***	6190.00	5.10	180.80	6182.57	30.00	194.55	-217.05	-64.26	226.36	196.49	2.12
	***	6220.00	5.50	178.50	6212.44	30.00	197.24	-219.82	-64.24	229.01	196.29	1.51
	***	6251.00	5.50	179.90	6243.30	31.00	200.13	-222.79	-64.20	231.85	196.07	0.43
	***	6314.00	4.80	186.10	6306.05	63.00	205.53	-228.43	-64.47	237.35	195.76	1.42
	***	6346.00	4.50	188.70	6337.94	32.00	207.94	-231.00	-64.80	239.92	195.67	1.15
	***	6444.00	4.40	157.90	6435.66	98.00	215.21	-238.29	-63.97	246.72	195.03	2.41
	***	6475.00	5.30	135.80	6466.55	31.00	217.63	-240.42	-62.53	248.41	194.58	6.63
	***	6507.00	6.10	130.20	6498.39	32.00	220.29	-242.57	-60.20	249.93	193.94	3.04
	***	6537.00	6.20	130.60	6528.22	30.00	222.91	-244.66	-57.75	251.38	193.28	0.36
	***	6600.00	5.40	131.70	6590.90	63.00	228.15	-248.84	-52.95	254.41	192.01	1.28
	***	6632.00	5.10	130.90	6622.76	32.00	230.57	-250.77	-50.75	255.86	191.44	0.96
	***	6663.00	5.20	131.40	6653.64	31.00	232.86	-252.61	-48.66	257.25	190.90	0.35
	***	6695.00	5.70	133.50	6685.49	32.00	235.40	-254.66	-46.42	258.85	190.33	1.68
	***	6726.00	6.50	133.10	6716.32	31.00	238.18	-256.92	-44.02	260.66	189.72	2.58
	***	6758.00	6.60	134.60	6748.11	32.00	241.28	-259.45	-41.39	262.73	189.06	0.62
	***	6789.00	6.90	133.90	6778.89	31.00	244.38	-261.99	-38.78	264.84	188.42	1.00
	***	6820.00	7.30	136.30	6809.66	31.00	247.68	-264.70	-36.07	267.15	187.76	1.61
	***	6852.00	8.00	137.70	6841.37	32.00	251.41	-267.82	-33.17	269.87	187.06	2.26
	***	6882.00	8.20	140.50	6871.07	30.00	255.19	-271.01	-30.41	272.71	186.40	1.47
	***	6914.00	8.60	141.80	6902.73	32.00	259.44	-274.66	-27.47	276.03	185.71	1.38
	***	6945.00	9.30	143.10	6933.35	31.00	263.87	-278.48	-24.54	279.56	185.04	2.35
	***	6977.00	10.10	142.90	6964.89	32.00	268.84	-282.79	-21.29	283.59	184.31	2.50
	***	7008.00	10.20	143.30	6995.41	31.00	273.89	-287.15	-18.01	287.72	183.59	0.39
	***	7040.00	10.80	142.20	7026.87	32.00	279.25	-291.80	-14.48	292.15	182.84	1.98
	***	7071.00	11.20	141.90	7057.30	31.00	284.67	-296.46	-10.84	296.66	182.09	1.30
	***	7103.00	11.70	140.90	7088.67	32.00	290.46	-301.42	-6.88	301.50	181.31	1.68
	***	7134.00	11.80	139.80	7119.02	31.00	296.16	-306.28	-2.85	306.30	180.53	0.79
	***	7166.00	12.10	139.40	7150.32	32.00	302.11	-311.33	1.44	311.33	179.73	0.97
	***	7198.00	12.40	139.50	7181.59	32.00	308.19	-316.49	5.86	316.54	178.94	0.94
	***	7229.00	12.80	139.20	7211.85	31.00	314.25	-321.62	10.26	321.78	178.17	1.31
	***	7262.00	12.60	138.70	7244.04	33.00	320.72	-327.09	15.03	327.44	177.37	0.69

Comments	Survey Type (Markers)	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Course Length (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)
	***	7293.00	12.40	138.30	7274.30	31.00	326.69	-332.12	19.47	332.69	176.64	0.70
	***	7326.00	13.00	138.10	7306.50	33.00	333.12	-337.52	24.31	338.40	175.88	1.82
	***	7356.00	13.00	138.70	7335.73	30.00	339.12	-342.57	28.79	343.78	175.20	0.45
	***	7388.00	13.20	139.40	7366.90	32.00	345.60	-348.05	33.54	349.66	174.50	0.80
	***	7419.00	13.60	139.50	7397.05	31.00	352.04	-353.51	38.21	355.57	173.83	1.29
	***	7451.00	13.60	139.70	7428.15	32.00	358.79	-359.24	43.09	361.81	173.16	0.15
	***	7483.00	13.50	139.60	7459.26	32.00	365.52	-364.95	47.94	368.09	172.52	0.32
	***	7513.00	12.70	138.90	7488.48	30.00	371.61	-370.10	52.38	373.79	171.94	2.72
	***	7545.00	12.00	137.10	7519.74	32.00	377.67	-375.19	56.96	379.49	171.37	2.50
	***	7576.00	11.50	137.80	7550.09	31.00	383.22	-379.84	61.23	384.74	170.84	1.68
	***	7607.00	11.30	138.10	7580.48	31.00	388.64	-384.39	65.33	389.90	170.35	0.67
	***	7640.00	11.00	138.30	7612.86	33.00	394.30	-389.15	69.59	395.32	169.86	0.92
	***	7671.00	10.80	138.10	7643.30	31.00	399.50	-393.52	73.49	400.32	169.42	0.66
	***	7703.00	10.90	138.90	7674.73	32.00	404.85	-398.03	77.48	405.50	168.98	0.56
	***	7735.00	11.50	141.00	7706.12	32.00	410.45	-402.79	81.48	410.95	168.56	2.27
	***	7767.00	12.30	141.10	7737.43	32.00	416.45	-407.92	85.63	416.81	168.14	2.50
	***	7799.00	12.10	140.70	7768.71	32.00	422.58	-413.17	89.89	422.83	167.73	0.68
	***	7831.00	12.10	140.50	7800.00	32.00	428.65	-418.35	94.15	428.81	167.32	0.13
	***	7862.00	12.10	141.30	7830.31	31.00	434.55	-423.39	98.25	434.64	166.94	0.54
	***	7893.00	11.10	142.80	7860.67	31.00	440.26	-428.31	102.08	440.30	166.59	3.37
	***	7924.00	9.90	145.20	7891.15	31.00	445.50	-432.87	105.41	445.52	166.31	4.12
	***	7956.00	10.50	144.00	7922.65	32.00	450.78	-437.49	108.69	450.79	166.05	1.99
Projection	***	8200.00	10.50	144.00	8162.56	244.00	492.08	-473.46	134.83	492.29	164.10	0.00
Projection To TD	***	8378.00	10.50	144.00	8337.58	178.00	522.21	-499.71	153.90	522.87	162.88	0.00

✓ ✓ ✓

OPERATOR: NEARBURG PRODUCING CO
WELL/LEASE: BIG WALT 2 ST 9
COUNTY: EDDY, NM

055-0022

STATE OF NEW MEXICO
DEVIATION REPORT

192	0.50	4621	3.40	6484	4.40
376	0.50	4747	3.80	6515	5.30
671	0.50	4779	3.80	6546	6.10
979	0.50	4810	3.90	6726	6.50
1164	1.50	5030	4.20	6757	6.60
1284	1.25	5094	4.00	6788	6.90
1554	0.50	5187	4.20	6882	8.20
1771	1.25	5218	4.10	6914	8.60
2083	1.50	5282	4.00	6945	9.30
2333	1.25	5439	4.50	6977	10.10
2648	2.00	5470	4.80	7198	12.40
2744	2.50	5564	4.50	7229	12.80
2776	2.50	5594	4.40	7262	12.60
2784	2.00	5658	5.20	7576	11.50
2996	1.50	5689	5.80	7603	11.30
3090	1.60	5720	6.20	7640	11.00
3152	1.70	5751	6.20	7703	10.90
3183	1.70	5813	5.90	7767	12.30
3277	1.80	5875	5.90	7799	12.10
3370	1.50	6066	4.90		
3653	1.70	6129	4.80		
3745	2.10	6220	5.50		
3838	2.40	6314	4.80		
3932	2.20	6386	4.50		
4214	3.50	6417	4.50		
4309	3.50	6449	4.60		
4402	3.10	6479	5.20		

By: Steve Moore

STATE OF TEXAS
COUNTY OF MIDLAND

The foregoing instrument was acknowledged before me on this 30th day of April, 2004, by
Steve Moore on behalf of Patterson-UTI Drilling Company LP, LLLP.

J Robertson
Notary Public for Midland County, Texas

My Commission Expires: 8/23/2007

