Form 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OMB No. 1004-0135 Expires January 31, 2004

5. Lease Serial No SUNDRY NOTICES AND REPORTS ON WELLS NM 26864 Do not use this form for proposals to drill or re enter an 6. If Indian, Allottee or Tribe Name abandoned well. Use Form 3160-3 (APD) for such proposals. N/A 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on reverse side RECEIVED 1. Type of Well Oil Well Gas Well 8. Well Name and No. X Other SEP 1 0 2004 RODEN GD FED COM #5 2. Name of Operator OGD-ARTESIA Yates Petroleum Corporation 9. API Well No. 3b. Phone No. (include area code) 30-015-26207 3a. Address 505-748-1471 105 S. 4th Str., Artesia, NM 88210 10. Field and Pool, or Exploratory Area 4. Location of Well (Footage, Sec., T., R., M., OR Survey Description) DAGGER DRAW UPPER PENN; NORTH 11. County or Parish, State 810' FSL & 1,980' FWL SECT 24-T19S-R24E UNIT N **EDDY COUNTY, NEW MEXICO** 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Production (Start/Resume) Water Shut-Off Deepen Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Casing Repair New Construction Recomplete Subsequent Report Change Plans Plug and Abandon Temporarily Abandon

Plug Back

Water Disposal

13. Describe Proposed of Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days. following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Yates Petroleum Corporation respectfully requests permission to Temporarily Abandon this well for possible future use as a Canyon Secondary well. The estimated date will depend on economic conditions & production in the water flood area.

- 1. MIRU a WSU. RU safety trailer as necessary & TOH w/ rods & pump. ND wellhead, NU BOP. TOH w/ tbg.
- RiH w/ tbg & 7" CIBP set at 7,593'.

Final Abandonment Notice

- 3. Circulate hole w/ corrosion inhibited fluid.
- 4. Shut BOP & test casing to 500 psi for 30 min (10% leak off allowed). Chart test & report.
- 5. TOH laying down tbg.
- 6. Call BLM (505-234-5972) 24 hrs prior to conducting MIT. Chart test & report.

Convert to Injection

7. Clean up location and release equipment.

14. I hereby certify that the foregoing is true and correct			
Name (Printed/Typed)	ſ		~ 0
Su'Ann Rogers	Title	Regulatory Complicate Tech.	
Signature Su Ann Roglia	Date	September 8, 2004	
THIS SPACE FOR FEDERAL OR STATE OFFICE USE			
Approved by		Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for	any person l	knowingly and willfully to make to	any department or agency of the United
States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction			

Field: Dagger Draw WELL NAME: Roden "GD" Fed. Com #5 Sec 24, T19S-R24E 810' FSL & 1980' FWL Eddy County LOCATION: **GL**: 3596' ZERO: 3613' **KB**: 17' **CASING PROGRAM** SPUD DATE: 11/4/89 COMPLETION DATE: 1/9/90 **COMMENTS**: 35-015-26207 **AFTER** DV Tool @ 9 5/8" 36# 8R J-55 7" 26# N-80 LT&C 7" 23# N-80 LT&C 7" 23# J-55 LT&C 7" 23# N-80 LT&C 14 3/4" hole TOC? 9 5/8" @ 1290' w/1000 sx (circ) TOPS San Andres 8 3/4" hole Glorieta 1822' Wolfcamp 5346' Canyon Lime 7544' DV Tool @ 5452' New Wolfcamp Perf's 6410'-6456' 1 SPF (24 holes) Upper Penn Perf's: 7643'-7698' w/184 .43" holes Acidize: 16,750 g 20% HCL PBTD 7811'

7" @ 7855' w/1750 sx cmt

TD 7855'

1290'

965'

1271'

6102' 7855'

442'

WELL NAME: Roden "GD" Fed. Com #5 Field: Dagger Draw LOCATION: Sec 24, T19S-R24E 810' FSL & 1980' FWL Eddy County **GL**: 3596' **ZERO**: 3613' **KB**: 17' SPUD DATE: 11/4/89 COMPLETION DATE: 1/9/90 **COMMENTS**: 35-015-26207 AFTER TA 14 3/4" hole TOC? 9 5/8" @ 1290' w/1000 sx (circ) 8 3/4" hole DV Tool @ 5452' Hole filed with plugging mud CIBP @ 7,593 w/

9 5/8" 36# 8R J-55 1290' 7" 26# N-80 LT&C 965' 7" 23# N-80 LT&C 1271' 7" 23# J-55 LT&C 6102' 7855' 7" 23# N-80 LT&C

CASING PROGRAM

TOPS

San Andres 442' Glorieta 1822' Wolfcamp 5346' Canyon Lime 7544'

35' CMT

Upper Penn

Perf's: 7643'-7698' w/184 .43" holes Acidize: 16,750 g 20% HCL

7" @ 7855' w/1750 sx cmt

TD 7855'

PBTD 7811'