

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

District I
1625 N. French, Hobbs, NM 88240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL API NO.

30-015-33314

5. Indicate Type Of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____

b. Type of Completion:

NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER _____

RECEIVED

SEP 10 2004

SED-ARTESIA

2. Name of Operator

EOG Resources Inc.

3. Address of Operator

P.O. Box 2267 Midland, Texas 79702

7. Lease Name or Unit Agreement Name

Parkway 23 State Com

8. Well No.

1

9. Pool name or Wildcat

Turkey Track; Morrow (Gas)

4. Well Location

Unit Letter K : 1448 Feet From The South Line and 2563 Feet From The West Line

Section 23 Township 19S Range 29E NMPM Eddy County

10. Date Spudded

6/29/04

11. Date T.D. Reached

7/28/04

12. Date Compl. (Ready to Prod.)

8/23/04

13. Elevations (DF & RKB, RT, GR, etc.)

3305 GR

14. Elev. Casinghead

15. Total Depth

12260

16. Plug Back T.D.

11810

17. If Multiple Compl. How Many Zones?

18. Intervals Drilled By

Rotary Tools

X

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

11581' - 11758', Morrow

20. Was Directional Survey Made

Yes

21. Type Electric and Other Logs Run

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
11 3/4	42	365	14 3/4	200 H, 400 C	
8 5/8	32	3513	11	1200 POZ C	
5 1/2	17	12280	7 7/8	400 litecrete, 400 PVL 1st	
				600 litecrete, 100 C 2nd	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 3/8	11575	

26. Perforation record (interval, size, and number)

11581' - 11599', (0.42"), 56 holes

11696' - 11758', (0.42"), 30 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

11581' - 11599' See C-103 for Frac Detail

11696' - 11758'

28. PRODUCTION

Date First Production 8/23/04	Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod. or Shut-in) Producing	
Date of Test 9/3/04	Hours Tested 24	Choke Size 20/64	Prod'n For Test Period	Oil - Bbl. 31.0	Gas - MCF 1957	Water - Bbl. 13	Gas - Oil Ratio 63129
Flow Tubing Press. 780	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API -(Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

30. List Attachments

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Stan Wagner

Printed Name

Stan Wagner

Title Regulatory Analyst

Date 9/8/04

11 1

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____	T. Strawn _____ 10630	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____	T. Atoka _____ 11027	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinebry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs (1st) 7155	T. Entrada _____	T. _____
T. Abo _____	T. 2nd Bone Spring 8210	T. Wingate _____	T. _____
T. Wolfcamp _____ 9592	T. 3rd Bone Spring 8987	T. Chinle _____	T. _____
T. Penn _____	T. Morrow 11186	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

No. 1, from to No. 3, from to
No. 2, from to No. 4, from to

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV1220 S. St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102

Permit 667

RECEIVED

SEP 10 2004

OCD-ARTESIA**WELL LOCATION AND ACREAGE DEDICATION PLAT**


API Number 30-015-33314	Pool Name TURKEY TRACK;MORROW (GAS)	Pool Code 86480
Property Code 33352	Property Name PARKWAY "23" STATE COM	Well No. 001
OGRID No. 7377	Operator Name EOG RESOURCES INC	Elevation 3305

Surface Location

UL or Lot K	Section 23	Township 19S	Range 29E	Lot Idn K	Feet From 1448	N/S Line S	Feet From 2563	E/W Line W	County Eddy
----------------	---------------	-----------------	--------------	--------------	-------------------	---------------	-------------------	---------------	----------------

Bottom Hole Location If Different From Surface

UL or Lot F	Section 23	Township 19S	Range 29E	Lot Idn F	Feet From 1900	N/S Line N	Feet From 1900	E/W Line W	County Eddy
Dedicated Acres 320		Joint or Infill		Consolidation Code		Order No.			

**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

Electronically Signed By: Stan Wagner

Title: Regulatory Analyst

Date: 02/03/2004

SURVEYOR CERTIFICATION


I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: V.L. Bezner

Date of Survey: 01/13/2004

Certificate Number: 7920

SCANNED
SCANNED



Scientific Drilling

E.O.G. (Enron Oil & Gas)

Field: Parkway
Site: Eddy County, NM
Well: Parkway 23 State Com #1
Wellpath: VH - Job #32K0704420
Survey: 07/06/04

RECEIVED

SEP 10 2004

OOD-ARTERIA


This survey is correct to the best of my knowledge
and is supported by actual field data.

Scott Newby Company Representative

Notorized this date 29th of July, 2004.

Deborah Sue Bynum
Notary Signature

County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling Survey Report

Company: E.O.G. (Enron Oil & Gas)	Date: 7/28/2004	Time: 18:09:04	Page: 1
Field: Parkway	Co-ordinate(NE) Reference:	Site: Eddy County, NM, Grid North	
Site: Eddy County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: Parkway 23 State Corn #1	Section (VS) Reference:	Well (0.00N,0.00E,341.18Azi)	
Wellpath: VH - Job #32K0704420	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: 07/06/04	Start Date: 7/6/2004
Company: Scientific Drilling	Engineer: Carter/Harvell
Tool: Keeper, Keeper Surface Readout Gyro	Tied-to: From Surface


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.0	0.00	0.15	0.0	0.0	0.0	0.0	0.00	0.0	0.00
100.0	0.84	22.84	100.0	0.5	0.7	0.3	0.84	0.7	22.84
200.0	1.03	21.76	200.0	1.8	2.2	0.9	0.19	2.4	22.43
300.0	0.78	39.03	300.0	2.8	3.5	1.7	0.37	3.9	25.12
400.0	0.62	42.74	400.0	3.4	4.5	2.5	0.17	5.1	28.80
500.0	0.71	41.31	500.0	4.0	5.3	3.2	0.09	6.2	31.22
600.0	0.65	45.78	599.9	4.6	6.2	4.1	0.08	7.4	33.17
700.0	0.89	48.70	699.9	5.1	7.1	5.0	0.24	8.7	35.35
800.0	0.86	54.62	799.9	5.6	8.1	6.2	0.10	10.2	37.75
900.0	1.20	49.68	899.9	6.2	9.2	7.6	0.35	11.9	39.84
1000.0	1.20	52.81	999.9	6.9	10.5	9.3	0.07	14.0	41.53
1100.0	1.38	54.35	1099.9	7.6	11.8	11.1	0.18	16.2	43.20
1200.0	1.63	57.97	1199.8	8.3	13.3	13.3	0.27	18.8	45.02
1300.0	1.79	58.59	1299.8	8.9	14.8	15.8	0.16	21.7	46.83
1400.0	1.82	56.66	1399.7	9.7	16.5	18.5	0.07	24.8	48.19
1500.0	1.66	62.91	1499.7	10.3	18.1	21.1	0.25	27.8	49.43
1600.0	1.39	65.42	1599.7	10.6	19.2	23.5	0.28	30.3	50.70
1700.0	1.27	64.21	1699.6	10.9	20.2	25.6	0.12	32.6	51.70
1800.0	1.19	68.97	1799.6	11.0	21.1	27.6	0.13	34.7	52.60
1900.0	1.09	75.97	1899.6	11.0	21.7	29.4	0.17	36.6	53.65
2000.0	1.09	70.26	1999.6	10.9	22.2	31.3	0.11	38.4	54.60
2100.0	1.10	79.58	2099.5	10.8	22.7	33.1	0.18	40.1	55.55
2200.0	1.17	81.83	2199.5	10.5	23.0	35.1	0.08	41.9	56.70
2300.0	1.25	83.34	2299.5	10.1	23.3	37.1	0.09	43.9	57.90
2400.0	1.16	81.04	2399.5	9.7	23.6	39.2	0.10	45.8	58.99
2500.0	1.10	102.63	2499.5	9.0	23.5	41.2	0.43	47.4	60.25
2600.0	1.21	103.90	2599.4	7.9	23.1	43.1	0.11	48.9	61.86
2700.0	1.27	107.38	2699.4	6.7	22.5	45.2	0.10	50.5	63.56
2800.0	1.24	114.86	2799.4	5.3	21.7	47.3	0.17	52.0	65.33
2900.0	1.07	95.98	2899.4	4.2	21.1	49.2	0.41	53.5	66.73
3000.0	1.00	116.36	2999.4	3.1	20.7	50.9	0.37	54.9	67.90
3100.0	1.05	113.71	3099.3	1.9	19.9	52.5	0.07	56.1	69.23
3200.0	1.02	124.25	3199.3	0.6	19.0	54.1	0.19	57.3	70.60
3252.0	0.93	131.32	3251.3	-0.2	18.5	54.8	0.29	57.8	71.34




**Scientific
Drilling**

Field: Parkway
Site: Eddy County, NM
Well: Parkway 23 State Com #1
Wellpath: VH - Job #32K0704420
Survey: 07/06/04



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 7/28/2004
Model: igrf2000





Survey Data Sheet

Company: **EOG RESOURCES**
 Well: **PARKWAY 23 ST. COM # 1**
 Field:
 Rig: **GREYWOLF #33**
 BVES MWD: **RYAN GRANT**
 BVES Job #: **2004044**

Date: **7/27/2004**
 Total Correction.: **8.70**
 Target TVD:
 Target Az.: **341.18**
 Tgt. Coord.:
 Lateral #:

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	BHA
Tie - In		3252	0.93	131.20		3251.32	-0.16	18.50 N	54.77 E			
	1	3567	0.80	124.50	318	3566.28	-4.14	15.57 N	58.51 E	0.05	-0.04	
	2	3599	0.90	129.90	32	3598.28	-4.53	15.28 N	58.88 E	0.40	0.31	
	3	3631	0.50	62.00	32	3630.28	-4.72	15.19 N	59.20 E	2.65	-1.25	
	4	3663	1.10	350.70	32	3662.28	-4.40	15.56 N	59.27 E	3.29	1.88	
	5	3695	1.80	338.80	32	3694.27	-3.59	16.33 N	59.04 E	2.37	2.19	
	6	3727	2.20	329.10	32	3726.25	-2.49	17.32 N	58.54 E	1.63	1.25	
	7	3759	2.70	328.10	32	3758.22	-1.15	18.49 N	57.93 E	1.57	1.55	
	8	3791	3.30	323.10	32	3790.17	0.45	19.87 N	56.88 E	2.04	1.88	
	9	3823	4.20	322.70	32	3822.10	2.44	21.54 N	55.62 E	2.81	2.81	
	10	3855	4.90	321.90	32	3854.00	4.84	23.54 N	54.06 E	2.20	2.19	
	11	3887	6.00	321.90	32	3885.98	7.71	25.93 N	52.19 E	3.44	3.44	
	12	3919	7.40	323.90	32	3917.64	11.28	28.92 N	49.94 E	4.43	4.38	
	13	3951	8.80	325.60	32	3948.32	15.58	32.60 N	47.34 E	4.44	4.38	
	14	3983	10.00	325.50	32	3980.89	20.62	36.91 N	44.39 E	3.75	3.75	
	15	4015	10.80	324.90	32	4012.38	26.17	41.65 N	41.09 E	2.52	2.50	
	16	4046	11.60	323.60	31	4042.77	31.93	46.54 N	37.57 E	2.71	2.58	
	17	4078	12.60	322.80	32	4074.06	36.31	51.91 N	33.55 E	3.17	3.13	
	18	4110	14.00	322.30	32	4105.20	45.28	57.75 N	29.07 E	4.39	4.38	
	19	4142	15.40	323.40	32	4136.15	52.99	64.22 N	24.17 E	4.46	4.38	
	20	4174	16.50	324.10	32	4166.92	61.38	71.32 N	18.97 E	3.49	3.44	
	21	4206	17.30	325.00	32	4197.54	70.30	78.90 N	13.58 E	2.63	2.50	
	22	4238	18.10	325.50	32	4228.02	79.65	86.89 N	8.04 E	2.54	2.50	
	23	4270	19.10	326.00	32	4258.39	89.51	95.36 N	2.34 E	3.31	3.13	
	24	4302	19.80	328.80	32	4288.53	99.87	104.36 N	3.35 W	3.17	2.19	
	25	4334	19.80	330.20	32	4318.63	110.48	115.70 N	8.85 W	1.48		
	26	4366	20.10	331.40	32	4348.71	121.22	123.23 N	14.18 W	1.59	0.94	
	27	4398	20.70	333.70	32	4378.71	132.25	133.13 N	19.32 W	3.13	1.87	
	28	4429	20.80	333.50	31	4407.70	143.13	142.97 N	24.20 W	0.40	0.32	
	29	4461	20.30	333.30	32	4437.66	154.28	153.01 N	29.23 W	1.58	-1.55	
	30	4493	20.00	333.00	32	4467.70	165.18	162.85 N	34.21 W	0.99	-0.94	
	31	4525	20.70	333.50	32	4497.70	176.20	172.79 N	39.22 W	2.25	2.19	
	32	4557	20.80	334.50	32	4527.63	187.45	182.98 N	44.18 W	1.15	0.31	
	33	4589	20.40	334.00	32	4557.58	198.62	193.12 N	49.08 W	1.37	-1.25	
	34	4621	20.10	334.30	32	4587.60	209.52	203.08 N	53.91 W	0.99	-0.94	
	35	4655	19.90	334.80	64	4647.74	231.35	222.83 N	63.35 W	0.35	-0.31	
	36	4781	20.40	335.50	95	4737.87	264.24	252.82 N	77.29 W	0.61	0.52	
	37	4845	20.20	335.80	64	4797.89	286.34	273.05 N	86.45 W	0.35	-0.31	
	38	4941	20.80	340.50	95	4887.82	319.88	304.23 N	98.93 W	1.82	0.63	
	39	5036	20.20	339.70	95	4976.80	353.15	335.52 N	110.25 W	0.70	-0.63	
	40	5132	19.80	339.20	95	5067.01	385.96	366.26 N	121.78 W	0.45	-0.42	
	41	5193	19.40	338.50	61	5124.48	406.41	385.35 N	129.16 W	0.76	-0.66	
	42	5258	19.00	339.80	63	5183.98	427.11	404.71 N	136.53 W	0.93	-0.63	
	43	5288	18.80	341.40	32	5214.25	437.48	414.48 N	139.98 W	1.74	-0.62	



Survey Data Sheet

Company: **EOG RESOURCES**
 Well: **PARKWAY 23 ST. COM # 1**
 Field:
 Rig: **GREYWOLF #33**
 BVES MWD: **RYAN GRANT**
 BVES Job #: **2004044**

Date: **7/27/2004**
 Total Correction.: **8.70**
 Target TVD:
 Target Az.: **341.18**
 Tgt. Coord.:
 Lateral #:

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	BHA
	44	5384	18.40	343.00	96	6305.24	468.09	443.63 N	149.34 W	0.68	-0.42	
	45	5480	17.70	342.10	96	6396.51	497.83	472.01 N	158.26 W	0.78	-0.73	
	46	5544	18.10	343.50	84	5457.41	517.49	490.80 N	164.07 W	0.92	0.63	
	47	5576	18.10	342.80	32	5487.83	527.42	500.31 N	166.95 W	0.68		
	48	5671	18.20	344.00	96	5578.10	558.99	528.67 N	175.41 W	0.41	0.11	
	49	5767	17.90	343.40	96	5669.38	586.71	557.22 N	183.76 W	0.37	-0.31	
	50	5863	17.30	344.40	96	5760.89	615.70	585.11 N	191.81 W	0.70	-0.62	
	51	5927	17.20	341.80	64	5822.01	634.67	603.26 N	197.32 W	1.21	-0.16	
	52	5969	17.40	340.20	32	5852.56	644.18	612.26 N	200.42 W	1.51	0.62	
	53	6023	16.30	339.30	64	5913.81	662.73	629.67 N	206.84 W	1.77	-1.72	
	54	6055	15.90	338.50	32	5944.56	671.59	637.94 N	210.03 W	1.43	-1.25	
	55	6087	14.90	336.80	32	5975.41	680.07	646.80 N	213.28 W	3.64	-3.13	
	56	6118	14.10	335.00	31	6005.42	687.80	652.67 N	216.46 W	2.85	-2.58	
	57	6150	12.00	332.20	32	6035.59	694.96	659.35 N	219.66 W	6.85	-6.56	
	58	6182	12.50	332.00	32	6067.86	701.65	665.35 N	222.84 W	1.87	1.66	
	59	6215	13.90	332.00	33	6099.89	709.10	672.00 N	226.38 W	4.24	4.24	
	60	6247	15.00	333.00	32	6130.98	717.00	679.09 N	230.06 W	3.52	3.44	
	61	6279	15.80	333.60	32	6161.83	725.41	686.88 N	233.88 W	2.55	2.50	
	62	6311	16.50	334.60	32	6192.57	734.25	694.69 N	237.76 W	2.35	2.19	
	63	6343	17.60	335.50	32	6223.16	743.58	703.20 N	241.71 W	3.58	3.44	
	64	6374	18.10	336.50	31	6252.87	753.04	711.88 N	245.87 W	1.84	1.61	
	65	6405	18.30	337.90	31	6282.12	762.70	720.81 N	249.32 W	1.55	0.65	
	66	6437	18.60	338.50	32	6312.47	772.81	730.21 N	253.08 W	1.11	0.94	
	67	6469	18.50	339.10	32	6342.81	782.98	739.70 N	256.76 W	0.67	-0.31	
	68	6565	18.30	338.90	96	6433.90	813.26	767.99 N	267.62 W	0.22	-0.21	
	69	6633	18.00	339.10	68	6498.52	834.43	787.77 N	275.21 W	0.46	-0.44	
	70	6697	18.50	339.60	64	6559.30	854.46	806.51 N	282.30 W	0.81	0.78	
	71	6760	18.10	340.00	63	6619.11	874.24	825.07 N	289.14 W	0.68	-0.63	
	72	6792	18.80	341.20	32	6649.47	884.36	834.63 N	292.50 W	2.49	2.19	
	73	6856	20.00	342.60	64	6709.83	905.62	854.83 N	299.10 W	2.01	1.88	
	74	6920	19.00	342.50	64	6770.16	926.98	875.21 N	305.51 W	1.86	-1.56	
	75	6984	18.50	341.50	64	6830.76	947.55	894.78 N	311.86 W	0.93	-0.78	
	76	7048	18.00	341.50	64	6891.54	967.59	913.78 N	318.22 W	0.78	-0.78	
	77	7080	17.80	341.20	32	6922.00	977.42	923.10 N	321.37 W	0.69	-0.62	
	78	7112	18.00	340.40	32	6952.46	987.26	932.39 N	324.80 W	0.99	0.62	
	79	7144	18.60	340.90	32	6982.83	997.31	941.87 N	327.93 W	1.94	1.88	
	80	7176	19.30	342.60	32	7013.09	1007.70	951.74 N	331.18 W	2.79	2.19	
	81	7208	19.40	342.60	32	7043.29	1018.29	961.86 N	334.35 W	0.31	0.31	
	82	7240	19.60	342.10	32	7073.45	1028.97	972.04 N	337.59 W	0.81	0.63	
	83	7272	20.10	343.20	32	7103.56	1039.84	982.41 N	340.83 W	1.95	1.58	
	84	7304	19.70	344.70	32	7133.64	1050.71	992.88 N	343.84 W	2.03	-1.25	
	85	7336	19.30	345.00	32	7163.80	1061.37	1003.18 N	346.83 W	1.29	-1.25	
	86	7368	19.80	344.70	32	7193.98	1072.01	1013.47 N	349.42 W	0.99	0.94	
	87	7400	19.90	344.50	32	7224.09	1082.80	1023.90 N	352.29 W	0.96	0.94	



Survey Data Sheet

Company: **EOG RESOURCES**
 Well: **PARKWAY 23 ST. COM # 1**
 Field:
 Rig: **GREYWOLF #33**
 BVES MWD: **RYAN GRANT**
 BVES Job #: **2004044**

Date: **7/27/2004**
 Total Correction.: **8.70**
 Target TVD:
 Target Az.: **341.18**
 Tgt. Coord.:
 Lateral #:

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B/D.	BHA
	88	7432	18.80	344.10	32	7254.21	1093.60	1034.31 N	355.22 W	1.03	-0.94	
	89	7464	19.00	343.70	32	7284.41	1104.16	1044.47 N	358.15 W	1.92	-1.88	
	90	7495	18.80	343.80	31	7313.74	1114.20	1054.11 N	360.96 W	0.65	-0.65	
	91	7527	18.90	343.90	32	7344.03	1124.62	1064.04 N	363.83 W	0.33	0.31	
	92	7559	18.40	343.60	32	7374.35	1134.75	1073.86 N	366.70 W	1.59	-1.56	
	93	7591	17.90	343.50	32	7404.75	1144.71	1083.42 N	369.52 W	1.57	-1.56	
	94	7623	17.00	343.20	32	7435.28	1154.29	1092.62 N	372.27 W	2.83	-2.81	
	95	7655	17.20	343.40	32	7465.87	1163.70	1101.63 N	374.97 W	0.65	0.62	
	96	7687	17.60	342.20	32	7496.41	1173.24	1110.74 N	377.79 W	1.46	0.94	
	97	7719	17.90	342.20	32	7526.90	1182.96	1120.01 N	380.77 W	1.25	1.25	
	98	7750	17.80	341.00	31	7556.40	1192.46	1128.02 N	383.77 W	1.23	-0.32	
	99	7782	17.20	340.90	32	7586.92	1202.09	1136.12 N	386.91 W	1.88	-1.88	
	100	7814	17.30	340.70	32	7617.48	1211.58	1147.08 N	390.03 W	0.36	0.31	
	101	7846	17.80	340.30	32	7647.99	1221.22	1156.18 N	393.25 W	1.61	1.56	
	102	7878	16.40	340.70	32	7678.41	1231.17	1165.58 N	396.57 W	1.91	1.87	
	103	7911	18.20	342.10	33	7709.63	1241.80	1175.63 N	399.96 W	2.78	2.42	
	104	7943	19.20	341.10	32	7739.87	1252.32	1185.61 N	403.28 W	1.03		
	105	7975	19.10	339.50	32	7770.10	1262.82	1195.49 N	406.82 W	1.67	-0.31	
	106	8007	18.80	338.70	32	7800.38	1273.15	1205.15 N	410.50 W	1.76	-1.56	
	107	8039	18.00	337.90	32	7830.76	1283.18	1214.49 N	414.22 W	2.03	-1.88	
	108	8071	17.60	337.90	32	7861.23	1292.95	1223.65 N	417.90 W	1.25	-1.25	
	109	8103	17.40	339.10	32	7891.75	1302.56	1232.61 N	421.43 W	1.29	-0.63	
	110	8135	17.10	339.50	32	7922.31	1312.05	1241.38 N	424.78 W	1.01	-0.94	
	111	8167	16.90	340.40	32	7952.91	1321.40	1250.17 N	427.99 W	1.03	-0.63	
	112	8198	16.80	341.90	31	7982.58	1330.38	1258.67 N	430.89 W	1.44	-0.32	
	113	8230	17.00	344.40	32	8013.20	1339.68	1267.57 N	433.59 W	2.36	0.62	
	114	8262	17.20	346.10	32	8043.79	1349.06	1276.67 N	436.98 W	1.68	0.62	
	115	8325	17.60	348.00	64	8104.86	1368.10	1285.32 N	440.27 W	1.09	0.63	
	116	8358	17.50	348.00	32	8135.37	1377.68	1304.76 N	442.27 W	0.31	-0.31	
	117	8390	17.00	347.60	32	8165.93	1387.11	1314.04 N	444.28 W	1.61	-1.56	
	118	8454	17.70	348.00	64	8227.02	1406.06	1332.69 N	448.31 W	1.11	1.09	
	119	8486	17.90	349.20	32	8257.48	1415.78	1342.28 N	450.24 W	1.31	0.62	
	120	8518	17.20	349.90	32	8288.00	1425.31	1351.77 N	451.99 W	2.28	-2.19	
	121	8550	16.60	350.40	32	8318.61	1434.50	1360.93 N	453.88 W	1.93	-1.87	
	122	8580	16.00	349.70	30	8347.41	1442.82	1369.23 N	455.04 W	2.10	-2.00	
	123	8612	16.00	347.80	32	8378.17	1451.56	1377.88 N	456.78 W	1.64		
	124	8644	16.20	345.70	32	8408.91	1460.39	1386.51 N	458.79 W	1.92	0.62	
	125	8687	16.20	342.90	43	8450.21	1472.37	1396.06 N	462.04 W	1.82		
	126	8708	15.60	341.50	21	8470.40	1478.12	1403.54 N	463.80 W	3.39	-2.86	
	127	8739	15.70	342.50	31	8500.25	1486.48	1411.49 N	466.38 W	0.93	0.32	
	128	8771	17.00	342.20	32	8530.96	1495.49	1420.07 N	469.11 W	4.07	4.06	
	129	8803	18.40	343.00	32	8561.44	1505.21	1429.36 N	472.02 W	4.44	4.38	
	130	8835	18.00	341.60	32	8591.84	1515.20	1438.88 N	475.06 W	1.85	-1.25	
	131	8867	16.80	341.50	32	8622.38	1524.77	1447.96 N	478.08 W	3.75	-3.75	



Survey Data Sheet

Company: **EOG RESOURCES**
 Well: **PARKWAY 23 ST. COM # 1**
 Field:
 Rig: **GREYWOLF #33**
 BVES MWD: **RYAN GRANT**
 BVES Job #: **2004044**

Date: **7/27/2004**
 Total Correction.: **8.70**
 Target TVD:
 Target Az.: **341.18**
 Tgt. Coord.:
 Lateral #:

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	BHA
	132	8899	17.00	341.50	32	8853.00	1534.07	1456.78 N	481.04 W	0.82	0.62	
	133	8931	17.90	341.30	32	8683.52	1643.67	1485.87 N	484.10 W	2.82	2.81	
	134	8963	18.70	341.60	32	8713.90	1563.72	1475.40 N	487.29 W	2.52	2.50	
	135	8995	19.70	342.30	32	8744.12	1564.24	1486.40 N	490.55 W	3.21	3.13	
	136	9027	19.10	343.30	32	8774.31	1574.85	1496.56 N	493.70 W	2.14	-1.87	
	137	9059	18.80	343.60	32	8804.57	1585.25	1506.52 N	496.66 W	0.99	-0.94	
	138	9091	18.20	343.00	32	8834.82	1595.39	1518.24 N	499.57 W	1.97	-1.88	
	139	9123	18.20	341.80	32	8865.32	1605.39	1524.77 N	502.60 W	1.17		
	140	9154	18.90	341.80	31	8894.71	1615.25	1534.14 N	505.68 W	2.28	2.26	
	141	9186	18.60	341.50	32	8925.01	1625.53	1543.90 N	508.91 W	0.98	-0.94	
	142	9218	18.10	342.20	32	8955.38	1635.61	1553.47 N	512.05 W	1.71	-1.56	
	143	9250	17.40	342.00	32	8985.86	1645.36	1562.76 N	515.05 W	2.20	-2.19	
	144	9281	17.60	340.70	31	9015.42	1654.88	1571.59 N	518.03 W	1.42	0.65	
	145	9313	17.90	340.80	32	9045.90	1664.44	1580.80 N	521.25 W	0.94	0.94	
	146	9345	18.00	340.30	32	9076.34	1674.30	1590.10 N	524.53 W	0.57	0.31	
	147	9377	17.70	340.40	32	9106.80	1684.11	1599.34 N	527.83 W	0.94	-0.94	
	148	9409	17.20	340.00	32	9137.33	1693.70	1608.37 N	531.08 W	1.61	-1.56	
	149	9441	17.90	340.70	32	9167.84	1703.35	1617.48 N	534.33 W	2.28	2.19	
	150	9473	18.00	340.80	32	9198.28	1713.21	1626.76 N	537.58 W	0.33	0.31	
	151	9537	16.90	338.90	64	9259.34	1732.40	1644.78 N	544.19 W	1.94	-1.72	
	152	9601	16.10	338.40	64	9320.86	1750.00	1661.10 N	550.86 W	3.01	-2.81	
	153	9664	16.10	340.80	63	9381.64	1766.91	1678.87 N	557.02 W	2.46	1.69	
	154	9696	16.00	339.80	32	9412.29	1775.76	1685.20 N	560.00 W	0.92	-0.31	
	155	9760	14.50	344.40	64	9474.04	1792.58	1701.20 N	565.20 W	3.01	-2.34	
	156	9824	18.10	349.30	64	9535.46	1810.43	1718.69 N	569.21 W	6.02	5.63	
	157	9887	16.00	349.50	63	9595.68	1828.71	1738.84 N	572.61 W	3.33	-3.33	
	158	9951	14.80	344.20	64	9657.39	1845.60	1753.38 N	576.44 W	2.89	-1.88	
	159	10015	14.40	336.40	64	9719.33	1861.69	1768.54 N	581.85 W	3.13	-0.63	
	160	10078	15.00	334.20	63	9780.27	1877.59	1783.06 N	588.54 W	1.30	0.95	
	161	10142	17.50	333.00	64	9841.70	1895.34	1799.10 N	596.51 W	3.94	3.91	
	162	10206	17.80	332.80	64	9902.69	1914.54	1816.37 N	605.35 W	0.48	0.47	
	163	10270	17.50	334.00	64	9963.68	1933.77	1833.72 N	614.04 W	0.74	-0.47	
	164	10334	17.20	335.60	64	10024.77	1952.73	1850.98 N	622.17 W	0.88	-0.47	
	165	10398	18.20	337.00	64	10086.74	1972.12	1868.80 N	629.98 W	1.70	1.56	
	166	10461	18.20	338.50	63	10145.58	1991.74	1886.88 N	637.75 W	0.25		
	167	10525	13.80	338.70	64	10207.09	2009.33	1903.17 N	644.51 W	6.94	-6.88	
	168	10589	9.40	345.30	64	10269.77	2022.18	1915.34 N	648.61 W	7.17	-6.88	
	169	10653	8.30	348.80	64	10333.01	2031.97	1924.93 N	650.83 W	1.91	-1.72	
	170	10717	7.90	349.50	64	10396.37	2040.90	1933.78 N	652.53 W	0.64	-0.63	
	171	10781	7.70	348.20	64	10459.78	2049.51	1942.31 N	654.21 W	0.42	-0.31	
	172	10844	6.60	339.20	63	10522.29	2057.32	1949.82 N	656.36 W	2.49	-1.75	
	173	10908	5.60	329.80	64	10585.93	2064.05	1956.96 N	659.23 W	2.20	-1.56	
	174	10940	4.30	329.20	32	10617.81	2066.76	1958.34 N	660.63 W	4.07	-4.06	
	175	10972	3.00	315.40	32	10649.74	2068.69	1959.97 N	661.84 W	4.88	-4.06	



Survey Data Sheet

Company: EOG RESOURCES
 Well: PARKWAY 23 ST. COM # 1
 Field: _____
 Rig: GREYWOLF #33
 BVES MWD: RYAN GRANT
 BVES Job #: 2004044

Date: 7/27/2004
 Total Correction.: 8.70
 Target TVD: _____
 Target Az.: 341.18
 Tgt. Coord.: _____
 Lateral #: _____

Date	No.	DEPTH	INC.	AZM	C.L.	T.V.D.	V.S.	N/S	E/W	DLS	B./D.	BHA
	176	11004	1.80	297.60	32	10681.71	2069.80	1960.80 N	662.87 W	4.37	-3.75	
	177	11036	1.30	249.90	32	10713.70	2070.16	1960.90 N	663.86 W	4.17	-1.66	
	178	11068	1.20	244.90	32	10745.70	2070.12	1960.64 N	664.30 W	0.46	-0.31	
	179	11100	1.10	228.40	32	10777.69	2069.98	1960.29 N	664.83 W	1.08	-0.31	
	180	11132	1.10	237.00	32	10809.68	2069.77	1959.92 N	665.32 W	0.52		
	181	11164	0.90	245.50	32	10841.68	2069.67	1959.65 N	665.81 W	0.78	-0.63	
	182	11195	1.20	255.10	31	10872.67	2069.66	1959.46 N	666.34 W	1.12	0.97	
	183	11226	1.00	237.60	31	10903.67	2069.62	1959.24 N	666.88 W	1.25	-0.65	
	184	11259	1.50	218.00	33	10936.68	2069.32	1958.74 N	667.39 W	1.97	1.52	
	185	11323	1.70	227.90	64	11000.64	2068.48	1957.44 N	668.61 W	0.53	0.31	
	186	11387	1.60	226.70	64	11064.61	2067.74	1956.19 N	669.97 W	0.17	-0.16	
	187	11419	1.60	221.10	32	11096.60	2067.33	1955.55 N	670.59 W	0.49		
	188	11483	1.80	216.70	64	11160.57	2066.27	1954.02 N	671.79 W	0.53	0.47	
	189	11546	1.00	193.80	63	11223.55	2065.20	1952.63 N	672.63 W	1.66	-1.43	
	190	11641	0.80	188.40	95	11318.53	2063.91	1951.17 N	672.83 W	0.23	-0.21	
	191	11737	0.70	213.80	96	11414.53	2062.96	1950.02 N	673.25 W	0.36	-0.10	
	192	11833	0.70	216.70	96	11510.52	2062.27	1949.07 N	673.93 W	0.04		
	193	11929	0.80	278.70	96	11606.51	2062.25	1948.70 N	674.94 W	0.81	0.10	
	194	12024	1.30	302.10	95	11701.50	2063.39	1949.37 N	676.51 W	0.68	0.53	
	195	12120	2.70	314.60	96	11797.44	2066.26	1951.53 N	679.05 W	1.52	1.46	
	196	12232	2.70	314.60	112	11909.31	2070.97	1955.23 N	682.81 W			
	Proj TD	12280	2.70	314.60	48	11957.26	2072.99	1956.82 N	684.42 W			