

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMLC066067

1a. Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator
BASS ENTERPRISES PRODUCTION CO
Contact: CINDI GOODMAN
E-Mail: cdgoodman@basspet.com

8. Lease Name and Well No.
BIG EDDY UNIT 150

3. Address P. O. BOX 2760
MIDLAND, TX 79702
3a. Phone No. (include area code)
Ph: 432.683.2277

9. API Well No.
30-015-33231

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
At surface NESW 1980FSL 1980FWL 32.28426 N Lat, 104.06393 W Lon
At top prod interval reported below NESW 1980FSL 1980FWL 32.28426 N Lat, 104.06393 W Lon
At total depth NESW 1980FSL 1980FWL 32.28426 N Lat, 104.06393 W Lon

10. Field and Pool, or Exploratory
FENTON DRAW - STRAWN

11. Sec., T., R., M., or Block and Survey
or Area Sec 17 T21S R28E Mer NMP

12. County or Parish
EDDY
13. State
NM

14. Date Spudded
01/28/2004
15. Date T.D. Reached
03/25/2004
16. Date Completed
☐ D & A ☒ Ready to Prod.
06/29/2004

17. Elevations (DF, KB, RT, GL)*
3196 GL

18. Total Depth: MD 12310 TVD
19. Plug Back T.D.: MD 12172 TVD
20. Depth Bridge Plug Set: MD TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
GR/CNL/LDT/PE, GR/LL

22. Was well cored? ☐ No ☒ Yes (Submit analysis)
Was DST run? ☐ No ☒ Yes (Submit analysis)
Directional Survey? ☐ No ☒ Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 H-40	48.0	0	512		450		0	
12.250	9.625 N-80	40.0	0	3004		1830		0	
8.750	7.000 L-80/HC	26.0	0	10425		795		4000	
6.125	4.500 L80	13.5	9881	12308		250		10610	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	10677	10668						

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) STRAWN	10710	10814	10800 TO 10814	0.470	85	PRODUCING
B)			10729 TO 10749	0.470	121	PRODUCING
C)			10710 TO 10714	0.470	25	PRODUCING
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
10710 TO 10814	2800 GAL 15% DBL INHIBITED NEFE ACID

RECEIVED

JUL 29 2004

OCB-ARTESIA

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/30/2004	06/30/2004	24	→	154.0	4151.0	507.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
22/64	1637	100.0	→	154	4151	507		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #33058 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			— ▾						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			— ▾						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			— ▾						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			— ▾						

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
CAPTURED

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				DELAWARE	2885
				BONE SPRING	5795
				3RD BONE SPRING	8821
				WOLFCAMP	9327
				STRAWN	10590
				ATOKA	11070
				MORROW	11200
				MORROW CLASTICS	11450

32. Additional remarks (include plugging procedure):
NO REMARK PROVIDED

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7 Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #33058 Verified by the BLM Well Information System.
For BASS ENTERPRISES PRODUCTION CO, sent to the Carlsbad

Name (please print) CINDI GOODMAN

Title AUTHORIZED REPRESENTATIVE

Signature (Electronic Submission)

Date 07/27/2004

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
811 South First, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised March 17, 1999

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, New Mexico 87504-2088

BEP CO - WID PRODUCTION
JUL 06 2004
RECEIVED

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-33231	Pool Code 24340	Pool Name Fenton Draw - Strawn
Property Code 001776	Property Name BIG EDDY UNIT	Well Number 150
OGUID No. 001801	Operator Name Bass Enterprises Production Co. NADEL AND GUSSMAN PERMIAN, L.L.C.	Elevation 3196'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	17	21 S	28 E		1980	SOUTH	1980	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	RECEIVED JUL 20 2004 OGD-ARTESIA	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. <i>Gordon Barker</i> Signature GORDON BARKER Printed Name OPERATIONS MGR Title 12/8/03 Date
		SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. OCTOBER 14, 2003 Date Surveyed
		Signature & Seal of Professional Surveyor <i>Gary L. Jones</i> W.O. No. 2742/03 Certificate No. Gary L. Jones 7977 Basin Surveyors



BIG EDDY UNIT #150
 Located at 1980' FSL and 1980' FWL
 Section 17, Township 21 South, Range 28 East,
 N.M.P.M., Eddy County, New Mexico.

basin
surveys
 focused on excellence
 in the oilfield

P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (505) 393-7316 - Office
 (505) 392-3074 - Fax
 basin-surveys.com

W.O. Number: 3698AA - KJG CD#6

Survey Date: 10-14-2003

Scale: 1" = 2 MILES

Date: 10-16-2003

NADEL & GUSSMAN
PERMIAN, L.L.C.

ROTARY SIDEWALL CORE ANALYSIS

NADEL & GUSSMAN PERMIAN, L.L.C.
BIG EDDY UNIT # 150
EDDY COUNTY, NEW MEXICO

A.P.I. NUMBER : 30-015-33231
FIELD : Fenton Draw
LOCATION : 1980' FSL, 1980' FWL,
Section 17, T-21-S, R-28-E


FILE NO. : 040327-2
DATE : March 29, 2004
ANALYSTS : WH, SB, PK

DEAN STARK EXTRACTION

SAMPLE NO.	DEPTH ft	GRAIN DENSITY	POROSITY %	PERM mD	SATURATIONS Sw	So	GAS UNITS	FLUORESCENCE %	LITHOLOGY
1	10,735.0	2.71	8.9	1.82	37.9	Tr	33	Tr	Yl-bl-wht Ls brn ssly ssdy sc ppp-vug foss fd frac
1	10,735.0	2.71	*	11.8	* Calculated Bulk Volume - Porosity includes surface vugs.				
2	10,747.0	2.71	4.5	2.37	50.2	Tr	4	Tr	Yl-bl-wht Ls brn ssly ssdy sc ppp-vug foss fd frac
2	10,747.0	2.71	*	16.1	* Calculated Bulk Volume - Porosity includes surface vugs.				
3	11,056.0	2.71	0.2	<.01	95.0	0.0	8	0	Ls dk brn-dk gy mott mod slty ssdy foss
4	11,736.0	2.66	8.5	0.04	73.9	0.0	11	0	Ss opaq-tn lam vf-fgr sbrnd-sbang ssly
5	11,913.0	2.65	8.1	6.94	27.3	0.0	9	0	Ss opaq-wht-tn-gy vf-mgr sbrnd-ang ssly scalc
6	11,934.0	2.66	5.2	0.08	30.8	0.0	5	0	Ss opaq-wht-tn-gy lam vf-mgr sbrnd-ang ssly scalc
7	11,967.0	2.65	6.4	0.50	28.8	0.0	17	0	Ss opaq-wht-tn-gy lam vf-mgr sbrnd-ang ssly scalc
8	12,057.0	2.66	9.2	6.42	22.1	0.0	22	0	Ss opaq-brn-tn-wht-gy vf-crsgr sbrnd-ang ssly scalc
9	12,057.5	2.65	6.7	27.71	14.6	0.0	11	0	Ss opaq-tn-wht-gy vf-crsgr sbrnd-ang ssly scalc frac

RECEIVED
JUL 29 2004
OCCASIONAL



NADEL & GUSSMAN**O.H.DST****BIG EDDY UNIT - 150****Rig : PATTERSON****EDDY - NM.****Report Contents**

Job Summary, Comments Page, Sequence of Events, Label Point Information, Plots, Summary Data Printout, Distribution

Schlumberger Testing Services**MIDLAND**

BIG EDDY UNIT 150

10691125

MAR. 10 -2004

Sample Chamber Capacity (cc) 2000

Measured Fluid Recovery

			<u>Temp (F)</u>	<u>Press (psia)</u>
Oil (cc)	0	API Gravity		
Water (cc) ...	0	Res. (ohms) ...		
Mud (cc)	0	Res. (ohms) ...		
Total Liquid Recovery (cc)				
Gas (ft3)	7			1150.0

Corrected Sample Chamber Gas Recovery

Bottomhole Temperature (F)	174	Assumed SC Gas Gravity	0.650
Final Flowing Pressure (psia)	1150	Est Z Value @ Pwf and Tres	0.905
Corrected Gas Recovery (scf)	6.257		

Sample Chamber Fluid Ratios

Sample Chamber Water Cut	
GOR Using Corrected Gas Recovery	
GLR Using Corrected Gas Recovery	

Pipe Recovery

<u>Description</u>	<u>Recovery feet</u>	<u>Pipe ID (in)</u>	<u>Recovery bbl</u>	<u>Oil Density API</u>	<u>RES ohm</u>	<u>CHL ppm</u>
condensate	300	2.2	1.41			
Muddy Water/Oily Mix	873'	2.2	4.10			55000
sample 2						40000
sample 3						70000
Total recovered: 1173'						

Schlumberger

Additional Comments
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150

10691125
MAR. 10 -2004

Additional Comments

SUCCESSFUL DST ON STRAWN FORMATION 1173 FT RECOVERY 300FT COND. 873 FT WATER/MUD/OILY MIX


THANKYOU R.RINAS SLB TESTING

BIG EDDY UNIT 150**10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Comments
-----------------------------------	----------------------------------	-----------------

10-Mar-04	7:57	SET PACKERS
	8:09	INITIAL FLOW 1/8" HOSE BOTTOM OF BUCKET
	8:10	80 PSI
	8:11	100 PSI
	8:12	200 PSI
	8:13	300 PSI
	8:14	END FLOW START SHUT-IN 380 PSI GAS TO SURF 3 MIN
	9:14	END SHUT-IN
	9:16	2ND FLOW 1/8 HOSE 10 PSI
	9:17	20 PSI
	9:18	80 PSI
	9:20	300 PSI
	9:21	350 PSI
	9:31	900 PSI
	10:01	1200 PSI
	10:16	END FLOW/ START SHUT-IN 1150 PSI
	13:16	END SHUT-IN
	13:18	PULLED LOOSE


Bottomhole Pressure and Temperature Log



Gauge Depth : 10740 ft TVD - 10740 ft MD

Gauge ID : slsr1214

Log-log Plot - Initial Shutin Period



Gauge Depth : 10740 ft TVD - 10740 ft MD


Gauge ID : slsr1214

BIG EDDY UNIT 150

10691125

MAR. 10 -2004


Semi-log Plot - Initial Shutin Period



Gauge Depth : 10740 ft TVD - 10740 ft MD

Gauge ID : slsr1214


Log-log Plot - Second Shutin Period



Gauge Depth : 10740 ft TVD - 10740 ft MD

Gauge ID : slsr1214

Semi-log Plot - Second Shutin Period




Schlumberger

Label Point Data NADEL & GUSSMAN O.H.DST

BIG EDDY UNIT 150

10691125

MAR. 10 -2004



Label Point / Comments	Date (dd-mm-yy)	Time (hh:mm:ss)	Gauge ET (hours)	BHP (psia)	Rate (MMFC/D)
Label Point Summary					
1) Hydrostatic Pressure	10-Mar-04	7:55:17	11.755	6183.31	0
2) Start Flow	10-Mar-04	8:09:26	11.991	780.24	2
3) End Flow & Start Shut-in	10-Mar-04	8:12:55	12.049	851.13	0
4) End Shut-in	10-Mar-04	9:14:08	13.069	3854.08	0
5) Start Flow	10-Mar-04	9:16:28	13.108	702.97	2
6) End Flow & Start Shut-in	10-Mar-04	10:15:45	14.096	2263.62	0
7) End Shut-in	10-Mar-04	13:16:16	17.104	3842.45	0
8) Hydrostatic Pressure	10-Mar-04	13:28:28	17.308	6175.32	0

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # s1sr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
Initial Flow					
10-Mar-04	8:09:27	11.99083	771.348	170.26	
10-Mar-04	8:09:32	11.99222	763.758	170.24	
10-Mar-04	8:09:37	11.99361	758.464	170.22	
10-Mar-04	8:09:42	11.99500	752.796	170.19	
10-Mar-04	8:09:47	11.99639	752.031	170.15	
10-Mar-04	8:09:52	11.99778	753.117	170.11	
10-Mar-04	8:09:57	11.99917	752.685	170.06	
10-Mar-04	8:10:02	12.00056	751.142	170.02	
10-Mar-04	8:10:07	12.00194	749.973	169.99	
10-Mar-04	8:10:12	12.00333	750.408	169.93	
10-Mar-04	8:10:17	12.00472	752.376	169.88	
10-Mar-04	8:10:22	12.00611	753.565	169.81	
10-Mar-04	8:10:32	12.00889	758.408	169.65	
10-Mar-04	8:10:37	12.01028	766.192	169.52	
10-Mar-04	8:10:42	12.01167	779.712	169.41	
10-Mar-04	8:10:47	12.01306	787.410	169.27	
10-Mar-04	8:10:52	12.01444	794.118	169.12	
10-Mar-04	8:10:57	12.01583	796.760	168.94	
10-Mar-04	8:11:02	12.01722	800.931	168.76	
10-Mar-04	8:11:07	12.01861	804.829	168.58	
10-Mar-04	8:11:12	12.02000	807.707	168.37	
10-Mar-04	8:11:17	12.02139	811.448	168.15	
10-Mar-04	8:11:22	12.02278	816.651	167.94	
10-Mar-04	8:11:27	12.02417	820.599	167.70	
10-Mar-04	8:11:32	12.02556	819.436	167.47	
10-Mar-04	8:11:37	12.02694	823.664	167.23	
10-Mar-04	8:11:42	12.02833	828.830	166.98	
10-Mar-04	8:11:47	12.02972	832.099	166.73	
10-Mar-04	8:11:52	12.03111	833.126	166.48	
10-Mar-04	8:11:57	12.03250	835.617	166.21	
10-Mar-04	8:12:02	12.03389	839.075	165.94	
10-Mar-04	8:12:07	12.03528	841.204	165.67	
10-Mar-04	8:12:12	12.03667	842.780	165.40	
10-Mar-04	8:12:17	12.03806	841.785	165.13	
10-Mar-04	8:12:22	12.03944	842.401	164.84	
10-Mar-04	8:12:27	12.04083	845.371	164.57	
10-Mar-04	8:12:32	12.04222	847.503	164.28	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	8:12:42	12.04500	848.722	163.72	
10-Mar-04	8:12:47	12.04639	849.957	163.45	
10-Mar-04	8:12:52	12.04778	851.195	163.17	
Initial Shut-in					
10-Mar-04	8:12:57	12.04917	852.079	162.88	
10-Mar-04	8:13:32	12.05889	3529.255	161.29	
10-Mar-04	8:14:07	12.06861	3768.482	159.62	
10-Mar-04	8:14:42	12.07833	3796.115	158.38	
10-Mar-04	8:15:17	12.08806	3809.552	157.24	
10-Mar-04	8:15:52	12.09778	3817.647	156.18	
10-Mar-04	8:16:32	12.10889	3823.634	155.08	
10-Mar-04	8:17:17	12.12139	3828.160	153.93	
10-Mar-04	8:17:52	12.13111	3830.929	153.12	
10-Mar-04	8:18:17	12.13806	3832.629	152.58	
10-Mar-04	8:19:02	12.15056	3835.061	151.70	
10-Mar-04	8:19:47	12.16306	3836.875	150.91	
10-Mar-04	8:20:32	12.17556	3838.324	150.21	
10-Mar-04	8:21:07	12.18528	3839.456	149.74	
10-Mar-04	8:21:17	12.18806	3839.659	149.61	
10-Mar-04	8:22:02	12.20056	3840.715	149.09	
10-Mar-04	8:22:47	12.21306	3841.643	148.62	
10-Mar-04	8:23:37	12.22694	3842.575	148.17	
10-Mar-04	8:24:27	12.24083	3843.352	147.81	
10-Mar-04	8:25:22	12.25611	3844.195	147.47	
10-Mar-04	8:26:47	12.27972	3845.110	147.04	
10-Mar-04	8:27:22	12.28944	3845.568	146.91	
10-Mar-04	8:28:07	12.30194	3845.931	146.77	
10-Mar-04	8:29:07	12.31861	3846.499	146.61	
10-Mar-04	8:30:32	12.34222	3847.062	146.44	
10-Mar-04	8:32:02	12.36722	3847.789	146.35	
10-Mar-04	8:34:07	12.40194	3848.374	146.32	
10-Mar-04	8:35:42	12.42833	3848.913	146.34	
10-Mar-04	8:38:22	12.47278	3849.512	146.46	
10-Mar-04	8:39:47	12.49639	3849.903	146.57	
10-Mar-04	8:41:42	12.52833	3850.169	146.71	
10-Mar-04	8:44:37	12.57694	3850.682	147.00	
10-Mar-04	8:46:17	12.60472	3851.017	147.20	
10-Mar-04	8:48:07	12.63528	3851.230	147.40	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	8:49:37	12.66028	3851.450	147.60	
10-Mar-04	8:52:12	12.70333	3851.654	147.92	
10-Mar-04	8:56:12	12.77000	3852.089	148.50	
10-Mar-04	8:56:47	12.77972	3852.168	148.60	
10-Mar-04	8:59:22	12.82278	3852.362	149.02	
10-Mar-04	9:02:17	12.87139	3852.538	149.52	
10-Mar-04	9:05:02	12.91722	3852.705	150.01	
10-Mar-04	9:05:47	12.92972	3852.764	150.15	
10-Mar-04	9:07:27	12.95750	3852.863	150.46	
10-Mar-04	9:07:52	12.96444	3852.894	150.53	
10-Mar-04	9:14:02	13.06722	3853.226	151.74	
Second Flow					
10-Mar-04	9:16:27	13.10750	702.589	151.86	
10-Mar-04	9:17:07	13.11861	725.680	151.68	
10-Mar-04	9:17:57	13.13250	760.400	151.43	
10-Mar-04	9:18:42	13.14500	787.155	151.07	
10-Mar-04	9:19:22	13.15611	813.777	150.60	
10-Mar-04	9:20:02	13.16722	837.165	150.01	
10-Mar-04	9:20:42	13.17833	875.463	149.29	
10-Mar-04	9:21:22	13.18944	901.840	148.51	
10-Mar-04	9:22:02	13.20056	934.753	147.74	
10-Mar-04	9:22:42	13.21167	972.401	146.97	
10-Mar-04	9:23:22	13.22278	1008.149	146.25	
10-Mar-04	9:24:02	13.23389	1041.469	145.60	
10-Mar-04	9:24:42	13.24500	1076.088	145.06	
10-Mar-04	9:25:22	13.25611	1112.773	144.59	
10-Mar-04	9:26:02	13.26722	1146.035	144.19	
10-Mar-04	9:26:42	13.27833	1184.206	143.91	
10-Mar-04	9:27:22	13.28944	1221.613	143.73	
10-Mar-04	9:28:02	13.30056	1260.578	143.62	
10-Mar-04	9:28:42	13.31167	1299.519	143.64	
10-Mar-04	9:29:22	13.32278	1339.913	143.71	
10-Mar-04	9:30:02	13.33389	1378.660	143.85	
10-Mar-04	9:30:47	13.34639	1422.818	144.05	
10-Mar-04	9:31:27	13.35750	1461.012	144.25	
10-Mar-04	9:32:07	13.36861	1498.730	144.52	
10-Mar-04	9:32:47	13.37972	1536.008	144.81	
10-Mar-04	9:33:27	13.39083	1564.278	145.15	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	9:34:07	13.40194	1592.709	145.49	
10-Mar-04	9:34:47	13.41306	1623.417	145.87	
10-Mar-04	9:35:32	13.42556	1659.014	146.32	
10-Mar-04	9:36:17	13.43806	1693.967	146.79	
10-Mar-04	9:37:02	13.45056	1727.042	147.29	
10-Mar-04	9:37:42	13.46167	1755.997	147.74	
10-Mar-04	9:38:22	13.47278	1783.542	148.19	
10-Mar-04	9:39:02	13.48389	1808.598	148.68	
10-Mar-04	9:39:42	13.49500	1831.628	149.16	
10-Mar-04	9:40:27	13.50750	1857.555	149.70	
10-Mar-04	9:41:07	13.51861	1881.593	150.17	
10-Mar-04	9:41:57	13.53250	1911.017	150.78	
10-Mar-04	9:42:37	13.54361	1935.161	151.25	
10-Mar-04	9:43:17	13.55472	1958.906	151.72	
10-Mar-04	9:43:57	13.56583	1983.346	152.19	
10-Mar-04	9:44:37	13.57694	2003.580	152.65	
10-Mar-04	9:45:17	13.58806	2020.945	153.10	
10-Mar-04	9:45:57	13.59917	2039.666	153.55	
10-Mar-04	9:46:37	13.61028	2058.088	154.00	
10-Mar-04	9:47:17	13.62139	2075.316	154.44	
10-Mar-04	9:47:57	13.63250	2092.860	154.87	
10-Mar-04	9:48:37	13.64361	2110.466	155.28	
10-Mar-04	9:49:22	13.65611	2128.861	155.73	
10-Mar-04	9:50:07	13.66861	2144.691	156.18	
10-Mar-04	9:50:47	13.67972	2156.641	156.56	
10-Mar-04	9:51:27	13.69083	2167.569	156.96	
10-Mar-04	9:52:12	13.70333	2178.702	157.37	
10-Mar-04	9:52:52	13.71444	2186.769	157.73	
10-Mar-04	9:53:32	13.72556	2195.255	158.07	
10-Mar-04	9:54:12	13.73667	2202.433	158.41	
10-Mar-04	9:54:52	13.74778	2207.297	158.76	
10-Mar-04	9:55:37	13.76028	2212.921	159.12	
10-Mar-04	9:56:17	13.77139	2216.840	159.42	
10-Mar-04	9:56:57	13.78250	2220.641	159.73	
10-Mar-04	9:57:37	13.79361	2223.006	160.00	
10-Mar-04	9:58:17	13.80472	2225.992	160.29	
10-Mar-04	9:59:02	13.81722	2228.399	160.57	
10-Mar-04	9:59:42	13.82833	2231.020	160.83	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	10:00:32	13.84222	2234.781	161.13	
10-Mar-04	10:01:12	13.85333	2236.792	161.33	
10-Mar-04	10:01:52	13.86444	2239.850	161.55	
10-Mar-04	10:02:32	13.87556	2240.888	161.74	
10-Mar-04	10:03:17	13.88806	2243.301	161.96	
10-Mar-04	10:03:57	13.89917	2245.189	162.12	
10-Mar-04	10:04:37	13.91028	2246.199	162.30	
10-Mar-04	10:05:32	13.92556	2247.763	162.52	
10-Mar-04	10:06:12	13.93667	2248.845	162.66	
10-Mar-04	10:06:52	13.94778	2249.218	162.81	
10-Mar-04	10:07:37	13.96028	2250.080	162.95	
10-Mar-04	10:08:17	13.97139	2250.379	163.08	
10-Mar-04	10:08:57	13.98250	2251.030	163.20	
10-Mar-04	10:09:37	13.99361	2252.032	163.29	
10-Mar-04	10:10:17	14.00472	2253.594	163.40	
10-Mar-04	10:10:57	14.01583	2254.621	163.49	
10-Mar-04	10:11:37	14.02694	2255.050	163.60	
10-Mar-04	10:12:17	14.03806	2256.416	163.67	
10-Mar-04	10:12:57	14.04917	2258.270	163.76	
10-Mar-04	10:13:47	14.06306	2259.895	163.85	
10-Mar-04	10:14:27	14.07417	2261.138	163.92	
10-Mar-04	10:15:12	14.08667	2264.468	163.99	
Second Shut-in					
10-Mar-04	10:15:47	14.09639	2265.038	164.05	
10-Mar-04	10:17:32	14.12556	3751.953	164.53	
10-Mar-04	10:19:07	14.15194	3773.445	165.04	
10-Mar-04	10:20:42	14.17833	3784.243	165.52	
10-Mar-04	10:22:37	14.21028	3792.645	165.99	
10-Mar-04	10:24:02	14.23389	3797.170	166.26	
10-Mar-04	10:25:52	14.26444	3801.943	166.53	
10-Mar-04	10:28:22	14.30611	3806.919	166.80	
10-Mar-04	10:29:17	14.32139	3808.403	166.89	
10-Mar-04	10:31:42	14.36167	3811.921	167.04	
10-Mar-04	10:32:17	14.37139	3812.701	167.05	
10-Mar-04	10:35:52	14.43111	3816.642	167.18	
10-Mar-04	10:38:27	14.47417	3818.959	167.23	
10-Mar-04	10:41:22	14.52278	3821.162	167.27	
10-Mar-04	10:43:47	14.56306	3822.702	167.29	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	10:46:42	14.61167	3824.412	167.29	
10-Mar-04	10:48:32	14.64222	3825.251	167.31	
10-Mar-04	10:52:22	14.70611	3826.993	167.31	
10-Mar-04	10:54:22	14.73944	3827.760	167.32	
10-Mar-04	10:56:37	14.77694	3828.487	167.32	
10-Mar-04	10:59:07	14.81861	3829.265	167.34	
10-Mar-04	11:01:27	14.85750	3830.002	167.36	
10-Mar-04	11:04:17	14.90472	3830.785	167.40	
10-Mar-04	11:06:37	14.94361	3831.356	167.41	
10-Mar-04	11:08:42	14.97833	3831.854	167.43	
10-Mar-04	11:10:22	15.00611	3832.177	167.45	
10-Mar-04	11:13:57	15.06583	3832.897	167.50	
10-Mar-04	11:19:12	15.15333	3833.771	167.58	
10-Mar-04	11:22:07	15.20194	3834.249	167.61	
10-Mar-04	11:25:37	15.26028	3834.744	167.67	
10-Mar-04	11:28:52	15.31444	3835.184	167.72	
10-Mar-04	11:31:02	15.35056	3835.473	167.76	
10-Mar-04	11:32:47	15.37972	3835.735	167.79	
10-Mar-04	11:34:52	15.41444	3835.971	167.81	
10-Mar-04	11:37:07	15.45194	3836.272	167.83	
10-Mar-04	11:39:37	15.49361	3836.532	167.86	
10-Mar-04	11:40:07	15.50194	3836.590	167.88	
10-Mar-04	11:41:57	15.53250	3836.833	167.92	
10-Mar-04	11:43:52	15.56444	3836.968	167.95	
10-Mar-04	11:46:02	15.60056	3837.149	168.01	
10-Mar-04	11:50:37	15.67694	3837.514	168.15	
10-Mar-04	11:52:17	15.70472	3837.674	168.21	
10-Mar-04	11:54:27	15.74083	3837.877	168.26	
10-Mar-04	11:57:42	15.79500	3838.192	168.35	
10-Mar-04	11:58:12	15.80333	3838.236	168.37	
10-Mar-04	12:00:07	15.83528	3838.401	168.40	
10-Mar-04	12:05:07	15.91861	3838.774	168.49	
10-Mar-04	12:08:02	15.96722	3839.002	168.53	
10-Mar-04	12:11:47	16.02972	3839.267	168.60	
10-Mar-04	12:15:02	16.08389	3839.517	168.66	
10-Mar-04	12:19:17	16.15472	3839.784	168.73	
10-Mar-04	12:23:07	16.21861	3840.070	168.80	
10-Mar-04	12:27:02	16.28389	3840.298	168.87	

Schlumberger

Gauge Data
NADEL & GUSSMAN
O.H.DST

BIG EDDY UNIT 150**Gauge Serial # slsr1214****10691125****MAR. 10 -2004**

Date (dd-mmm-yy)	Time (hh:mm:ss)	Elapsed Time (hrs)	BHP (psia)	BHT (Deg F)	Comments
10-Mar-04	12:28:17	16.30472	3840.376	168.89	
10-Mar-04	12:31:02	16.35056	3840.506	168.94	
10-Mar-04	12:33:17	16.38806	3840.613	169.00	
10-Mar-04	12:35:57	16.43250	3840.753	169.07	
10-Mar-04	12:38:27	16.47417	3840.896	169.14	
10-Mar-04	12:41:32	16.52556	3841.044	169.21	
10-Mar-04	12:43:27	16.55750	3841.136	169.27	
10-Mar-04	12:45:52	16.59778	3841.252	169.32	
10-Mar-04	12:48:12	16.63667	3841.376	169.39	
10-Mar-04	12:50:27	16.67417	3841.473	169.43	
10-Mar-04	12:52:57	16.71583	3841.589	169.50	
10-Mar-04	12:55:57	16.76583	3841.710	169.57	
10-Mar-04	12:58:02	16.80056	3841.802	169.61	
10-Mar-04	12:59:12	16.82000	3841.856	169.65	
10-Mar-04	13:06:32	16.94222	3842.100	169.79	

Schlumberger**NADEL & GUSSMAN
O.H.DST****BIG EDDY UNIT 150****Gauge Serial # slsr1214****10691125****MAR. 10 -2004****Distribution List**

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT, AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATIONS, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO CLAUSE 4 OF OUR GENERAL TERMS AND CONDITIONS AS SET OUT IN OUR CURRENT PRICE SCHEDULE.