

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE\*

(See other In-  
structions on  
reverse side)

Form approved.  
Budget Bureau No. 1004-0137  
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other \_\_\_\_\_  
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR. ☐ Other \_\_\_\_\_

2. NAME OF OPERATOR

BURNETT OIL CO., INC. 817/332-5108

3. ADDRESS OF OPERATOR

BURNETT PLAZA SUITE 1500

RECEIVED

801 CHERRY STREET UNIT #9 FORT WORTH, TX 76102-6881

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface UNIT E, 1650' FNL, 330' FWL

At top prod. interval reported below

SAME AS SURFACE

At total depth

SAME AS SURFACE

14. PERMIT NO.

3160-3

DATE ISSUED

7/16/2004

15. DATE SPUDDED

8/31/2004

16. DATE T.D. REACHED

9/16/2004

17. DATE COMPL. (Ready to prod.)

10/2/2004

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\*

3703' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5361'

21. PLUG. BACK T.D., MD & TVD

5314'

22. IF MULTIPLE COMPL., HOW MANY\*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

4575'- 4807' CEDAR LAKE YESO/LOCO HILLS PADDOCK

25. WAS DIRECTIONAL SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL/MICRO-GUARD, SD,DSN,SPECTRAL GR,LSS

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	32.30#	412'	14-3/4"	450 sks C W/2% CaCL.	
7"	23#	5360'	8-3/4"	2025 sks. CL "C" & Poz mix & 250 sks C in Two Stages	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	4874'	

31. PERFORATION RECORD (Interval, size and number)

4575'- 4807' Total 24 holes @ 2 SPF.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4575'- 4807'	ACIDIZE W/2000 GALS 15% FE
4575'- 4807'	38,579 Gals 20% Hot FE w/57,336 Gals
	WFG "R" gel w/5000# 100 mesh sand
4575'- 4807'	4,926 Gals 15% FE Acid

33.\* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
10/2/2004		Pumping 25 x 20 x 20 RWTC				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
10/11/2004	24		→	102	98	540	
FLOW. TUBING PRESS.	CASINO PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→					

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD TO FRONTIER, INC. THROUGH GISSLER B 3-3 BATTERY.

TEST WITNESSED BY

BELTON MATHEWS

35. LIST OF ATTACHMENTS

DLL/MICRO-GUARD,SD,DSN,SPECTRAL GR,LSS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

*Stirling Randolph*

TITLE

PETROLEUM ENGINEER

DATE

10/18/2004

\*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
ALLUVIUM	SURFACE	
ANHYDRITE	232'	
SALT	443'	
BASE SALT	1123'	
SEVEN RIVERS	1577'	
QUEEN	212'	
GRAYBURG	2592'	
SAN ANDRES	2907'	
YESO	4502'	

WELL NAME AND NUMBER Gissler "B" No. 34

LOCATION 1650' FNL & 330' FWL, Section 14, T17S, R30E, Eddy Co. NM

OPERATOR Burnett Oil Company, Inc.

DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

Degrees @ Depth

3/4° 400'

1/4° 528'

1/4° 1023'

3/4° 1511'

3/4° 2018'

1/4° 2518'

1/2° 3003'

3/4° 3513'

Degrees @ Depth

3/4° 4011'

3/4° 4512'

3/4° 5015'

Degrees @ Depth

RECEIVED

OCT 22 2004

OCDEARTESIA

Drilling Contractor United Drilling, Inc.

By: George A. Aho

Title: Business Manager

Subscribed and sworn to before me this 22<sup>nd</sup> day of September, 2004

Carlue Martin  
Notary Public

My Commission Expires:

100404

Chaves New Mexico  
County State