<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No

RECEIVED JAN 0 6 2005

Form C-144

March 12, 2004

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-grade	le tank 🛛
	T.1. 1. 505.740.0172	
)perator: Devon Energy Production Company, L. P.	1elephone: <u>303-748-0173</u> e-ma	ii address: vivian. Rodriguez@dvn.com
ADL# 20.015	: 20091 III Otr/Otr V - Coo - (T	100 D 27E
acility or well name: Patton 6 Federal #5 API #: 30-015 County: Eddy Latitude Longitude		
Landuc Longitude	INAD: 1927 1965 Surface Ov	viiei rederai 🔀 State 🔲 Private 🔲 Indian 📋
'it	Below-grade tank	
ype: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ⊠ Emergency □	Construction material:	
ined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
iner type: Synthetic M Thickness 12 mil Clay Volume		
bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
vater elevation of ground water.)	100 feet or more	(0 points)
Vellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
vater source, or less than 1000 feet from all other water sources.)	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, rigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
		, ,
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	e disposal location:
onsite ☑ offsite ☐ If offsite, name of facility		•
date. (4) Groundwater encountered: No 🛛 Yes 🗌 If yes, show depth belo		-
diagram of sample locations and excavations.		(0) 11.000
hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , a Date: /-5-05	general permit , or an (attached) alternative OC	D-approved plan 🔲.
rinted Name/TitleVivian Rodriguez/Field Technician	Signature (Lynn) Son	riani s
'our certification and NMOCD approval of this application/closure does not therwise endanger public health or the environment. Nor does it relieve the egulations.	relieve the operator of liability should the contents of the	he pit or tank contaminate ground water or
rinted Name/Title	Signature	

PATTON 6 FED 5 APT # 30.015-39181 Flect Pared Pared

Well Bory

Pit Ducinolo Pit ARCA

V

Z



2401 Pecos Ave. / P.O. Box 250 Artesia, New Mexico 88211-0250 Telephone: 505/748-3371 FAX: 505/746-9072

JAN 0 6 2005

January 5, 2005

Oil Conservation Division Attn: Van Barton 1301 W. Grand Ave. Artesia, New Mexico 88210

Re: Patton 6 Federal # 5 - Pit Closure Form C-144

Dear Mr. Barton,

Devon Energy Production Company L.P. plans to close the workover pit on the Patton 6 Federal #5, Unit K Sec 6-T18S-R27E, API 30-015-29981. Devon plans to de water pit (no solids in pit), pull the liner, close and recontour the pit area as per New Mexico Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. We will notify the OCD 48 hours prior to beginning work.

Enclosed is a copy of the C-144 and a diagram of the location.

If you have any questions please call me at 505-748-0173.

Sincerely,

Vivian Rodriguez

Vivian Rodriguez

Field Tech