

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENTFORM APPROVED  
OMB NO. 1004-0137  
EXPIRES: NOVEMBER 30, 2000

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other  
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,  
☐ Other

2. Name of Operator

DEVON ENERGY PRODUCTION COMPANY, LP

3. Address

20 North Broadway, Ste 1500  
Oklahoma City, OK 73102-82603a. Phone No. (include area code)  
405-552-8198

4. Location of Well (Report location clearly and in accordance with Federal requirements)\*

At Surface

1650 FSL 330 FWL

At top prod. Interval reported below

At total Depth

RECEIVED

JAN 27 2005

OCCUPANCY

5. Lease Serial No.

NMLC067849

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

8. Lease Name and Well No.

Eagle 34L Federal 58

9. API Well No.

30-015-33353

10. Field and Pool, or Exploratory

Red Lake; San Andres

11. Sec. T., R., M., on Block and  
Survey or Area

34 17S 27E

12. County or Parish 13. State

Eddy

NM

17. Elevations (DR, RKB, RT, GL)\*

3544 GL

14. Date Spudded

6/6/2004

15. Date T.D. Reached

6/12/2004

16. Date Completed

10/8/2004

☐ D & A ☒ Ready to Prod.

18. Total Depth: MD

3,524

TVD

19. Plug Back T.D.: MD

3477

TVI

20. Depth Bridge Plug Set: MD

TVD

21. Type Electric &amp; Other Mechanical Logs Run (Submit copy of each)

22. Was well cored? ☒ No ☐ Yes (Submit analysis)Was DST run? ☒ No ☐ Yes (Submit report)Directional Survey? ☒ No ☐ Yes (Submit copy)

PEX-HRLA-HNGS

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cement Depth	No. of Sk. & Type Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4	8 5/8 J55	24	0	461		350 sx CI C, circ 26 bbls		0	
7 7/8	5 1/2 J55	15.5	0	3524		820 sx Poz, circ 23 sx		0	
			0						

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8	3356							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
San Andres	1854	2444	3159-3368		20	Below RBP
			1854-2444		40	Producing

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
3159-3368	Acidize w/ 2500 gals 15% HCl; Frac w/ 30,200# brn sn & 11,120# 16/30 sn
1854-2444	3000 gals 15% NEFE & Frac 201,050 gals Aqua Frac 1000, 108,500# 20/40 brn sn tail w/ 28,600 Excel 16/30.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
10/8/2004	11/1/2004	24	→	40	27	300			Pumping
Choke Size	Tbg. Press. Flwg SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→	40	27	300	675		Producing Oil Well

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						

(See instructions and spaces for additional data on reverse side)

## 28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

## 28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg SI	Csg. Press	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

(See instructions and spaces for additional data on reverse side)

Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof; Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				Seven Rivers	283
				Queen	819
				Grayburg	1227
				San Andres	1513
				Glorietta	2878
				Yeso	2944

Additional remarks (include plugging procedure):

10/1/04 Ran w/ RBP and set at 2791'. Spotted 2 sx sn on top of RBP @ 2791'. TOOH w/ tbg. Tested csg to 3000# - OK.  
 10/2/04 Perforated 1854-2444, 40 holes. RDWL. TIH w/ packer and set @ 1748'.  
 10/5/04 RU and acidized perms w/ 3000 gals 15% NEFE. TOOH w/ packer.  
 10/6/04 Frac w/ 201,050 gals Aqua Frac 1000, 108,500# 20/40 brn sn, tail w/ 28,600# SB Excel 16/30.  
 07/01/04 TIH w/ tbg.  
 07/02/04 TIH w/ pump and rods. Hang well on.

Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd)
2. Geologic Report
3. DST Report
4. Directional Survey
5. Sundry Notice for plugging and cement verification
6. Core Analysis
7. Other

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)\*

Name (Please print)

Novella Adams

Title

Sr. Staff Engineering Technician

Signature

Date

1/26/2005

18 U.S.C Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.