District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenuc, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12,

Form C


For drilling and production facilities, submappropriate NMOCD District Office.
For downstream facilities, submit to Santa F office

Pit or	Below-	Grade	Tank	Registr	ation	or	Closure	2
								~

Type of action: Registration of a pit or be	overed by a "general plan"? Yes No lessenged by a "general plan"? Yes No lessenged by the low-grade of a pit or below-grade	e tank 🔲			
Operator: Pogo Producing Company 432-68 Address: P. O. Box 10340, Midland, TX 79702 Facility or well name: Sterling Silver 33 #17P1#30-015- County: Eddy Latitude 32:15:16.02N ngitude 103	5-8100 e-mail address: wrightc@po	goproducing.com			
Pit Type: Drilling XX Production Disposal Workover Emergency Lined XX Unlined	Below-grade tank Volume:bbl Type of fluid: Construction material: Double would with leak detection? Yes If n				
Liner type: Synthetic M Thickness 12 mil Clay Volume 16000 bbl	Double-walled, with leak detection? Yes If not, explain with leak 1 5 2004				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more X	(20 points) (10 points) (0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No X	(20 points) (0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more X	(20 points) (10 points) (0 points)			
	Ranking Score (Total Points)	0			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite offsite If offsite, name of facility end date. (4) Groundwater encountered: No Yes If yes, show depth and a diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines (1) attached to the best of the constructed or closed according to NMOCD guidelines (1) attached to the best of the constructed or closed according to NMOCD guidelines (1) attached to the best of the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed or closed according to NMOCD guidelines (1) attached to the constructed to the constructed or closed according to NMOCD guidelines (1) attached to the constructed to the constructed or closed according to NMOCD guidelines (1) attached to the constructed to the	. (3) Attach a general description of remedial a below ground surfaceft. and attach ft. a general permit, or an (attached) alternative	action taken including remediation start date and sample results. (5) Attach soil sample results. the above-described pit or below-grade tane OCD-approved plan.			
Printed Name/Title Cathy Wright, Sr Eng Tech Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations. Approval DEC 16 2004 Date:	t relieve the operator of liability should the content	s of the pit or tank contaminate ground water			



Water Resources



Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site_no list = • 321952103400801


Save file of selected sites to local disk for future upload

USGS 321952103400801 23S.32E.03.311114

Available data for this site

Ground-water: Levels







Water Resources

Data Category:
Site Information

Geographic Area: New Mexico

gq


Site Map for New Mexico USGS 321952103400801 23S.32E.03.311114

Available data for this site

site map

M





Questions about data <u>New Mexico NWISWeb Data Inquiries</u>
Feedback on this website<u>New Mexico NWISWeb Maintainer</u>
NWIS Site Inventory for New Mexico: Site Map
http://waterdata.usgs.gov/nm/nwis/nwismap?

Explanation of terms

Great Circle Calculator.

By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.

Input Data


Lat1 Lon1

32:19:52 N 103:40:08 W

Lat2 Lon2

32:15:16.02 N 103:46:35.94 W

Output



Distance Units: nm Earth model: Spherical (1'=1nm)

Compute Reset

Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Input data

