## State of New Mexico Energy, Minerals & Natural Resources RECEIVED

Form C-101 May 27, 2004

1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV

Oil Conservation Division 1220 S. St. Francis Dr.

Santa Fe, NM 87505

JUL 2 5 2005 Submit to appropriate District Office

MOD AHTEDIA

AMENDED REPORT

1220 S. St. Francis Dr., Santa Fe, NM 87505 APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE <sup>2</sup> OGRID Number <sup>1</sup>Operator Name and Address 019958 Stephens & Johnson Operating Co. P.O. Box 2249, Wichita Falls, TX 76307-2249 30-015 Well No. <sup>5</sup>Property Name <sup>4</sup>Property Code 18 East Millman Pool Unit Tract 4 009799 10 Proposed Pool 2 9 Proposed Pool 1 Millman Yates-SR-QN-GB-SA, East 46555 <sup>7</sup>Surface Location Lot. Idn North/South Line East/West line Feet from the Feet from the County Section Township UL or lot no. Range 330 West Eddy D 13 198 28E 173 North Proposed Bottom Hole Location If Different From Surface Lot. Idn Feet from the North/South Line Feet from the East/West line County Section Township Range UL or lot no Additional Well Location 14 Lease Type Code 13 Cable/Rotary 15 Ground Level Elevation 12 Well Type Code 11 Work Type Code 3399 Ν 19 Contractor 20 Spud Date 17 Proposed Depth 18 Formation 16 Multiple San Andres August 15, 2005 United Drilling No 2700 Distance from nearest fresh water well Distance from nearest surface water Depth to ground water 150' 1850 2.500 7000 bbls Clay [ Liner: Synthetic X mils thick Pit Volume . Drilling Method: Pit: Brine X Gas/Air 🔲 Fresh Water Diesel/Oil-based Closed-Loop System <sup>21</sup>Proposed Casing and Cement Program Sacks of Cement Estimated TOC Casing weight/foot Setting Depth Hole Size Casing Size 12 1/4" 8 5/8" 24 1b/ft 300 200 Surface 5 1/2" 15.50 lb/ft 2700' 800 Surface 7 7/8" <sup>22</sup> Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. See Attachment <sup>23</sup> I hereby certify that the information given above is true and complete to the best of OIL CONSERVATION DIVISION my knowledge and belief. I further certify that the drilling pit will be a general permit , or constructed according to NMOCD guidelines X Approved by: an (attached) alternative OCD-approved plan Signature: Title: Printed name: William M. Kincaid Petroleum Engineer Approval Date: **Expiration Date:** Title: E-mail Address: mkincaid@sjoc.net IUL 262006 Conditions of Approval: Date: Phone: 7-19-05 (940) 723-2166 Attached

## Page 2 (C-101 Attachment)

Drill 12 1/4" hole to 300'. Set 8 5/8" 24# csg w/approx. 200 sacks of cmt. WOC 18 hrs.
 Drill 7 7/8" hole to 2700'. Set 5 1/2", 15.50# csg w/approx. 800 sacks of cement.
 Complete well in Grayburg formation.
 BOP: An annular type BOP will be used with a 3,000 psig working pressure and a 6,000 psig test pressure.
 Note: This Application for Permit to Drill does not meet the requirement for an H2S Contingency Plan to be submitted.

District I PO Box 1980, Hobbs, NM 28241-1980 District II

PO Drawer DD, Artesia, NM 88211-0719

District III 1080 Rio Brazos Rd., Aztec, NM 87410

District IV

State of New Mexico
Energy, Minerals & Natural Resources Department


OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088

Form C-102 Revised February 10, 1994 instructions on back

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

District IV PO Box 2003, Santa Fe, NM \$7504-2003  AMENDED REPORT											
		WE	LL LO			ACR	EAGE DEDI				
		* Pool Code 46555			' Pool Name Millman Yates-SR-QN-GB-SA, East						
* Property Cade							operty Name			* Well Number	
009799	Į.	EAST MILLMAN UNIT				T Tra	Tract 4			18	
' OGRID No.		·				•	perstor Name			* Exercises 3399	
019958	}	Stephens & Johnson Operating Co.  Surface Location							<u> </u>		
UL or lot po.	Section	Township	Range	Lot le			North/South Ese	Feet from the	East/West line	County	
D	13	19 S	28 E		173		North	330	West	Eddy	
11 Bottom Hole Location If Different From Surface											
UL or lot po.	Section	Township	Range	Lot ic	in Feet fr	om the	North/South line	Feet from the	East/West line	County	
12 Dedicated Acr	en o Joint	or Infili	Connolidatio	on Code	15 Order No.		1		<u> </u>		
40											
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED											
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION  17 OPERATOR CERTIFICATION											
330 <sub>1</sub>						-		OPE		ERITICATION	
73.								14		of my knowledge and belief	
<b> </b>											
	·=•								2: W.A		
								Signature W111	Signstare William M. Kincaid		
								Prizted No.	Printed Name		
						İ		Petr Title	oleum Eng	ineer	
								7-19	-2005		
			·						· · · · · · · · · · · · · · · · · · ·		
								16	18 SURVEYOR CERTIFICATION  I hereby certify that the well location shown on this plat		
								was platted	from field nases of	actual surveys made by	
								18	ny supervision, a so the best of my b	and that the some is true belief.	
									16. 200		
				-				Date of Sur Signature an		R. Patton	
						j		9.	R. PA	$\rightarrow$	
								A E	The same of the sa		
									(8112)°)	7.23	
								Gernand	Number C	8112	
								70	MESSIONAL CHIS	/	



## BOP DIAGRAM 3000# WORKING PRESSURE RAMS OPERATED DAILY

## EAST MILLMAN POOL UNIT NO. 4-18 EDDY COUNTY, NEW MEXICO