



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

Field Inspection Program

"Preserving the Integrity of the Environment"

14-Mar-06

DEVON ENERGY PRODUCTION COMPANY, LP

PO Box 250

Artesia NM 88210

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

ATOKA SAN ANDRES UNIT No.106			H-11-18S-26E	30-015-00178-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326162
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.123			P-11-18S-26E	30-015-00179-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326384
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.138			E-13-18S-26E	30-015-00185-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326721
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.131

B-14-18S-26E 30-015-00194-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326844
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.144

I-14-18S-26E 30-015-00196-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607327021
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.148

N-14-18S-26E 30-015-00206-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607327079
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.128

B-13-18S-26E 30-015-00293-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326677
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.125

N-12-18S-26E 30-015-00297-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326613
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.100

D-12-18S-26E 30-015-00298-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326439
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.121

N-11-18S-26E 30-015-00307-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326337
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.017

M-5-18S-27E 30-015-00788-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607251835
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

PATON FEDERAL No.002

N-6-18S-27E 30-015-00800-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253428
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.013

A-7-18S-27E

30-015-00804-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252156
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.007

B-7-18S-27E

30-015-00805-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252202
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.008

G-7-18S-27E

30-015-00806-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252256
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.025

A-8-18S-27E

30-015-00819-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252358
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.026

I-8-18S-27E

30-015-00821-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253235
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.019

E-8-18S-27E

30-015-00826-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252560
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.018

D-8-18S-27E

30-015-00828-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252505
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.109

J-12-18S-26E

30-015-10146-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326514
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.015

H-7-18S-27E

30-015-10174-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252307
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

ATOKA SAN ANDRES UNIT No.141

J-13-18S-26E

30-015-10550-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/14/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/17/2006	iGEG0607326768
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.050

C-8-18S-27E

30-015-26428-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252458
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.035

D-9-18S-27E

30-015-27473-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253385
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.036

H-8-18S-27E

30-015-27474-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253190
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.047

G-8-18S-27E

30-015-28471-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253050
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.057

P-6-18S-27E

30-015-28539-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252097
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.043

C-4-18S-27E

30-015-28564-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607251679
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.061

C-9-18S-27E

30-015-28709-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253294
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.063

H-8-18S-27E

30-015-28733-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253104
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.062

D-9-18S-27E

30-015-28734-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607253341
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.060

N-5-18S-27E

30-015-28781-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252047
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.071

B-8-18S-27E

30-015-28940-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252412
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

WEST RED LAKE UNIT No.072

F-8-18S-27E

30-015-28941-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252892
Comments on Inspection: No Action Taken To bring Well into Compliance. TA expired 1-20-2006						

WEST RED LAKE UNIT No.074

G-8-18S-27E

30-015-28943-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
03/13/2006	Pre-Operation (MIT Schedul	Gerry Guye	Yes	No	6/16/2006	iGEG0607252981
Comments on Inspection: No Company Representative to witness Test. Contact NMOCD-Artesia to reschedule.						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.
*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.