

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

RECEIVED

MAR 10 2005

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank X

OCD-ARTESIA

Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail address: mikes@ypc.com
Address: 105 South 4th Street, Artesia, N.M. 88210
Facility or well name: Starkissed AWS St #2 API #: 30-005-63539 U/L or Qtr/Qtr E Sec 3 T 10S R 27E
County: Chaves Latitude 33.47644 Longitude 104.18656 NAD: 1927 ☐ 1983 X
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐

Pit

Type: Drilling X Production ☐ Disposal ☐
Work over ☐ Emergency ☐
Lined X Unlined ☐
Liner type: Synthetic ☐ Thickness 12 mil Clay ☐
Pit Volume 12,000 bbl

Below-grade tank

Volume: _____ bbl Type of fluid: _____
Construction material: _____
Double-walled, with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) XXXX
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) XXXX

Ranking Score (Total Points)

0 POINTS

- If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite X offsite If offsite, name of facility NA. (3) Attach a general description of remedial action taken including remediation start date and end date
(4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Closure work plan for encapsulation trench. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the p contents with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call & 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.

Pit Closure actions to begin by NA. Ending date NA

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit X, or an (attached) alternative OCD-approved plan ☐.

Date: 03/07/2005


Printed Name/Title Don Dolan, Reg. Mgr. Signature _____

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.


Approval: _____

Printed Name/Title Field Rep ID Signature _____

Date: **MAR 9 2005**



Maped, edited, and published by the Geological Survey
Control by USGS and USCGS
Culture and drainage in part control: from
aerial photographs taken December 1946
Topography by available surveys, 1944
Polyconic projection, 1927 North American datum
10,000 foot grid based on New Mexico coordinate system
contour
Unpublished elevations are shown in brown
1000 metre Universal Transverse Mercator grid lines
zone 13, shown in blue
Vertical datum: mean sea level
Horizontal datum: North American of 1927



ROAD CLASSIFICATION
ROAD SURFACE ALL WEATHER ROADS DIRT WEATHER ROADS
Heavy duty ————— Improved dirt —————
Medium duty ————— Unimproved dirt —————
Loose surface, graded, or narrow hard surface —————
U. S. Route State Route

THIS MAP COMPLES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22082
A FOLDER SHOWING TOPOGRAPHIC MAPS AND STEREO'S IS AVAILABLE ON REQUEST

L-E RANCH, N. MEX.
N 3225-W 104075/76
1949
7510000-5000-1000
AMS 3150-1 HW-SERIES V001

30-025-63539 STAR KISSed AWS SY. #2
New Mexico Office of the State Engineer
Well Reports and Downloads

Township: 10S Range: 27E Sections:

NAD27 X: Y: Zone: Search Radius:

County: Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic
☒ All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 03/08/2005

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg

No Records found, try again