# Rec'd 05/11/2020 - NMOCD

**UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

5. Lease Serial No. NMNM0545035

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals.
• • • • • • • • • • • • • • • • • • • •

abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well	Well Name and No.     PURE GOLD MDP1 29-17 FED COM 4H							
☑ Oil Well ☐ Gas Well ☐ Oth								
2. Name of Operator Contact: LESLIE REEVES OXY USA INCORPORATED E-Mail: LESLIE_REEVES@OXY.COM					9. API Well No. 30-015-45648-00-S1			
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	(include area code) 7-2492		10. Field and Pool or Exploratory Area INGLE WELLS					
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State			
Sec 29 T23S R31E SESW 43 32.269359 N Lat, 103.799929		EDDY COUNTY, NM						
12. CHECK THE AF	PPROPRIATE BOX(ES) T	TO INDICA	ΓΕ NATURE O	F NOTICE,	REPORT, OR OTH	IER DA	ATA	
TYPE OF SUBMISSION	TYPE OF ACTION							
☐ Notice of Intent	☐ Acidize	□ Dee	pen	☐ Production (Start/Resume)		☐ Water Shut-Off		
_	☐ Alter Casing	☐ Alter Casing ☐ Hydraulic Fracturing ☐ Reclamation		tion	■ Well Integrity			
Subsequent Report	□ Casing Repair	□ New	Construction	☐ Recomp	lete		Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	□ Tempora	rily Abandon	Drilli	Drilling Operations	
	☐ Convert to Injection ☐ Plug Back ☐ W		☐ Water D	r Disposal				
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final Attach the steen completed. Final Attach the steen is ready for final Attach the site is ready for final Attach th	ck will be performed or provide to operations. If the operation restoration must be filed in the provided operation of the provided operation of the provided operation.  EVIOUSLY SUBMITTED Substitution of the provided operation oper	he Bond No. or ults in a multiple d only after all sUNDRY ES est. Test 9-5 perform FIT HCL-80 FJ/S // additives 1 a C with addi itives 12.8pp RD & rig rele	# 467139. THIS  /8" csg to 1500p to EMW=14.0pp F csg at 9015', p 3.2ppg 1.6 yield, ives 12.9ppg 1.9 g 1.75 yield. Ful ease.	Required sub mpletion in a n ing reclamation IS TO CORF si for 30 og 600psi, go nump 40bbl no returns s 21 yield. Ech I returns	sequent reports must be ew interval, a Form 316, have been completed a RECT THE DATE T	filed wit 0-4 must and the op	thin 30 days be filed once	
	Electronic Submission #5 For OXY USA nmitted to AFMSS for proces	INCORPORA	TED, sent to the SCILLA PEREZ or	Carlsbad n 05/07/2020 (	20PP2738SE)			
Name(Printed/Typed) LESLIE R	EEVES		Title REGUL	ATORY AD\	IOUK			
Signature (Electronic S	Submission)		Date 05/07/20	020				
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE US	SE			
Approved By ACCEPTED			JONATHO <sub>Title</sub> PETROLE	NATHON SHEPARD FROLEUM ENGINEER Date 05/08/202			Date 05/08/2020	
Conditions of approval, if any, are attache certify that the applicant holds legal or equivalent to conduct the applicant the applicant to conduct the applicant the applicant to conduct the applicant to conduct the applicant the ap	Office Carlshad	1						

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

# Additional data for EC transaction #514474 that would not fit on the form

# 32. Additional remarks, continued

minutes, good test. RIH and drill new formation to 9040', perform FIT to EMW=14.5ppg 2200psi, good test. Drill 6-3/4" hole to 9861'V/22990'M, TD reached 5/19/19. RIH and set 5-1/2" 20# P-110 DQX/SF csg at 22990', pump 130bbl MPE spacer then cmt with 1065sxs (257bbl) class H w/ additives 13.2ppg 1.36 yield. Full returns throughout job, TOC at 8500'. 5/22/19 RD cementers, install nightcap and rig release.

### Revisions to Operator-Submitted EC Data for Sundry Notice #514474

**Operator Submitted BLM Revised (AFMSS)** 

DRG SR DRG Sundry Type: SR

Lease: NMNM0545035 NMNM0545035

Agreement:

Operator: **OXY USA INC OXY USA INCORPORATED** 

PO 4294 HOUSTON, TX 77210 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521

Ph: 713-497-2492 Ph: 713.350.4816

LESLIE REEVES Admin Contact:

REGULATORY ADVISOR E-Mail: LESLIE\_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492

LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE\_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492

Tech Contact: LESLIE REEVES

REGULATORY ADVISOR E-Mail: LESLIE\_REEVES@OXY.COM Cell: 281-733-0824

LESLIE REEVES REGULATORY ADVISOR E-Mail: LESLIE\_REEVES@OXY.COM Cell: 281-733-0824 Ph: 713-497-2492 Ph: 713-497-2492

Location:

State: County: NM EDDY NM EDDY

INGLE WELLS; BONE SPRING **INGLE WELLS** Field/Pool:

PURE GOLD MDP1 29-17 FED COM 4H Sec 29 T23S R31E Mer NMP SESW 430FSL 2605FWL 32.269360 N Lat, 103.799927 W Lon PURE GOLD MDP1 29-17 FED COM 4H Sec 29 T23S R31E SESW 430FSL 2605FWL Well/Facility:

32.269359 N Lat, 103.799929 W Lon