Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Rec'd 05/11/2020 - NMOCD FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					<ul><li>5. Lease Serial No. NMNM157756A</li><li>6. If Indian, Allottee or Tribe Name</li></ul>	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. 891000303X	
Type of Well					8. Well Name and No. POKER LAKE UNIT 29 BS 104H	
Name of Operator     XTO PERMIAN OPERATING LLC     E-Mail: Cheryl_rowell@xtoenergy.com					9. API Well No. 30-015-45934-00-X1	
3a. Address 6401 HOLIDAY HILL ROAD B MIDLAND, TX 79707	(include area code) 3-3754 10. Field and Pool or F PURPLE SAGE		Exploratory Area -WOLFCAMP (GAS)			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State		
Sec 29 T25S R31E SENW 23 32.102207 N Lat, 103.802299	EDDY COUNTY, NM					
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OTH	ER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☐ Notice of Intent	☐ Acidize☐ Alter Casing	□ Dee	pen raulic Fracturing	☐ Production (Start/Resume) ☐ Reclamation		☐ Water Shut-Off ☐ Well Integrity
Subsequent Report     ■	☐ Casing Repair	_ •	Construction	☐ Recomplete		☐ Wen Integrity  ☑ Other
☐ Final Abandonment Notice	☐ Change Plans	_	g and Abandon			Drilling Operations
1 mai 7 toandonment Protice	☐ Convert to Injection	<del>-</del>		☐ Water Disposal		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fix XTO ENERGY SUBMITS THE Spud well 03/13/20  03/13/20 to 03/14/20  Drill 17.5 inch hole, TD at 102 casing with 2025 Class C cmt. 03/15/20 to 03/26/20  Test 13.375 inch csg to 1500 prill 12.25 inch hole to 11100 set at 3983 ft. Stage 1 cement	operations. If the operation re andonment Notices must be fil nal inspection.  S SUNDRY AS NOTICE  Oft. Run 13.375 inch, 68 Bump plug. Circ 223 bbl  osi, 30 mins (good). ft. Run 9.625 inch, 40 lb,	sults in a multipled only after all OF COMPLE  Ib, L-80 casir is cmt to surfa	e completion or recorequirements, including TED DRILLING (and see the see that 1020 ft.)	mpletion in a raing reclamation  OPERATION  Cement  ft. DV tool	new interval, a Form 3160, have been completed as	0-4 must be filed once and the operator has
14. I hereby certify that the foregoing is  Com  Name(Printed/Typed) CHERYL	# Electronic Submission For XTO PERMI nmitted to AFMSS for proc	IAN OPERATII	IG ĽLC, sent to ti SCILLA PEREZ or	ne Carlsbad n 04/29/2020	•	
Signature (Electronic S	Date 04/28/20	020				
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE	
Approved By ACCEPTED			JONATHO <sub>Title</sub> PETROLE	JONATHON SHEPARD  Title PETROLEUM ENGINEER  Date 05/07/2020		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	Office Carlsbac	1				
Title 18 U.S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a	crime for any pe	erson knowingly and	willfully to ma	ake to any department or a	agency of the United

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #513176 that would not fit on the form

## 32. Additional remarks, continued

Class C. Did not bump plug, lost circ. Open DV tool. ETOC = 6657?. Stage 2 cement: 1145 sxs Class C and 470 Class C tail cmt. (Total 5345 sxs cmt). Bump plug. Circ. 177 bbls cmt to surface. WOC.

03/27/20 to 04/23/20 Test 9.625 inch csg to 1500 psi, 30 mins (good). Drill 8.75 inch hole to 13664 ft. Drilled 8.5 inch hole to TD at 22550 ft on 4/21/20. Run 5.5 inch, 23 lb, P-110 casing set at 22540 ft. Cement csg. lead with 1420 sxs Class H and tail 2830 sxs Class H (Total 4250 sxs cmt) bumped plug. ETOC = 3348?.

KOP = 11546

Rig Release at 04/23/20.

## Revisions to Operator-Submitted EC Data for Sundry Notice #513176

**Operator Submitted BLM Revised (AFMSS)** 

DRG SR DRG Sundry Type: SR

Lease: NMNM157756A NMNM157756A

Agreement: 891000303X (NMNM71016X)

XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277 Operator: XTO PERMIAN OPERATING LLC

6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754

**CHERYL ROWELL CHERYL ROWELL** Admin Contact:

REGULATORY COORDINATOR REGULATORY COORDINATOR E-Mail: Cheryl\_rowell@xtoenergy.com E-Mail: Cheryl\_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432.218-3754

Tech Contact:

CHERYL ROWELL REGULATORY COORDINATOR CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl\_rowell@xtoenergy.com E-Mail: Cheryl\_rowell@xtoenergy.com

Ph: 432-218-3754 Ph: 432.218-3754

Location:

NM EDDY State: NM County: **EDDY** 

Field/Pool: PURPLE SAGE; WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

POKER LAKE UNIT 29 BS 104H POKER LAKE UNIT 29 BS 104H Well/Facility:

Sec 29 T25S R31E Mer NMP SENW 2310FNL 2040FWL Sec 29 T25S R31E SENW 2310FNL 2040FWL

32.102207 N Lat, 103.802299 W Lon 32.102207 N Lat, 103.802299 W Lon