

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM138865

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. BOROS FEDERAL 202H
2. Name of Operator MATADOR PRODUCTION COMPANY		9. API Well No. 30-015-46564-00-X1
3a. Address ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240		10. Field and Pool or Exploratory Area WOLFCAMP
3b. Phone No. (include area code) 972-371-5448		11. County or Parish, State EDDY COUNTY, NM
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 15 T26S R31E NENW 430FNL 1820FWL 32.048824 N Lat, 103.768784 W Lon		

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NMB001079
SURETY BOND NO. RLB0015172

TVD/MD:11393'/21547' DATE REACHED TD: 05/09/2020

PBTD:21436' (Top of production casing float collar)

Well Spud 03/23/2020 RR: 05/13/2020

Please see attached casing and cementing summary.
All casing integrity tests for a duration of 30 minutes. All tests good.

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #536008 verified by the BLM Well Information System For MATADOR PRODUCTION COMPANY, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 11/02/2020 (21PP0409SE)	
Name (Printed/Typed) NICKY FITZGERALD	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 10/30/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 11/17/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #536008

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138865	NMNM138865
Agreement:		
Operator:	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 972-371-5448	MATADOR PRODUCTION COMPANY ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200
Admin Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Tech Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE;WOLFCAMP(GAS)	WOLFCAMP
Well/Facility:	BOROS FEDERAL 202H Sec 15 T26S R31E 430FNL 1820FWL	BOROS FEDERAL 202H Sec 15 T26S R31E NENW 430FNL 1820FWL 32.048824 N Lat, 103.768784 W Lon

Boros Federal #202H

DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	TOP CSG (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HOLD (psi)	STAGE	STAGE TOOL DEPTH (ftm)	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL 88lb	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)		
3/23/2020	SURF	Fresh Water	54.50	J-55	BTC	17-1/2"	13-3/8"	0	1,464	34.5	1500	1		880	1.72	265	1.33	1095	337	C	0	Circ	155	654			
3/31/2020	INT 1	Diesel Brine Emulsion	29.70	P-110	BTC	9-7/8"	7-5/8"	0	10,793	699.5	3000	1		540	3.65	432	1.27	972	456	C	3976	Circ	175	717			
											2	3976				850	2.08	850	315	C	0	Circ	20	54			
5/11/2020	PROD	Oil-Based Mud	20.00	P-110	Hunting TLW	6-3/4"	5-1/2"	0	21,533	504.0	7116.0	1		315	1.71	840	1.357	1155	299	C	2551	Calc	0	-			
			KSP	10,837 MD / 10,737 TVD																							
			MD	21,547 MD / 11,393 TVD																							
5/9/2020			Top of Prod Casing Float Collar (feet) 21,436.50																								

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM138865

6. If Indian, Allottee or Tribe Name


7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. BOROS FEDERAL 202H
2. Name of Operator MATADOR PRODUCTION COMPANY Contact: NICKY FITZGERALD E-Mail: nicky.fitzgerald@matadorresources.com		9. API Well No. 30-015-46564-00-X1
3a. Address ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE DALLAS, TX 75240	3b. Phone No. (include area code) 1500 972-371-5448	10. Field and Pool or Exploratory Area WOLFCAMP
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 15 T26S R31E NENW 430FNL 1820FWL 32.048824 N Lat, 103.768784 W Lon		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize <input type="checkbox"/> Deepen <input type="checkbox"/> Production (Start/Resume) <input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing <input type="checkbox"/> Hydraulic Fracturing <input type="checkbox"/> Reclamation <input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair <input type="checkbox"/> Completion <input type="checkbox"/> Recomplete <input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans <input type="checkbox"/> Plug and Abandon <input type="checkbox"/> Temporarily Abandon
	<input type="checkbox"/> Convert to Irrigation <input type="checkbox"/> Plug Back <input type="checkbox"/> Water Disposal



13. Describe Proposed or Completed Operation: Clearly state pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete directionally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be done or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operation. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NM3000079
SURETY BOND NO. BLM0015172

TVD/MD:11393'/21547' DATE REACHED TD: 05/09/2020
PBSD:21436' (Top of production casing float collar)
Well Spud 03/23/2020 RR: 05/13/2020
Please see attached casing and cementing summary.
All casing integrity tests for a duration of 30 minutes. All tests good.

**** NMAC Rules: 19.15.7.11 & 19.15.7.14 C&D;**
Within 10 days following the commencement of drilling operations, the operator shall file a report of casing and cement test within 10 days following the setting of each string of casing or liner.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #536008 verified by the BLM Well Information System
For MATADOR PRODUCTION COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 11/02/2020 (21PP0409SE)**

Name (Printed/Typed) NICKY FITZGERALD	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 10/30/2020

Accepted for record – NMOCD gc 12/01/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	Title JONATHON SHEPARD PETROLEUM ENGINEER	Date 11/17/2020
-----------------------------	--	-----------------

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Revisions to Operator-Submitted EC Data for Sundry Notice #536008

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138865	NMNM138865
Agreement:		
Operator:	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 972-371-5448	MATADOR PRODUCTION COMPANY ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200
Admin Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Tech Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE;WOLFCAMP(GAS)	WOLFCAMP
Well/Facility:	BOROS FEDERAL 202H Sec 15 T26S R31E 430FNL 1820FWL	BOROS FEDERAL 202H Sec 15 T26S R31E NENW 430FNL 1820FWL 32.048824 N Lat, 103.768784 W Lon

Boros Federal #202H

DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	TOP CSG (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	STAGE	STAGE TOOL DEPTH (ftm)	LD SK	LD YIELD	TL SK	TL YIELD	TTL SK	TTL OBls	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLs TO SURF (if circulated)	SK TO SURF (if circulated)	LENGTH 1" RAN (if topped out)		
3/23/2020	SURF	Fresh Water	54.50	J-55	BTC	17-1/2"	13-3/8"	0	1,464	34.5	1500	1		830	1.72	265	1.33	1095	317	C	0	Circ	155	654			
3/31/2020	INT 1	Diesel Brine Emulsion	29.70	P-110	BTC	9-7/8"	7-5/8"	0	10,793	699.5	3000	1		540	3.65	432	1.37	922	456	C	3976	Circ	175	717			
5/11/2020	PROD	Oil-Based Mud	20.00	P-110	Hunting TLW	6-3/4"	5-1/2"	0	21,533	504.0	7116.0	1	3976	315	1.71	840	1.357	1155	299	C	2551	Calc	0	-			
			KOP		10,837 MD / 10,737 TYD																						
			MO		21,547 MD / 11,393 TYD																						
			5/9/2020		Top of Prod Casing Float Collar (feet) 21,436.50																						