

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No
NMNM2748

6 If Indian, Allottee or Tribe Name

7 If Unit or CA/Agreement, Name and/or No

SUBMIT IN TRIPLICATE - Other instructions on reverse side.1 Type of Well
☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No
GISSLER B 732 Name of Operator
BURNETT OIL COMPANY INC ✓ Contact: LESLIE CROW
E-Mail: leslic@burnettoil.com9 API Well No.
30-015-39362-00-X1 ✓3a Address
801 CHERRY STREET UNIT 9
FORT WORTH, TX 76102-68813b Phone No (include area code)
Ph: 817-332-5108 Ext: 635210 Field and Pool, or Exploratory
LOCO HILLS

4 Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 11 T17S R30E NWNW Lot D 640FNL 710FWL ✓

11. County or Parish, and State

EDDY COUNTY, NM


12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
☒ Notice of Intent	☐ Acidize ☐ Deepen ☐ Production (Start/Resume) ☐ Water Shut-Off
☐ Subsequent Report	☐ Alter Casing ☐ Fracture Treat ☐ Reclamation ☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair ☐ New Construction ☐ Recomplete ☒ Other Drilling Operations
	☐ Change Plans ☐ Plug and Abandon ☐ Temporarily Abandon
	☐ Convert to Injection ☐ Plug Back ☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The attached deviation plan will direct the bottom hole location in the pay zone to be 990' FWL & 990' FNL to allow future 20 acreage and/or 10 acreage locations to be drilled in this 40 acreage unit.

*Additional cement may be needed
on first stage - 17% excess
Need new plat.*

14. I hereby certify that the foregoing is true and correct
**Electronic Submission #117818 verified by the BLM Well Information System
For BURNETT OIL COMPANY INC, sent to the Carlsbad
Committed to AFMSS for processing by DEBORAH MCKINNEY on 09/19/2011 (11DLM1346SE)**

Name (Printed/Typed) LESLIE CROW

Title PRODUCTION TECHNICIAN

Signature (Electronic Submission)

Date 09/16/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By WESLEY INGRAM

Title PETROLEUM ENGINEER

Date 09/20/2011

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

*Approved: File For Review
TES/Jan 9/26/2011*

SEP 26 2011

BURNETT OIL CO. INC.

Field Eddy County, NM
 Site Gissler "B" 73
 Well #73
 Wellpath Original Hole
 Plan Plan #1



Azimuths to Grid North
 True North -0.21°
 Magnetic North 7.57°

Magnetic Field
 Strength 48955nT
 Dip Angle 60.70°
 Date: 09/15/2011
 Model: IGRF2010

TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
Surface	0.00	0.00	0.00	674751.44	618210.36	32°51'15.781N	103°56'54.212W	Point
PBHL	6100.00	-349.78	281.62	674401.66	618491.98	32°51'12.310N	103°56'50.925W	Point

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.00	0.00	141.16	0.00	0.00	0.00	0.00	0.00	0.00	
2	3421.96	0.00	141.16	3421.96	0.00	0.00	0.00	0.00	0.00	
3	4155.30	11.00	141.16	4150.80	-54.66	44.01	1.50	141.16	70.18	
4	6140.98	11.00	141.16	6100.00	-349.78	281.62	0.00	0.00	449.07	PBHL

Plan Plan #1 (#73/Original Hole)

Created By Ivonne Gonzalez

Date 09/15/2011

ARCHER DIRECTIONAL DRILLING SERVICES
 911 Regional Park Drive Houston, Texas 77060
 Phone: 713-934-9600 Fax: 713-934-9067

Archer

ARCHER

Planning Report

Company: BURNETT OIL CO INC. Field: Eddy County, NM Site: Gissler "B" 73 Well: #73 Wellpath: Original Hole	Date: 09/15/2011 Co-ordinate(NE) Reference: Well. #73, Grid North Vertical (TVD) Reference: SITE 0 0 Section (VS) Reference: Well (0 00N,0 00E,141.16Azi) Plan: Plan #1	Time: 19 07.43 Page: 1
---	--	---

Field: Eddy County, NM Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level	Map Zone: New Mexico, Eastern Zone Coordinate System: Well Centre Geomagnetic Model: IGRF2010
--	--

Site: Gissler "B" 73 Site Position: From: Map Position Uncertainty: 0 00 ft Ground Level: 3734 00 ft	Northing: 674751 44 ft Easting: 618210 36 ft Latitude: 32 51 15 781 N Longitude: 103 56 54 212 W North Reference: Grid Grid Convergence: 0 21 deg
---	--

Well: #73 Well Position: +N/-S 0 00 ft Position Uncertainty: 0.00 ft	Slot Name: Well Position: +N/-S 0 00 ft Position Uncertainty: 0.00 ft
---	--

Wellpath: Original Hole Current Datum: SITE Magnetic Data: 09/15/2011 Field Strength: 48955 nT Vertical Section: Depth From (TVD) ft	Drilled From: Surface Tie-on Depth: 0.00 ft Above System Datum: Mean Sea Level Declination: 7.78 deg Mag Dip Angle: 60.70 deg +E/-W ft Direction deg
---	---

Plan: Plan #1 Principal: No	Date Composed: 09/15/2011 Version: 1 Tied-to: From Surface
--	---

Plan Section Information										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
0 00	0 00	141 16	0 00	0.00	0.00	0.00	0.00	0 00	0 00	
3421 96	0 00	141 16	3421.96	0 00	0 00	0.00	0.00	0 00	0 00	
4155 30	11.00	141.16	4150.80	-54 66	44 01	1 50	1 50	0 00	141 16	
6140 98	11.00	141.16	6100.00	-349 78	281 62	0 00	0 00	0 00	0.00	PBHL

Survey										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
3421.96	0 00	141.16	3421 96	0 00	0 00	0 00	0 00	0 00	0 00	
3500 00	1.17	141 16	3499 99	-0 62	0 50	0 80	1.50	1 50	0 00	
3600 00	2 67	141 16	3599 94	-3.23	2 60	4.15	1.50	1 50	0 00	
3700 00	4 17	141 16	3699.75	-7 88	6 34	10.11	1.50	1.50	0 00	
3800 00	5.67	141.16	3799.38	-14 56	11.72	18.69	1.50	1.50	0 00	
3900.00	7.17	141.16	3898 75	-23 27	18 73	29 87	1.50	1 50	0 00	
4000 00	8 67	141.16	3997.80	-34.00	27 38	43 65	1.50	1 50	0 00	
4100 00	10.17	141.16	4096 44	-46 75	37 64	60 02	1 50	1.50	0 00	
4155 30	11 00	141.16	4150 80	-54.66	44 01	70 18	1 50	1.50	0 00	
4200 00	11 00	141.16	4194.68	-61.31	49 36	78 71	0 00	0 00	0 00	
4300.00	11.00	141.16	4292 84	-76 17	61 33	97 79	0 00	0 00	0 00	
4400 00	11 00	141 16	4391 01	-91.03	73 29	116 87	0.00	0.00	0.00	
4500 00	11 00	141 16	4489 17	-105 90	85 26	135 95	0.00	0 00	0 00	
4600 00	11.00	141 16	4587 33	-120.76	97 23	155 03	0.00	0.00	0 00	
4700 00	11 00	141 16	4685 50	-135.62	109 19	174 11	0 00	0 00	0 00	
4800 00	11 00	141 16	4783 66	-150 48	121.16	193.19	0.00	0.00	0 00	
4900 00	11 00	141 16	4881.82	-165.34	133 12	212.28	0 00	0 00	0 00	

ARCHER

Planning Report

Company: BURNETT OIL CO. INC
Field: Eddy County, NM
Site: Gissler "B" 73
Well: #73
Wellpath: Original Hole

Date: 09/15/2011 **Time:** 19 07:43
Co-ordinate(NE) Reference: Well: #73; Grid North
Vertical (TVD) Reference: SITE 0 0
Section (VS) Reference: Well (0.00N,0 00E,141.16Azi)
Plan: Plan #1

Page: 2

Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
5000 00	11.00	141 16	4979.98	-180 21	145.09	231.36	0 00	0 00	0.00	
5100 00	11.00	141.16	5078 15	-195 07	157 06	250 44	0.00	0 00	0.00	
5200 00	11 00	141 16	5176 31	-209 93	169 02	269 52	0.00	0.00	0.00	
5300 00	11 00	141.16	5274.47	-224 79	180.99	288.60	0.00	0.00	0.00	
5400.00	11 00	141 16	5372.63	-239 66	192 95	307 68	0.00	0.00	0 00	
5500 00	11 00	141 16	5470 80	-254.52	204.92	326.76	0 00	0.00	0 00	
5600 00	11 00	141 16	5568.96	-269.38	216.89	345 84	0 00	0 00	0 00	
5700 00	11 00	141.16	5667 12	-284 24	228.85	364 92	0.00	0.00	0 00	
5800 00	11 00	141.16	5765.29	-299 11	240 82	384 00	0 00	0 00	0.00	
5900 00	11.00	141 16	5863.45	-313 97	252.78	403 08	0 00	0.00	0 00	
6000 00	11.00	141 16	5961.61	-328 83	264.75	422.17	0 00	0 00	0 00	
6100 00	11 00	141 16	6059 77	-343 69	276 72	441 25	0.00	0.00	0.00	
6140 98	11 00	141 16	6100.00	-349.78	281.62	449.07	0 00	0.00	0 00	PBHL

Targets

Name	Description Dip.	Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		
Surface			0 00	0.00	0.00	674751 44	618210 36	32	51	15 781 N	103	56	54 212 W
PBHL -Plan hit target			6100 00	-349.78	281 62	674401 66	618491 98	32	51	12.310 N	103	56	50 925 W

ARCHER
Directional Drilling Services

H HEADER INFORMATION -----

H COMPANY : BURNETT OIL CO. INC.
H FIELD : Eddy County, NM
H SITE : Gissler "B" 73
H WELL : #73
H WELLPATH: Original Hole
H DEPTHUNT: ft
H SURVDATE: 2011-09-15

H-----

H WELL INFORMATION

H WELL EW MAP : 618210.36
H WELL NS MAP : 674751.44
H DATUM ELEVN : 0.00
H VSECT ANGLE : 141.16
H VSECT NORTH : 0.00
H VSECT EAST : 0.00

H-----

H SURVEY TYPE INFORMATION

H-----

H SURVEY LIST

H MD	INC	AZI	TVD	NS	EW	VS	X(easting)	Y(northing)
0.00	0.00	141.16	0.00	0.00	0.00	0.00	618210.36	674751.44
100.00	0.00	141.16	100.00	0.00	0.00	0.00	618210.36	674751.44
200.00	0.00	141.16	200.00	0.00	0.00	0.00	618210.36	674751.44
300.00	0.00	141.16	300.00	0.00	0.00	0.00	618210.36	674751.44
400.00	0.00	141.16	400.00	0.00	0.00	0.00	618210.36	674751.44
500.00	0.00	141.16	500.00	0.00	0.00	0.00	618210.36	674751.44
600.00	0.00	141.16	600.00	0.00	0.00	0.00	618210.36	674751.44
700.00	0.00	141.16	700.00	0.00	0.00	0.00	618210.36	674751.44
800.00	0.00	141.16	800.00	0.00	0.00	0.00	618210.36	674751.44
900.00	0.00	141.16	900.00	0.00	0.00	0.00	618210.36	674751.44
1000.00	0.00	141.16	1000.00	0.00	0.00	0.00	618210.36	674751.44
1100.00	0.00	141.16	1100.00	0.00	0.00	0.00	618210.36	674751.44
1200.00	0.00	141.16	1200.00	0.00	0.00	0.00	618210.36	674751.44
1300.00	0.00	141.16	1300.00	0.00	0.00	0.00	618210.36	674751.44
1400.00	0.00	141.16	1400.00	0.00	0.00	0.00	618210.36	674751.44
1500.00	0.00	141.16	1500.00	0.00	0.00	0.00	618210.36	674751.44
1600.00	0.00	141.16	1600.00	0.00	0.00	0.00	618210.36	674751.44
1700.00	0.00	141.16	1700.00	0.00	0.00	0.00	618210.36	674751.44
1800.00	0.00	141.16	1800.00	0.00	0.00	0.00	618210.36	674751.44
1900.00	0.00	141.16	1900.00	0.00	0.00	0.00	618210.36	674751.44
2000.00	0.00	141.16	2000.00	0.00	0.00	0.00	618210.36	674751.44
2100.00	0.00	141.16	2100.00	0.00	0.00	0.00	618210.36	674751.44
2200.00	0.00	141.16	2200.00	0.00	0.00	0.00	618210.36	674751.44
2300.00	0.00	141.16	2300.00	0.00	0.00	0.00	618210.36	674751.44
2400.00	0.00	141.16	2400.00	0.00	0.00	0.00	618210.36	674751.44
2500.00	0.00	141.16	2500.00	0.00	0.00	0.00	618210.36	674751.44
2600.00	0.00	141.16	2600.00	0.00	0.00	0.00	618210.36	674751.44
2700.00	0.00	141.16	2700.00	0.00	0.00	0.00	618210.36	674751.44
2800.00	0.00	141.16	2800.00	0.00	0.00	0.00	618210.36	674751.44
2900.00	0.00	141.16	2900.00	0.00	0.00	0.00	618210.36	674751.44
3000.00	0.00	141.16	3000.00	0.00	0.00	0.00	618210.36	674751.44
3100.00	0.00	141.16	3100.00	0.00	0.00	0.00	618210.36	674751.44
3200.00	0.00	141.16	3200.00	0.00	0.00	0.00	618210.36	674751.44
3300.00	0.00	141.16	3300.00	0.00	0.00	0.00	618210.36	674751.44
3400.00	0.00	141.16	3400.00	0.00	0.00	0.00	618210.36	674751.44
3421.96	0.00	141.16	3421.96	0.00	0.00	0.00	618210.36	674751.44

3500.00	1.17	141.16	3499.99	-0.62	0.50	0.80	618210.86	674750.82
3600.00	2.67	141.16	3599.94	-3.23	2.60	4.15	618212.96	674748.21
3700.00	4.17	141.16	3699.75	-7.88	6.34	10.11	618216.70	674743.56
3800.00	5.67	141.16	3799.38	-14.56	11.72	18.69	618222.08	674736.88
3900.00	7.17	141.16	3898.75	-23.27	18.73	29.87	618229.09	674728.17
4000.00	8.67	141.16	3997.80	-34.00	27.38	43.65	618237.74	674717.44
4100.00	10.17	141.16	4096.44	-46.75	37.64	60.02	618248.00	674704.69
4155.30	11.00	141.16	4150.80	-54.66	44.01	70.18	618254.37	674696.78
4200.00	11.00	141.16	4194.68	-61.31	49.36	78.71	618259.72	674690.13
4300.00	11.00	141.16	4292.84	-76.17	61.33	97.79	618271.69	674675.27
4400.00	11.00	141.16	4391.01	-91.03	73.29	116.87	618283.65	674660.41
4500.00	11.00	141.16	4489.17	-105.90	85.26	135.95	618295.62	674645.54
4600.00	11.00	141.16	4587.33	-120.76	97.23	155.03	618307.59	674630.68
4700.00	11.00	141.16	4685.50	-135.62	109.19	174.11	618319.55	674615.82
4800.00	11.00	141.16	4783.66	-150.48	121.16	193.19	618331.52	674600.96
4900.00	11.00	141.16	4881.82	-165.34	133.12	212.28	618343.48	674586.10
5000.00	11.00	141.16	4979.98	-180.21	145.09	231.36	618355.45	674571.23
5100.00	11.00	141.16	5078.15	-195.07	157.06	250.44	618367.42	674556.37
5200.00	11.00	141.16	5176.31	-209.93	169.02	269.52	618379.38	674541.51
5300.00	11.00	141.16	5274.47	-224.79	180.99	288.60	618391.35	674526.65
5400.00	11.00	141.16	5372.63	-239.66	192.95	307.68	618403.31	674511.78
5500.00	11.00	141.16	5470.80	-254.52	204.92	326.76	618415.28	674496.92
5600.00	11.00	141.16	5568.96	-269.38	216.89	345.84	618427.25	674482.06
5700.00	11.00	141.16	5667.12	-284.24	228.85	364.92	618439.21	674467.20
5800.00	11.00	141.16	5765.29	-299.11	240.82	384.00	618451.18	674452.33
5900.00	11.00	141.16	5863.45	-313.97	252.78	403.08	618463.14	674437.47
6000.00	11.00	141.16	5961.61	-328.83	264.75	422.17	618475.11	674422.61
6100.00	11.00	141.16	6059.77	-343.69	276.72	441.25	618487.08	674407.75
6140.98	11.00	141.16	6100.00	-349.78	281.62	449.07	618491.98	674401.66