

Submit 1 Copy To Appropriate District  
Office  
District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
October 13, 2009

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-015-30932</b>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <b>Davis 7</b>
8. Well Number <b>1</b>
9. OGRID Number <b>16696</b>
10. Pool name or Wildcat <b>McMillan Morrow</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3341' GR</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

OXY USA Inc.

3. Address of Operator

P.O. Box 50250 Midland, TX 79710

4. Well Location

Unit Letter **M** : **660** feet from the **South** line and **660** feet from the **West** line  
Section **7** Township **20S** Range **27E** NMPM County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

**3341' GR**

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13 Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


TD-10500' PBTD-10260' Perfs-10014-10238' CIBP-10260'

13-3/8" 68# csg @ 500' w/ 430sx, 17-1/2" hole, TOC-Surf-Circ

9-5/8" 43.5-47# csg @ 2900' w/ 735sx, 12-1/4" hole, TOC-Surf-Circ

5-1/2" 17# csg @ 10500', DVT's @ 9138', 6008' w/ 2109sx, 7-7/8" hole, TOC-4720'-CBL

1. RIH & set CIBP @ 9964' w/ 25sx cmt
2. M&P 25sx cmt @ 9188-9038' WOC-Tag
3. M&P 25sx cmt @ 8550-8400'
4. M&P 25sx cmt @ 6060-5910' WOC-Tag
5. M&P 55sx cmt @ 9150-8955' WOC-Tag
6. Perf @ 4430', sqz 40sx cmt to 4330' WOC-Tag
7. Perf @ 2950', sqz 50sx cmt to 2850' WOC-Tag
8. Perf @ 1540', sqz 50sx to 1440' WOC-Tag
9. Perf @ 550' sqz 230sx cmt to Surface
- 10# MLF between plugs



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 10/31/11

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: RR Dade TITLE Dist II Supervisor DATE 11/03/2011

THE OIL CONSERVATION DIVISION **MUST**  
**BE NOTIFIED 24 HOURS PRIOR TO THE**  
**BEGINNING OF PLUGGING OPERATIONS**

OXY USA Inc. - Proposed  
Davis 7 #1  
API No. 30-015-30932

230sx @ 550'-Surface

50sx @ 1540-1440' WOC-Tag

50sx @ 2950-2850' WOC-Tag

40sx @ 4430-4330' WOC-Tag

25sx @ 6060-5910' WOC-Tag


25sx @ 7850-7700'

25sx @ 8550-8400

25sx @ 9188-9038'

CIBP @ 9964' w/ 25sx

12/04-CIBP @ 10260'



Perf @ 550'

Perf @ 1540'

Perf @ 2950'

Perf @ 4430'

Perfs @ 10014-10238'

Perfs @ 10271-10302'


17-1/2" hole @ 500'  
13-3/8" csg @ 500'  
w/ 430sx-TOC-Surf-Circ

12-1/4" hole @ 2900'  
9-5/8" csg @ 2900'  
w/ 735sx-TOC-Surf-Circ

7-7/8" hole @ 10500'  
5-1/2" csg @ 10500'  
w/ 2109sx-TOC-4720'-CBL  
DVT @ 9138', 6008'

TD-10500'

OXY USA Inc. - Current  
Davis 7 #1  
API No. 30-015-30932



17-1/2" hole @ 500'  
13-3/8" csg @ 500'  
w/ 430sx-TOC-Surf-Circ

12-1/4" hole @ 2900'  
9-5/8" csg @ 2900'  
w/ 735sx-TOC-Surf-Circ

7-7/8" hole @ 10500'  
5-1/2" csg @ 10500'  
w/ 2109sx-TOC-4720'-CBL  
DVT @ 9138', 6008'

Perfs @ 10014-10238'

Perfs @ 10271-10302'

12/04-CIBP @ 10260'

TD-10500'