

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-015-39211
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 648
7. Lease Name or Unit Agreement Name: East Millman Unit
8. Well Number 239
9. OGRID Number 019958
10. Pool name or Wildcat Millman; Yates-SR-QN-GB-SA, East
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3416' KB; 3409' GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name: East Millman Unit
2. Name of Operator Stephens & Johnson Operating Co	8. Well Number 239
3. Address of Operator P O Box 2249, Wichita Falls, TX 76307	9. OGRID Number 019958
4. Well Location Unit Letter <u>J</u> : <u>1965</u> feet from the <u>South</u> line and <u>1835</u> feet from the <u>East</u> line Section <u>14</u> Township <u>19S</u> Range <u>29E</u> NMPM County <u>Eddy</u>	10. Pool name or Wildcat Millman; Yates-SR-QN-GB-SA, East
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3416' KB; 3409' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached Detail



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William M. Kincaid TITLE Petroleum Engineer DATE 11/10/2011

mkincaid@sjoc.net

Type or print name William M. Kincaid E-mail address: mkincaid@sjoc.net PHONE 940-723-2166

For State Use Only

APPROVED BY T. C. Shepard TITLE Geologist DATE NOV 16 2011

Conditions of Approval (if any):

Page 2 (C-103)  
Stephens & Johnson Operating Co.  
East Millman Unit No. 239  
API No. 30-015-39211  
Eddy County, New Mexico

Well Data:

Total Depth: 2720' KB  
PBTD: 2703' KB  
Surface Casg: 8 5/8" 24# set @ 300' KB, cement w/275 sx, cement  
circulated to surface.  
Prod. Csg: 5 1/2" 15.50# set @ 2716' KB, cement w/675 sx,  
cement circulated to surface.

Completion Information:

10/12/2011: Pressure tested 5 1/2" casing to 1500 psi for 30  
minutes. Held OK. Perforated one shot at each of  
the following depths: 2180', 2183', 2186', 2219',  
2222', 2225', 2228', 2231', 2234', 2237', 2240',  
2243', 2246', 2249', 2252', 2279', 2285', 2413',  
2416', 2419', 2438', 2440', 2442', 2470', 2473'.  
  
10/13/2011: Acidized perforations with 2500 gals 15% NEFE acid.  
  
11/02/2011: Frac perforations with 118,000 gals 10# brine, 1000  
lbs 20/40 sand, 11,410 lbs LiteProp 125 (20/40),  
3,990 lbs Resin coated LifeProp 125C (14/30).  
  
11/04/2011: Run downhole equipment as follows:  
Tubing: 77 jts, 2 7/8", 6.5 lb/ft, J-55, SN @ 2509' KB  
Rods: 1-8', 1-6' x 7/8" Grade D rod subs  
38 - 7/8" Grade D rods  
56 - 3/4" Grade D rods  
4 - 1 1/2" Grade D Sinker Bars  
Pump: 2 1/2" x 2" x 16' pump w/1' lift sub  
  
11/04/2011: Install electricity, turn well on production.