Form C-144 July 21, 2008

District I 1625 N. French Dr., Hobbs, NM 88240 District III. 1000 Rio Brazos Road, Aztec, NM 87410 District IV. 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Lank, or
Proposed Alternative Method Permit or Closure Plan Application_
Type of action: X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions. Please submit one application (Form C-144) per ındividual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator. Nearburg Producing Company OGRID #: 015742
Address. 3300 N A St., Bldg 2. Ste 120, Midland, TX 79705
Facility or well name Huber Federal #6H
API Number: 30-015-39765 OCD Permit Number: 212296
U/L or Qtr/Qtr M Section 3 Township 20S Range 25E County: Eddy
Center of Proposed Design: Latitude Longitude NAD 1927 1983
Surface Owner X Federal State Private Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC SEP 2.2 2011 Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other String-Reinforced Liner Scams. Welded Factory Other Volume: bbl Dimensions: L x W x D X Closed-loop.System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams. Welded Factory Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6. Fencing: Subsection D of 19.15 17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church)	ol, hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bur consideration of approval.	reau office for
Exception(s) Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
Siting Criteria (regarding permitting). 19.15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of ac material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the application of may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dry above-grade tanks associated with a closed-loop system.	propriate district of approval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Ycs No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000-horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No


THE THE PROPERTY OF THE PROPERTY OF THE SERVICE OF THE PROPERTY OF THE PROPERT

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19 15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17 9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19 15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC Liner Specifications and Compatibility Assessment - based upon Quality Control/Quality Assurance Construction and Installation Plan the appropriate requirements of 19 15.17 11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15 17.13 NMAC
Proposed Closure. 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15.17 13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Grow Instructions. Please indentify the facility or facilities for the disposal of liquids	und Steel Tanks or Haul-off Bins Only: (19 15.17.13 I or, drilling fluids and drill cuttings. Use attachment if mor	NMAC) .
facilities are required. Disposal Facility Name: CRI	•	
Disposal Facility Name:		
Will any of the proposed closed-loop system operations and associated activitie operations? Yes (If yes, please provide the information below) No	es occur on or in areas that will not be used for future ser	vice and
Required for impacted areas which will not be used for future service and oper. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsective Re-vegetation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate requirements of Subsective Reclamation Plan - based upon the appropriate Reclamation Plan - b	priate requirements of Subsection H of 19.15.17 13 NM/ ction I of 19.15.17.13 NMAC	AC
Siting Criteria (regarding on-site closure methods only. 19.15.17.10 NMA) Instructions: Each siting criteria requires a demonstration of compliance in provided below. Requests regarding changes to certain siting criteria may reall be considered an exception which must be submitted to the Santa Fe Environ and/or demonstrations of equivalency are required. Please refer to 19.15.17.	the closure plan. Recommendations of acceptable sout quire administrative approval from the appropriate dist Innental Bureau office for consideration of approval. Jo	rict office or may
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS;	; Data obtained from nearby wells	☐ Yes ☐ No ☐ NΛ
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search, USGS;		☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database scarch; USGS;	; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed sit		Yes No
. Within 300 feet from a permanent residence, school, hospital, institution, or chi - Visual inspection (certification) of the proposed site, Aerial photo; Sa		☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that watering purposes, or within 1000 horizontal feet of any other fresh water well NM Office of the State Engineer - iWATERS database; Visual inspec	or spring, in existence at the time of initial application.	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written ag	•	☐ Yes ☐ No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map,	Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-M	lining and Mineral Division	☐ Yes ☐ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Ge Society; Topographic map	cology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No
Within a 100-year floodplain FEMA map		☐ Yes ☐ No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of by a check mark in the box, that the documents are attached.	of the following items must be attached to the closure pla	an Please indicate,
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements Proof of Surface Owner Notice - based upon the appropriate requirements Construction/Design Plan of Burial Trench (if applicable) based upon the Construction/Design Plan of Temporary Pit (for in-place burial of a drying Protocols and Procedures - based upon the appropriate requirements of 19. Confirmation Sampling Plan (if applicable) - based upon the appropriate re Waste Material Sampling Plan - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	of Subsection F of 19.15.17 13 NMAC appropriate requirements of 19.15.17.11 NMAC spad) - based upon the appropriate requirements of 19.15 15.17.13 NMAC equirements of Subsection F of 19.15.17.13 NMAC of Subsection F of 19.15.17.13 NMAC d drill cuttings or in case on-site closure standards cannot in H of 19.15.17.13 NMAC on I of 19.15.17.13 NMAC	

Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate at Name (Print): Terri Stathem	Title: Regulatory Analyst
	Date: 9-22-11
Signature:	
e-mail address: tstathem@nearaburg.com	Telephone. 432/818-2950
OCD Approval: Permit Application (including closure plan) Closur	e Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date: 12/21/2011
Title: DET TO DOWN OCD	Permit Number: 2/2296
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to impreport. The closure report is required to be submitted to the division within 60 days complete this section of the form until an approved closure plan has been obtained a	plementing any closure activities and submitting the closure of the completion of the closure activities. Please do not
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Clo	sure Method
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Tha Instructions: Please indentify the facility or facilities for where the liquids, drilling than two facilities were utilized. Disposal Facility Name	luids and drill cuttings were disposed. Use attachment if more
Disposal Facility Name: Dispos	al Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in ar Yes (If yes, please demonstrate compliance to the items below)	eas that will not be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	,
Closure Report Attachment Checklist: Instructions: Each of the following items m mark in the box, that the documents are attached Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	
25	
Operator Closure Certification. I hereby certify that the information and attachments submitted with this closure repolebelief. I also certify that the closure complies with all applicable closure requirements.	t is true, accurate and complete to the best of my knowledge and and conditions specified in the approved closure plan
Name (Print).	Title.
Signature:	Date:
e-mail address:	Telephone:

Huber Federal #6H Eddy County, NM



All distances approximate. Not to scale

I Design Plan

Above ground steel tanks will be used for the management of all fluids

II Operations and Maintenance Plan

Nearburg Producing Company will operate and maintain all of the above ground steel tanks in a prudent manner to prevent any spills. Should a leak develop, the appropriate NMOCD Division Office will be notified within 48 hours and the leak will be addressed immediately. During an upset the source of the leak will be isolated and addressed as soon as it is discovered. Free liquids will be removed and loose topsoil will be use'd to stabilize the spill. The contaminated soil will either be remediated in-situ or be excavated and taken to an approved facility.

III Closure Plan

All fluids will go to an above ground steel tank and will be hauled to an approved facility. Impacted areas which will not be used for future service or operations will be reclaimed as per approved methods.

DISTRICT I 1625 N. FRENCH DR., HOBBS, NM 88240 DISTRICT II 1301 W. GRAND AVENUE, ARTESIA, NM 88210 DISTRICT III 1000 RIO BRAZOS RD., AZTEC, NM 87410

DISTRICT IV

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, New Mexico 87505 Form C-102 Revised July 16, 2010 Submit to Appropriate District Office

□AMENDED REPORT

11885 S. ST. FRANCIS DR., SANTA FE, NM 87505 WELL LOCATION AND ACREAGE DEDICATION PLAT

	API Number	Pool Code 97565	N. Seven River	Pool Name s; Glor-Yeso				
Proper 8	nty Code 396	•	Property Name HUBER 'FEDERAL					
OGR 157	IID No. 42		Operator Name NEARBURG PRODUCING COMPANY					

Surface Location

UL or lot No.	Section	Township	Range	Lot idn	Feet from the	North/South line	Feet from the	East/West line	County
М	3	20-S	25-E		180	SOUTH	330	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section 3	Township 20-S	Range 25-E	Lot Idn	Feet from the 330	North/South line NORTH	Feet from the	East/West line WEST	County EDDY
Dedicated Acres	Joint or	Infill C	onsolidation C	ode Ord	er No.	<u> </u>			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

Y=585514 1 N X=455932.2 E	RECEIVED	OPERATOR CERTIFICATION I hereby certify that the information herein is true and
Y=585518.4 N X=4546114 E	SEP 2 2 2011	complete to the best of my knowledge and belief, and that this organization either owns a working interest or unlessed mineral interest in the land including the
	ADTECIA	proposed bottom hale location or has a right to drill this well at this location pursuant to a contract with an owner
	NMOCD ARTESIA	of such mineral or working interest, or to a voluntary pooling agreement or a compulsory gooling order
		heretofore entered by the division
.5.1 8 8		9/22/11
0.40		Signature Date
DIST.		Terri Stathem
อเมื่ GEODETIC COORDINATES		tstathem@nearburg.com
		E-mail Address
SURFACE LOCATION Y=580411.5 N		
X=454928 5 Ε	·	SURVEYOR CERTIFICATION
LAT.=32 595571° N		I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by
LONG. = 104.479681° W	1	me or under my supervision, and that the same is true and correct to the best of my belief
BOTTOM HOLE LOCATION Y=585186.3 N		MAY 26, 2011
X=455270.4 E	\ .	Date of Survey
		Signature & Seal of Professional Surveyor:
	3465.2'3464.5'	W MEX ON
Y=580228 6 N X=454598.2 E	0 000	3239
S.L.	500' 3459.8' 3459 4'	Certificate Number Gar C. Fidson 12641
330 SEE DETAIL Y=580240 4 N	DETAIL	This OFESSION Tonald J. Eidson 3239
>180' X=455920 / E		LA """ TWSC W O. 11.11.1171