

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-015-25754
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG-4524
7. Lease Name or Unit Agreement Name Cal-Mon
8. Well Number 3
9. OGRID Number 160017
10. Pool name or Wildcat Loco Hills Q-GR-SA

<p>SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)</p>	
<p>1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <u>W/W 1/23/01</u></p>	
<p>2. Name of Operator Thunderbolt Petroleum LLC</p>	
<p>3. Address of Operator P O Box 10523, Midland TX 79702</p>	
<p>4. Well Location Unit Letter <u>L M</u>: 990 feet from the <u>West</u> line and 990 feet from the <u>South</u> line Section <u>16</u> Township <u>18S</u> Range <u>29E</u> NMPM <u>Eddy</u> County</p>	
<p>11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3531' GR</p>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

* TOH w/tbg & pkr.
Set 100' plug across top of salt @ 430 - 268' 9 1/8 oz. Tag.
Set 100' plug across bottom of salt @ 850' - Tag.
Set 10 sx surface plug. - 60'
Place marker.
Remediate surface.

**Notify OCD 24 hrs. prior
to any work done.**



* Set CIBP @ 2314' w/ 35' cmx or 25 sx cmx cap.
100' cmx plug can be used. w/o Tag.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Robert Lee

TITLE

President

DATE

2/28/2012

Type or print name

Robert Lee

E-mail address:

robertlee5@att.net

PHONE:

432-682-1251

For State Use Only

APPROVED BY:

[Signature]

TITLE

DATE

3/12/2012

**SEE ATTACHED
CONDITIONS OF
APPROVAL**

Approval Granted providing work
is complete by 6/12/2012

FORM	TOP
8 5/8" @ 318' w/200 sx Cmt, Circ 28 sx Top of Salt @ 380'	
Base of Salt @ 850'	
Pkr @ 2192'	
SELECT PERFS: 2464-2474' w/2 shots/foot 2,484-2,599' w/1 shots/foot	
PBTD 2,838'	
TD 2,897'	
5 1/2" @ 2,895' w/700 sx Cmt, circ 60 sx	

Cal-Mon #3
CURRENT WELLBORE DIAGRAM
THUNDERBOLT PETROLEUM LLC

SU-T-R 16-18S-29E **API #:** 30-015-25754
POOL: Loco Hills
CO, ST: EDDY, NEW MEXICO **LAND TYPE:** STATE
STATUS: T&A **ACREAGE** ~~40.00~~

LOG ELEVATION. N/R
GROUND ELEVATION '

CASING		LINER	TUBING
Hole			
Pipe	8 5/8"	5 1/2"	
Weight	24#	14-17#	
Grade	J-55	J-55	
Thread			
Depth	318'	2,895'	
Mud wt			

LOGS

INITIAL	
5/27/87 Spud 7/30/87 Completion	
Perforated 2,484, 85, 86, 87, 88, 89, 90, 2548, 50	
51, 2596, 97, 98, 99' w/1 per ft	
AT w/1500 gal 15% NEFE	
Frac w/843 sx 20/20 & 50,000 gals	
Perforated 2464, 65, 66, 67, 68, 69, 70, 71, 72,	
73, 74 w/2 per ft	
AT w/1000 gal 15% NEFE	
Frac w/450 sx 20/40 & 27,300 gals	

FORM	TOP																																			
				<div style="text-align: center;">Cal-Mon #3</div> <div style="text-align: center;">PROPOSED WELLBORE DIAGRAM</div> <div style="text-align: center;">THUNDERBOLT PETROLEUM LLC</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>SU-T-R</td> <td>16-18S-29E</td> <td>API #:</td> <td>30-015-25754</td> </tr> <tr> <td>POOL:</td> <td colspan="3">Loco Hills</td> </tr> <tr> <td>CO, ST:</td> <td>EDDY, NEW MEXICO</td> <td>LAND TYPE:</td> <td>STATE</td> </tr> <tr> <td>STATUS:</td> <td>T&A</td> <td>ACREAGE</td> <td>20.00</td> </tr> </table>	SU-T-R	16-18S-29E	API #:	30-015-25754	POOL:	Loco Hills			CO, ST:	EDDY, NEW MEXICO	LAND TYPE:	STATE	STATUS:	T&A	ACREAGE	20.00																
SU-T-R	16-18S-29E	API #:	30-015-25754																																	
POOL:	Loco Hills																																			
CO, ST:	EDDY, NEW MEXICO	LAND TYPE:	STATE																																	
STATUS:	T&A	ACREAGE	20.00																																	
				<div style="text-align: right;">LOG ELEVATION: N/R</div> <div style="text-align: right;">GROUND ELEVATION: 3531'</div>																																
				<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>CASING</th> <th>LINER</th> <th>TUBING</th> </tr> </thead> <tbody> <tr> <td>Hole</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Pipe</td> <td>8 5/8"</td> <td>5 1/2"</td> <td></td> </tr> <tr> <td>Weight</td> <td>24#</td> <td>15 5#</td> <td></td> </tr> <tr> <td>Grade</td> <td>J-55</td> <td>J-55</td> <td></td> </tr> <tr> <td>Thread</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Depth</td> <td>318'</td> <td>2,895'</td> <td></td> </tr> <tr> <td>Mud wt</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		CASING	LINER	TUBING	Hole				Pipe	8 5/8"	5 1/2"		Weight	24#	15 5#		Grade	J-55	J-55		Thread				Depth	318'	2,895'		Mud wt			
	CASING	LINER	TUBING																																	
Hole																																				
Pipe	8 5/8"	5 1/2"																																		
Weight	24#	15 5#																																		
Grade	J-55	J-55																																		
Thread																																				
Depth	318'	2,895'																																		
Mud wt																																				
				<div style="text-align: center;">LOGS</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </table>																																
				<div style="text-align: center;">INITIAL</div> <div> 5/27/87 Spud. 7/30/87 Completion Perforated 2,484, 85, 86, 87, 88, 89, 90, 2548, 50 51, 2596, 97, 98, 99' w/1 per ft. AT w/1500 gal 15% NEFE Frac w/843 sx 20/20 & 50,000 gals Perforated 2464, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74 w/2 per ft AT w/1000 gal 15% NEFE Frac w/450 sx 20/40 & 27,300 gals </div>																																
				<div style="text-align: center;">PROPOSED</div> <div> P&A Well TOH w/tbg & pkr Set 100' plug across top of salt 2898 csg. Tag Set 100' plug across bottom of salt - Tag. Set 10 sx surface plug - 60' Place marker. Remediate surface. </div>																																
				<div> 10 sx cmt plug 60' 8 5/8" @ 318' w/200 sx Cmt, Circ 28 sx Top of Salt @ 380' 100' cmt plug @ 380' 430'-268 Tag Base of Salt @ 850' Tag 100' cmt plug @ 850' Load hole w/mud Mud between all plugs. 100' cmt Plug. n. 2314' Set CIBP. w/35' cmt on 25 sx csg. </div>																																
				<div> SELECT PERFS: 2464-2474' w/2 shots/foot 2,484-2,599' w/1 shots/foot 5 1/2" @ 2,895' w/700 sx Cmt, circ 60 sx </div>																																
				<div> PBTD 2,838' TD 2,897' </div>																																